
MANUAL INSTRUCTIONS

YSTJ251263-12DGYD
YSTJ251263-12WTDM
5 BOXES

YSTJ251263-12DGYDM
YSTJ251263-12WTDM
LOUVERED PERGOLA
10*12FT



CONTACT US:24H,Mon~Sun.

FXserviceteam@163.com

CUSTOMER SUPPORT

Dear customer
Thank you for your purchase.

This product is a non-permanent outdoor structure designed and manufactured for personal use rather than commercial use.
Please confirm whether the installation is permitted in your states firstly.

1. When you receive the product, please make sure that all the boxes have arrived, and all the parts are intact.
2. Please browse the entire installation manual before assembling, retain this instruction manual for future reference.
3. If any problem occurs unsatisfactorily as follows:
   - Lack of boxes, or some boxes are not arrived.
   - The outer box is damaged.
   - The product is damaged / bent / cracked while you open the box.
   - The parts / accessories / assembly tools are missing.
   - The product is hard to assemble.
   - The instructions are not clear, or hoping for assistance with installation.
   - The product has functional problems.
   - The product did not meet your expectations.
   - Other aspects that you are not satisfied with.

Please feel free to contact us for help firstly. If there is any damage, please send us clear photos. We will check and do our best to provide the best solution for you. The missing or damaged parts will be delivered to you within 7 days from our U.S. warehouse.

DO NOT RETURN YOUR UNIT TO THE STORE
CONTACT US FIRST

ATTETION

PREPARATION:

The gazebo needs to be installed in cooperation with three people.
Estimated Assembly Time: 2 Hours.

Site preparation suggestion: Level the ground surface,construct a wooden or concrete base as a foundation.

The following installation tools will be used.


2 m Adjustable Ladder



Tape Measure


Screw Driver



Pistol Drill


Hammer


gloves


3 people

Minimum foundation size:



ATTETION

CAUTION :

1. Tighten each boit firmly and properly. Do not completely tighten the screws until all screws are started.
2. Some parts may contain sharp edges. Wear protective gloves in the box as necessary.
3. Children under the age of 16 should not be engaged in the assembly, removal or disassembly of the product.
4. It is strongly recommended to hire a professional installation team.

WARNING :


1. Children under the age of 10 should be supervised by a competent adult while using this furniture.
2. Please keep children out of the assembly area during assembly.
3. Never use this product as a support. Do not shake, lean, or climb on the product any time.
4. Please take appropriate measures to deal with the bad weather. Heavy rain, wind and snow may be damage the gazebo. If necessary please dis-assemble and store for later use.
5. In snowy weather, please ensure that the thickness of snow on the roof does not exceed 5 inches, If it does, please remove the snow as soon as possible to ensure safety.
6. When the wind force reaches scale 8, please take corresponding measures to reinforce the gazebo to prevent it from being damaged by the wind, and be cautious of safety issues during strong wind conditions.
7. It is necessary to use anchor bolts, expansion bolts and ropes to fix the gazebo to the foundation for Long-term stability.
8. We offer a one-year warranty, excluding damages caused by improper installation, incorrect usage, failure to use the fixing accessories, unclean snow, or failure to take preventive measures.
9. Stay away from open flames.

PARTS LIST

1. Please ensure that all parts, accessories and installation tools are complete before starting the installation.
2. Due to the variety of accessories, some parts may be glued together, some parts may be trapped inside the larger ones, please check carefully.
3. In case you cannot find or lose some small parts or screws during installation, we have provided extra parts, it is a bag with "Additional Parts" label.
4. If any accessories are missing or damaged, please contact us immediately.

FXserviceteam@163.com

CARTON:A




A1*2




A2*1



A6*1




G1*52+2



G2*52+2

CARTON:B



B1*2



B2*2



B3*1



B4*1



B5*1



B6*1



B7*1



B8*1



D1*1



D2*1

D3*2

D4*4




D6*1

PARTS LIST


CARTON:B




E1*2 /1310mm




E2*2 /1310mm




E3*2 /1580mm




E4*2/1580mm




F1*4




F2*4




H1*3




H2*1




H3*1



K*2



L1*2



L2*1




L3*2




L4*1



M1*1




M2*2




M3*2




P*104+5



Q*1




M6*14mm
AA1*97+2



M6*18mm
AA2*3



M4*8mm
BB*8+1




M5*12mm
CC1*2

PARTS LIST


CARTON:B




CC2*2




M5*15mm
DD1*4




ST6*25mm
DD2*2




EE*16



FF*2




GG*2




HH*2



JJ*1




KK*16



LL*16+1



NN*40+2



MM*30

CARTON:C



C*26



B9*2



B10*2



B11*1

PARTS LIST

CARTON:D




C*26


CARTON:E



R1*4 /1300mm




R2*4 /1550mm




S*16



T*16





U*1





V*1


Installation steps















Installation steps






Before assembly, check whether the edges or corners of the louvers are deformed. If deformation is found, it can be adjusted straight with pliers without affecting usage






Installation steps

STEP:03




B1 B2*2 B3 B4 B5 B6*1




Please hand–tighten the conical nut, keeping the nut's boss aligned with the opening slot.


Installation steps




Installation steps





Installation steps




Installation steps











Installation steps




Installation steps




When assembling the crossbeam, first pull out the light wires and the rope for the hand crank hook. Ensure the light wires are securely fastened to prevent them from falling into the tube.


Installation steps



Installation steps




Installation steps



When assembling the crossbeam, pay attention to distinguishing the upper and lower positions of the two types of filaments, with double heads at the bottom of the column and single heads at the top of the column. Pay attention to fixing the light wire to prevent it from falling into the pipeline.


Installation steps




Installation steps

STEP:14


4*AA1



Installation steps





Installation steps




Installation steps


STEP:17







Installation steps









Installation steps




Installation steps



Installation steps




Installation steps




Tighten the screws in the reverse direction.


Installation steps



Installation steps



Installation steps




Installation steps

STEP:26





102*P



Installation steps

STEP:27







Installation steps










Align and insert, then tighten the waterproof nut








Installation steps



Installation steps

STEP:30


This product can withstand a snow accumulation of 20 centimeters and winds of up to level 9. In case of heavy snowfall, the top louvers should be opened to prevent excessive snow pressure.



Press the handle down until it is close to the panel. At this point, adjusting the handle's angle will not cause the top louvers to rotate.

Installation steps


STEP:31




The privacy screen is on the outside, while the netting is on the inside


Installation steps









Installation steps



Installation steps




Installation steps



Installation steps

STEP:36

This product can withstand a snow accumulation of 12 centimeters and winds of up to level 7. In case of heavy snowfall, the top louvers should be opened to prevent excessive snow pressure.



AFTER-SALE SERVICE

If you have any suggestions or encounter quality issues with our products, please contact us first.

Our after-sales team will respond within 24 hours, and we will do our best to provide a solution until you are satisfied.

GUARANTEED CUSTOMER SERVICE

If you feel unsatisfied or have any questions,

just contact us !

For further information,

just contact us !

FXserviceteam@163.com