



PARTS AND HAEDWARE

Avoid using sharp objects such as knife to cut open packing as you may accidentally damage the upholstery.



A. Seat (Loveseat)  
1x




B. Backrest (Loveseat)  
1x



C. Armrest/Legs  
6x



D. Seat (single Seater)  
2x




E. Backrest (Single Seater)  
2x



F. Front/Back Panel (Coffee Table)  
2x



G. Side Panel/Legs (Coffee Table)  
2x




H. Table top  
1x



I. . Bolts / Washers  
50x




J .Allen Key  
1x



K.Table Glass  
1X



L. Cushion  
Single Seater  
2x




M. Cushion  
Loveseat  
1x


If you encounter problems like unbalanced/rocking chairs after assembling, please contact our customer service or try to hit it lightly against the floor a few times until it is balanced again.

## ASSEMBLY INSTRUCTIONS (Coffee Table)


1. Place table top(H) on floor face down.




2. Affix washers to bolts(I), assemble the side panels/legs(G) on each of the table top ,Do not fully tighten bolts.




3. Affix washers to bolts(I),assemble front/back panels(F) on the table as shown in figure below.




4. Tighten all screws completely.




 x 12Used

ASSEMBLY INSTRUCTIONS(Loveseat)


5.Locate seat (Loveseat)(A).




6.Affix washers to bolts(I),assemble legs/arms(C) on each side of the loveseat(A).Do not fully tighten bolts.



7.Affix washers to bolts(I),assemble backrest (Loveseat)(B) to the back of seat (A) as shown in figure below.




8.Tighten all bolts completely.




 x 14 Used

ASSEMBLY INSTRUCTIONS (Single Seater)


9.Locate seat (Single seater)(D).




10.Affix washers to bolts(I),assemble legs/arms(C) on each side of the seat(D).Do not fully tighten bolts.




11.Affix washers to bolts(I),assemble backrest (Single Seater)(E) to the back of seat (D) as shown in figure below.



12.Tighten all bolts completely.



13 . Repeat steps 9-12 for for the second Single Seater.

 x 12\*2 Used