Assembly Instruction

Assembly Instruction

Hardwares

NO	Description	Sketch	Q'TY
A	Allen Wrench	4mm	1pc
B	1-1/4" Bolt		8pcs
C	Lock washer		8pcs
D	Flat washer		8pcs
E	Grommet		2pcs

NO	Description	Sketch	Q'TY
F	Allen Wrench		1pc
G	Head Screw		4pc
H	2 port USB		1pc
	Touch up Pen		1pc

Open the drawers and take off the pulls installed on the back of drawer fronts, then reattach the pulls on the front side as shown.

Assembly Instruction

To connect the Desk top, you will need to detach the top drawer of the left Pedestal. To remove the drawers, press on the levers located on both sides of the drawer simultaneously while pulling the drawer out.

Assembly Instruction

Insert Wire Grommets (E) into wire hole on desk's top.

E

A

B

C

D

A

B

C

D

A

B

C

D

Place the desk top on the left and right pedestal lining up the dowel's and bolt holes. once aligned, secure the top using the Bolt (B), Lock Washers (C), and Flat Washers (D) as shown in the diagram.

F

electric drill

Assembly Instruction

Mount the 2 port USB at the desired place
with screw(G).

G

G

H

Open the pull out drawer and small drawer of CAT#486A,
take off the knobs installed on the back of drawer fronts
and reattach the knobs on the front side as shown.

Levelers