







Thank you for purchasing your shed. No matter what size garden, a shed is the most practical of garden structures. Simply follow these step by step instructions and our top tips and you'll be enjoying your shed for many years to come. If you have any questions or need advice, our friendly team is here to help.

# SHED INSTRUCTIONS

## MEDIUM SHEDS DOUBLE DOOR (6x4, 7x5)

### FIXING PACK CONTAINS:




## BEFORE YOU START

Please read through these instructions to familiarise yourself with your shed. We recommend that you **check all the components** using the lists found on the front and back pages before you start to build.

All of our sheds are constructed in the same way. They simply come with different components depending on the type of shed you have. Don't worry if your fixing pack contains some spare items at the end of the build (you haven't missed a bit!) we have sent you a generic fixing pack to suit the shed range.

## BASE PREPARATION

It's vital that you build your new shed on a **solid, level base**. Timber or Plastic Shed Bases are ideal, as is solid concrete or concrete slabs.



If you have an existing base and think it's suitable for your new shed to be sited on, it is important you check that it is level and doesn't deviate by any more than 15mm from edge to edge. If this isn't the case the building will twist, causing gaps to appear in the sections and the roof, doors and windows to misalign.

## TOOLS NEEDED

We recommend using the following tools (not supplied):



Assembly is relatively straightforward if you follow these step by step instructions. We recommend getting everything aligned properly before screwing together and that **screw holes should be pre-drilled** to avoid splitting the timber.



**IMPORTANT**  
Assembly requires 2+ adults.



**REMINDER**  
Always pre-drill before screwing.

PLEASE KEEP PLASTIC BAGS AND SMALL PARTS AWAY FROM CHILDREN


To help you get the most out of our products it's useful to know a little more about the properties of timber, what's normal and how your shed may behave as the seasons change. Wood is an extremely durable material for construction but as a natural product when used outdoors it is susceptible to changes in the environment.

## THINGS THAT YOU MIGHT SEE IN YOUR PRODUCT



### MOVEMENT, TWISTING & WARPING

Wood contains a natural level of moisture so decreasing humidity levels in the surrounding air may cause panels to change their shape as the porous fibres shrink. This can be exaggerated during prolonged periods of dry weather. Movement and gaps in timber products are normal, in most cases the wood will revert to its original form once the high temperatures subside and there is more moisture content in the air. Similarly, in the winter months, the opposite may occur with wood swelling.



### EXPANSION, CONTRACTION, SPLITS & CRACKS

All timber will expand and contract according to its environment. As a result of this expansion and contraction, it is very common to see splits and cracks developing in the wood. Splits are common during the spring and summer months as the wood begins to dry out. The outer surface dries first and contracts, contracting over a still expanded core of the wood. The result of this is that splits and cracks appear along the grain of wood. These splits are not a fault and do not affect the structural integrity of a product.



### MOULD & BLUE STAIN

Mould is a surface-dwelling fungus that feeds on the nutrients and debris contained in the surface cells of timber. The most common problems associated with mould are discoloured timber and an increase in permeability of the timber. Blue stain is part of the same family but penetrates deeper into the surface layers of the timber. It stains the timber a dark blue, whereas mould is usually black. These do not cause the timber to rot. Keep the building well ventilated to avoid mould.

## ADVICE ON FELT HANDLING & USAGE

Roofing felt is flexible at temperatures above 5°C. In cold temperatures extra care must be taken when handling and installing to prevent cracking and damage to the felt. The felt should not be rolled, folded or used in temperatures lower than 5° C. In cold temperatures the felt should be stored above 10°C (indoors) for 24 hours prior to use. Felt must be lifted, not dragged and should be stored on its end on a dry surface.

**THE ROOF OF THIS BUILDING IS NOT A LOAD BEARING STRUCTURE**

## 8 TOP TIPS TO ENSURE YOUR SHED IS FULLY WATERPROOF

- 1 MAKE SURE YOU POSITION YOUR SHED IN THE BEST LOCATION IN YOUR GARDEN**  
Avoid areas where water pools and is constantly wet. Position away from trees and cut back any overhanging foliage which can cause moisture to be trapped against shed walls and debris to collect on the roof.
- 2 RAISE YOUR SHED OFF THE GROUND**  
Ideally any concrete base should be the same footprint as the shed to allow surface water to run off without pooling, a timber shed base can also be used. Raise 50mm above ground level.
- 3 SEAL THE BASE**  
We recommend a treatment containing wax or oil, paint the bearers that come into contact with the ground to prevent moisture coming up.
- 4 USE AN END-GRAIN PROTECTOR**  
To protect the corners and panel joints, an end grain treatment can be applied.
- 5 SEAL THE PANELS & WINDOWS**  
Use a flexible silicone sealant around windows to prevent water ingress. This can also be used where 2 sections of the shed joint together. Apply internally.
- 6 CONSIDER ADDING GUTTERS**  
Adding guttering around the fascia of the shed will redirect rain water away from the shed's foundation.
- 7 KEEP VENTILATED**  
Good airflow around the perimeter of the shed and regular ventilation inside the shed will help prevent mould and mildew.
- 8 CONSIDER A WEATHERPROOFING STAIN OR CLEAR TREATMENT**  
We recommend you paint your garden shed with a weatherproofing treatment at least once a year. This will help maintain the wood, stabilise timber movement and help prolong the life of your shed.



### TREATED TIMBER CONTAINING A BIOCIDAL PRODUCT CONTROL OF WOOD DESTROYING ORGANISMS


**Active Ingredients** - Propiconazole, Tebuconazole, IPBC, Permethrine, Benzalkonium chloride. (Dip Treated Sheds)  
Basic Copper Carbonate, DDA Carbonate, DDA Chloride (Pressure Treated Sheds)

Wear gloves when handling. Avoid inhalation of sawdust. Do not use in contact with drinking water or food. Do not use for animal bedding or in fish ponds. Dispose of treated wood responsibly.

# IDENTIFY YOUR SHED

From the **section layout** below, identify your shed based on the **width** and **depth** dimensions of your shed – eg 6x4. You'll need this to identify the side panel positions.

## KEY



**A** 1ft Panel (295 x 1603mm)





**D** 3ft Panel (885 x 1603mm)  
(With & without windows)

**B** 1.5ft Panel (442 x 1603mm)

**E** 4ft Panel (1180 x 1603mm)

**C** 2ft Panel (590 x 1603mm)  
(With & without windows)

**PLEASE NOTE**  
The sheds are made up of multiple sections where same size panels are interchangeable.



# 1 CONSTRUCTION




## 1a FLOORS & SIDES



Position the floor in your desired location.

Layout the panels around your shed base.

We recommend to start in a back corner then work from the back panels to the front panels for assembly.




## 1b

Start at a back corner. See the section layout on page 4 to confirm position. Secure the corner as shown below.


Repeat the process for remaining panels and secure panels together. Make sure that the bottom frame of the wall panel rests on the outer edge of the floor.

Secure the panels into place by screwing into the floor. Screw the door batten down.


EG. INSIDE CORNER



EG. SIDES




EG. INTO FLOOR



## 1c

Attach the Apex section by screwing it into the centre of the wall panels and repeat for the other Apex Section.

50MM SCREWS



# 2 WINDOWS




Fix interior sills at the base of windows with L-brackets and screws at a 1002mm distance from the floor. Repeat this for multiple windows, as shown below.

Secure windows by screwing through the window cover strips and window into the panel frame. Screw into the bottom of the window and into the interior sill to keep secure. Make sure the window is centralised for all window frames as shown below.


## SINGLE WINDOW ASSEMBLY



PRE-DRILL WITH 2MM BIT FOR ALL STEPS BELOW.






### WINDOW POSITIONING



## DOUBLE WINDOW ASSEMBLY



PRE-DRILL WITH 2MM BIT FOR ALL STEPS BELOW.



Please take note on the window positioning shown above.

# 3 COVER AND DOOR STRIPS







PRE-DRILL WITH 2MM BIT FOR ALL STEPS BELOW.

Attach the cover strips onto the corners. Ensuring they are flush to the bottom edge of the panels as shown below.

Attach the cover strips onto the adjoining panels. Ensuring it is flush to the bottom edge of the panels as shown below.

Secure the door weather strips. Ensure it's flush to the floor and against the inside face of the wall panel frame as shown below.

Before attaching the doors, Screw the slamming strip onto the one door. Ensure you screw through the slamming strip into the door framework as shown below.



COVER STRIPS (See pages 9-10 for measurement for chosen shed)

DOOR WEATHER STRIP (38 x 12 x 1710)

SLAMMING STRIP (45 x 28 x 1630)






# 5b

Screw the OSB roof sheets into position as shown below into the shed frame and beams.

Measure out 3 equal lengths and overlap it on the top, around the edges and **fold the corners**; **tack to keep secure**. Ensure 50mm at the bottom and work from the bottom to the top.

Secure the fascias and the finial with screws as shown below.



# DIP TREATED APEX SHEDS

SELECT YOUR CHOSEN SHED & CHECK YOU HAVE ALL YOUR PARTS.

| Overlap Apex 6' x 4' - No Windows (ODAE4DD1WMM) |                                      |     | Overlap Apex 7' x 5' - 1 Window (ODAV5DD1WMM) |   |     | Overlap Apex 7' x 5' - 2 Windows (ODAV5DD2WMM) |   |     | Overlap Apex 7' x 5' - 1 Window (ODAV5DDMM) |   |     | Overlap Apex 7' x 5' - No Window (ODAV5DD1WMM) |   |     |
|---|--------------------------------------|-----|---|---|-----|--|---|-----|---|---|-----|--|---|-----|
| Part Code                                       | Description                          | No. | Part Code                                     | Description                                 | No. | Part Code                                      | Description                                 | No. | Part Code                                   | Description                                 | No. | Part Code                                      | Description                                 | No. |
| ODM85RPP  | Section D - 3ft Panel (885 x 1603mm) | 2   | ODM85RPP                                      | Section D - 3ft Panel (885 x 1603mm)        | 1   | ODM85RPP                                       | Section D - 3ft Panel (885 x 1603mm)        | 1   | ODM85RPP                                    | Section D - 3ft Panel (885 x 1603mm)        | 2   | ODM85RPP                                       | Section D - 3ft Panel (885 x 1603mm)        | 2   |
| ODM85SPP  | Section A - 1ft Panel (295x 1603mm)  | 2   | ODM85SPP                                      | Section C - 2ft Window Panel (590 x 1603mm) | 1   | ODM85SPP                                       | Section C - 2ft Window Panel (590 x 1603mm) | 2   | ODM85SPP                                    | Section C - 2ft Window Panel (590 x 1603mm) | 1   | ODM85SPP                                       | Section C - 2ft Window Panel (590 x 1603mm) | 3   |
| ODM1180PP                                       | Section E - 4ft Panel (1180x1603mm)  | 2   | ODM590PP                                      | Section C - 2ft Panel (590 x 1603mm)        | 1   | ODM590PP                                       | Section C - 2ft Panel (590 x 1603mm)        | 2   | ODM590PP                                    | Section C - 2ft Panel (590 x 1603mm)        | 1   | ODM590PP                                       | Section C - 2ft Panel (590 x 1603mm)        | 3   |
| ODMPEA6   | Apex Section - Back                  | 1   | ODM42ZPP                                      | Section B - 1.5ft Panel (442 x 1603mm)      | 2   | ODM42ZPP                                       | Section B - 1.5ft Panel (442 x 1603mm)      | 2   | ODM42ZPP                                    | Section B - 1.5ft Panel (442 x 1603mm)      | 1   | ODM42ZPP                                       | Section B - 1.5ft Panel (442 x 1603mm)      | 2   |
| ODAMDDDEA6                                      | Apex Section - Door                  | 1   | ODM1180PP                                     | Section E - 4ft Panel (1180x1603mm)         | 1   | ODM1180PP                                      | Section E - 4ft Panel (1180x1603mm)         | 1   | ODM1180PP                                   | Section E - 4ft Panel (1180x1603mm)         | 1   | ODM1180PP                                      | Section E - 4ft Panel (1180x1603mm)         | 1   |
| MSDDR   | Door                                 | 2   | ODAMPEA7                                      | Apex Section - Back                         | 1   | ODAMPEA7                                       | Apex Section - Back                         | 1   | ODAMPEA7                                    | Apex Section - Back                         | 1   | ODAMPEA7                                       | Apex Section - Back                         | 1   |
| MSFL46  | Floor                                | 1   | ODAMDDDEA7                                    | Apex Section - Door                         | 1   | ODAMDDDEA7                                     | Apex Section - Door                         | 1   | ODAMDDDEA7                                  | Apex Section - Door                         | 1   | ODAMDDDEA7                                     | Apex Section - Door                         | 1   |
| 28281196  | Roof Support Strip (28x28x1196mm)    | 2   | MSDDR   | Door  | 2   | MSDDR  | Door  | 2   | MSDDR                                       | Door  | 2   | MSDDR  | Door  | 2   |
| 28281180DT                                      | Door Batten (28x28x1180mm)           | 1   | MSBFL57                                       | Floor                                       | 1   | MSBFL57  | Floor                                       | 1   | MSBFL57                                     | Floor                                       | 1   | MSBFL57  | Floor                                       | 1   |
| 37281124KD                                      | Beam (37x28x1124mm)                  | 4   | 28160500DT                                    | Window Cover Strip (28x16x550mm)            | 2   | 28160500DT                                     | Window Cover Strip (28x16x550mm)            | 3   | 28160500DT                                  | Window Cover Strip (28x16x550mm)            | 2   | 28160500DT                                     | Window Cover Strip (28x16x550mm)            | 2   |
| 38121710PDT                                     | Weather Strip (38x12x1710mm)         | 2   | 28280534DT                                    | Interior Sill (28x28x534mm)                 | 1   | 28280534DT                                     | Interior Sill (28x28x400mm)                 | 2   | 28280534DT                                  | Interior Sill (28x28x534mm)                 | 1   | 28280534DT                                     | Interior Sill (28x28x534mm)                 | 1   |
| 44161583DT                                      | Cover Strip (44x16x1583mm)           | 5   | 28281507                                      | Roof Support Strip (28x28x1507mm)           | 2   | 28281507                                       | Roof Support Strip (28x28x1507mm)           | 2   | 28281507                                    | Roof Support Strip (28x28x1507mm)           | 2   | 28281507                                       | Roof Support Strip (28x28x1507mm)           | 2   |
| 45281630DT                                      | Slamming Strip (45x28x1630mm)        | 1   | 28281180DT                                    | Door Batten (28x28x1180mm)                  | 1   | 28281180DT                                     | Door Batten (28x28x1180mm)                  | 1   | 28281180DT                                  | Door Batten (28x28x1180mm)                  | 1   | 28281180DT                                     | Door Batten (28x28x1180mm)                  | 1   |
| 5912145P-AIIS3DT                                | Fascia (59x12x1145mm)                | 4   | 3728147KD                                     | Beam (37x28x147mm)                          | 4   | 3728147KD                                      | Beam (37x28x147mm)                          | 4   | 3728147KD                                   | Beam (37x28x147mm)                          | 4   | 3728147KD                                      | Beam (37x28x147mm)                          | 4   |
| OSB11961058                                     | OSB Sheet - Roof                     | 2   | 38121710PDT                                   | Weather Strip (38x12x1710mm)                | 2   | 38121710PDT                                    | Weather Strip (38x12x1710mm)                | 2   | 38121710PDT                                 | Weather Strip (38x12x1710mm)                | 2   | 38121710PDT                                    | Weather Strip (38x12x1710mm)                | 4   |
| FN20010512DT                                    | Finial                               | 1   | 44161583DT                                    | Cover Strip (44x16x1583mm)                  | 7   | 44161583DT                                     | Cover Strip (44x16x1583mm)                  | 7   | 44161583DT                                  | Cover Strip (44x16x1583mm)                  | 8   | 44161583DT                                     | Cover Strip (44x16x1583mm)                  | 2   |
| 8582  | Felt                                 | 1   | 45281630DT                                    | Slamming Strip (45x28x1630mm)               | 1   | 45281630DT                                     | Slamming Strip (45x28x1630mm)               | 1   | 45281630DT                                  | Slamming Strip (45x28x1630mm)               | 1   | 45281630DT                                     | Slamming Strip (45x28x1630mm)               | 1   |
|   |                                      |     | 5912133P-AIIS3DT                              | Fascia (59x12x1331mm)                       | 4   | 5912133P-AIIS3DT                               | Fascia (59x12x1331mm)                       | 4   | 5912133P-AIIS3DT                            | Fascia (59x12x1331mm)                       | 4   | 5912133P-AIIS3DT                               | Fascia (59x12x1331mm)                       | 4   |
|   |                                      |     | RPE7590                                       | Window                                      | 2   | RPE7590  | Window                                      | 2   | RPE7590                                     | Window                                      | 1   | RPE7590  | Window                                      | 1   |
|   |                                      |     | OSB150712918                                  | OSB Sheet - Roof                            | 2   | OSB150712918                                   | OSB Sheet - Roof                            | 2   | OSB150712918                                | OSB Sheet - Roof                            | 2   | OSB150712918                                   | OSB Sheet - Roof                            | 2   |
|   |                                      |     | FN20010512DT                                  | Finial                                      | 1   | FN20010512DT                                   | Finial                                      | 1   | FN20010512DT                                | Finial                                      | 1   | FN20010512DT                                   | Finial                                      | 1   |
|   |                                      |     | FEL78BL                                       | Felt  | 1   | FEL78BL  | Felt  | 1   | FEL78BL                                     | Felt  | 1   | FEL78BL  | Felt  | 1   |

(The parts do not have codes on them. They are listed above should you need to order one.)

# PRESSURE TREATED APEX SHEDS

SELECT YOUR CHOSEN SHED & CHECK YOU HAVE ALL YOUR PARTS.

| Overlap Apex 6' x 4' - No Windows (OPA64DNNWM) |                                      |     | Overlap Apex 7' x 5' - 1 Window (OPA75DD1WIM) |   |     | Overlap Apex 7' x 5' - 2 Windows (OPA75D2WIM) |  |     | Overlap Apex 7' x 5' - 1 Window (OPA75DDIM) |   |     | Overlap Apex 7' x 5' - No Window (OPA75DDNNWM) |  |     |
|--|--------------------------------------|-----|---|---|-----|---|--|-----|---|---|-----|--|--|-----|
| Part Code                                      | Description                          | No. | Part Code                                     | Description                                 | No. | Part Code                                     | Description                            | No. | Part Code                                   | Description                                 | No. | Part Code                                      | Description                            | No. |
| OPM855PP                                       | Section D - 3ft Panel (885 x 1603mm) | 2   | OPM855PP                                      | Section D - 3ft Panel (885 x 1603mm)        | 1   | OPM855PP                                      | Section D - 3ft Panel (885 x 1603mm)   | 1   | OPM855PP                                    | Section D - 3ft Panel (885 x 1603mm)        | 2   | OPM180PP                                       | Section E - 4ft Panel (1180x1603mm)    | 1   |
| OPM295PP                                       | Section A - 1ft Panel (295x 1603mm)  | 2   | OPM500WP                                      | Section C - 2ft Window Panel (590 x 1603mm) | 1   | OPM855PP                                      | Section D - 3ft Panel (885 x 1603mm)   | 2   | OPM500WP                                    | Section C - 2ft Window Panel (590 x 1603mm) | 1   | OPM855PP                                       | Section D - 3ft Panel (885 x 1603mm)   | 1   |
| OPM180PP                                       | Section E - 4ft Panel (1180x1603mm)  | 2   | OPM500PP                                      | Section C - 2ft Panel (590 x 1603mm)        | 1   | OPM500PP                                      | Section C - 2ft Panel (590 x 1603mm)   | 2   | OPM500PP                                    | Section C - 2ft Panel (590 x 1603mm)        | 1   | OPM500PP                                       | Section C - 2ft Panel (590 x 1603mm)   | 3   |
| OPAMP2E6                                       | Apex Section - Back                  | 1   | OPM42PP                                       | Section B - 1.5ft Panel (442 x 1603mm)      | 2   | OPM42PP                                       | Section B - 1.5ft Panel (442 x 1603mm) | 2   | OPM42PP                                     | Section B - 1.5ft Panel (442 x 1603mm)      | 1   | OPM42PP  | Section B - 1.5ft Panel (442 x 1603mm) | 2   |
| OPAMDDDEA7                                     | Apex Section - Door                  | 1   | OPM180PP                                      | Section E - 4ft Panel (1180x1603mm)         | 1   | OPM180PP                                      | Section E - 4ft Panel (1180x1603mm)    | 2   | OPM180PP                                    | Section E - 4ft Panel (1180x1603mm)         | 4   | OPM180PP                                       | Section E - 4ft Panel (1180x1603mm)    | 2   |
| MSPDR  | Door                                 | 1   | OPAMPEA7                                      | Apex Section - Back                         | 1   | OPAMPEA7                                      | Apex Section - Back                    | 1   | OPAMPEA7                                    | Apex Section - Back                         | 1   | OPAMPEA7                                       | Apex Section - Back                    | 1   |
| MSBFL46  | Floor                                | 1   | OPAMDDDEA7                                    | Apex Section - Door                         | 1   | OPAMDDDEA7                                    | Apex Section - Door                    | 1   | OPAMDDDEA7                                  | Apex Section - Door                         | 1   | MSPDR  | Door                                   | 2   |
| 28281196                                       | Roof Support Strip (28x28x1196mm)    | 2   | MSPDR   | Door  | 2   | MSPDR   | Door                                   | 2   | MSPDR                                       | Door  | 2   | MSPDR  | Door                                   | 2   |
| 28281180PT                                     | Door Batten (28x28x1180mm)           | 1   | MSBFL57                                       | Floor                                       | 1   | MSBFL57                                       | Floor                                  | 1   | MSBFL57                                     | Floor                                       | 2   | MSBFL57  | Floor                                  | 1   |
| 37281124KD                                     | Beam (37x28x1124mm)                  | 4   | 2816055OPT                                    | Window Cover Strip (28x16x550mm)            | 2   | 2816055OPT                                    | Window Cover Strip (28x16x550mm)       | 2   | 2816055OPT                                  | Window Cover Strip (28x16x550mm)            | 1   | 2816055OPT                                     | Window Cover Strip (28x16x550mm)       | 2   |
| 38121710PPT                                    | Weather Strip (38x12x1710mm)         | 2   | 28280534PT                                    | Interior Sill (28x28x534mm)                 | 1   | 28280534PT                                    | Interior Sill (28x28x400mm)            | 3   | 28280534PT                                  | Interior Sill (28x28x534mm)                 | 1   | 28280534PT                                     | Interior Sill (28x28x534mm)            | 1   |
| 44161583PT                                     | Cover Strip (44x16x1583mm)           | 5   | 28281507                                      | Roof Support Strip (28x28x1507mm)           | 2   | 28281507                                      | Roof Support Strip (28x28x1507mm)      | 2   | 28281507                                    | Roof Support Strip (28x28x1507mm)           | 2   | 28281507                                       | Roof Support Strip (28x28x1507mm)      | 2   |
| 45281630PT                                     | Slamming Strip (45x28x1630mm)        | 1   | 2828180PT                                     | Door Batten (28x28x1180mm)                  | 1   | 2828180PT                                     | Door Batten (28x28x1180mm)             | 1   | 2828180PT                                   | Door Batten (28x28x1180mm)                  | 1   | 2828180PT                                      | Door Batten (28x28x1180mm)             | 1   |
| 59121145FAA63PT                                | Fascia (59x12x1145mm)                | 4   | 37281417KD                                    | Beam (37x28x1417mm)                         | 4   | 37281417KD                                    | Beam (37x28x1417mm)                    | 4   | 37281417KD                                  | Beam (37x28x1417mm)                         | 4   | 37281417KD                                     | Beam (37x28x1417mm)                    | 4   |
| OSB119811058                                   | OSB Sheet - Roof                     | 2   | 38121710PPT                                   | Weather Strip (38x12x1710mm)                | 2   | 38121710PPT                                   | Weather Strip (38x12x1710mm)           | 2   | 38121710PPT                                 | Weather Strip (38x12x1710mm)                | 2   | 38121710PPT                                    | Weather Strip (38x12x1710mm)           | 2   |
| FN20010512PT                                   | Finial                               | 1   | 44161583PT                                    | Cover Strip (44x16x1583mm)                  | 7   | 44161583PT                                    | Cover Strip (44x16x1583mm)             | 7   | 44161583PT                                  | Cover Strip (44x16x1583mm)                  | 8   | 44161583PT                                     | Cover Strip (44x16x1583mm)             | 2   |
| 8502   | Felt                                 | 1   | 45281630PT                                    | Slamming Strip (45x28x1630mm)               | 4   | 45281630PT                                    | Slamming Strip (45x28x1630mm)          | 1   | 45281630PT                                  | Slamming Strip (45x28x1630mm)               | 1   | 45281630PT                                     | Slamming Strip (45x28x1630mm)          | 1   |
|  |                                      |     | 59121331PAI63PT                               | Fascia (59x12x1331mm)                       | 4   | 59121331PAI63PT                               | Fascia (59x12x1331mm)                  | 4   | 59121331PAI63PT                             | Fascia (59x12x1331mm)                       | 4   | 59121331PAI63PT                                | Fascia (59x12x1331mm)                  | 1   |
|  |                                      |     | RPEF590                                       | Window                                      | 1   | RPEF590                                       | Window                                 | 2   | RPEF590                                     | Window                                      | 1   | RPEF590  | Window                                 | 1   |
|  |                                      |     | OSB150712918                                  | OSB Sheet - Roof                            | 2   | OSB150712918                                  | OSB Sheet - Roof                       | 2   | OSB150712918                                | OSB Sheet - Roof                            | 2   | OSB150712918                                   | OSB Sheet - Roof                       | 2   |
|  |                                      |     | FN20010512PT                                  | Finial                                      | 1   | FN20010512PT                                  | Finial                                 | 1   | FN20010512PT                                | Finial                                      | 1   | FN20010512PT                                   | Finial                                 | 1   |
|  |                                      |     | FELT78BL                                      | Felt  | 1   | FELT78BL                                      | Felt                                   | 1   | FELT78BL                                    | Felt  | 1   | FELT78BL                                       | Felt                                   | 1   |

(The parts do not have codes on them. They are listed above should you need to order one.)