


- Chrome finish with White acrylic
- Dimmable (with compatible dimmers)

36" Pendant

- OAH: 87" max.
- OAW: 36"

LED Info	W	25
	CCT	3000K
	lm	1375
	lm/W	55
	CRI	82+



Matching Portables
Pg 25



Matching Vanities
Pg 32

15" Semi-Flush

- OAH: 7.25
- OAW: 15.5"

LED Info	W	13
	CCT	3000K
	lm	600
	lm/W	46.2
	CRI	82+




LED FIXTURES

- Chrome finish with White acrylic
- Dimmable (with compatible dimmers)

40" Pendant

- OAH: 87" max.
- OAW: 39.25"

LED Info	W	27
	CCT	3000K
	lm	1120
	lm/W	41.5
	CRI	82+



Matching Portables
Pg 21



Matching Vanities
Pg 33

15" Semiflush

- OAH: 6.5
- OAW: 15.25"

LED Info	W	13
	CCT	3000K
	lm	500
	lm/W	38.5
	CRI	82+



- Chrome finish with White acrylic
- Dimmable (with compatible dimmers)

46" Pendant

- OAH: 87" max.
- OAW: 45.75"

LED Info	W	48
	CCT	3000K
	lm	1700
	lm/W	35.4
	CRI	82+



Matching Portables
Pg 20



36" Pendant

- OAH: 87" max.
- OAW: 36.5"

LED Info	W	44
	CCT	3000K
	lm	1500
	lm/W	34.1
	CRI	82+



13" Wall Sconce or Flushmount

- OAH / Ext.: 5.25
- OAW: 13.5"

LED Info	W	24
	CCT	3000K
	lm	620
	lm/W	25.8
	CRI	82+



- Chrome finish with White acrylic
- Dimmable (with compatible dimmers)

48" Pendant

- OAH: 87" max.
- OAW: 47.75"

LED Info	W	29
	CCT	3000K
	lm	1250
	lm/W	43.1
	CRI	82+



Matching Portables
Pg 22



Matching Vanities
Pg 34



36" Pendant

- OAH: 87" max.
- OAW: 36"

LED Info	W	25
	CCT	3000K
	lm	1050
	lm/W	42
	CRI	82+



15" Semiflush

- OAH: 6.5
- OAW: 15.5"

LED Info	W	13
	CCT	3000K
	lm	600
	lm/W	46.2
	CRI	82+




- Chrome finish with White acrylic
- Dimmable (with compatible dimmers)

42" Pendant

- OAH: 87" max.
- OAW: 42.5"

LED Info	W	29
	CCT	3000K
	lm	1200
	lm/W	41.4
	CRI	82+



Matching Portables
Pg 24

14" Flushmount

- OAH: 3.25
- OAW: 13.5"

LED Info	W	9
	CCT	3000K
	lm	650
	lm/W	72.2
	CRI	82+



30" Pendant

- OAH: 87" max.
- OAW: 30"

LED Info	W	24
	CCT	3000K
	lm	1000
	lm/W	41.7
	CRI	82+



12" Wall Sconce - Light directed Inward

- OAH: 12.25"
- OAW: 5.5"
- Extension: 4.75"

LED Info	W	9
	CCT	3000K
	lm	500
	lm/W	55.6
	CRI	82+



12" Wall Sconce - Light directed Outward

- OAH: 12.25"
- OAW: 5.5"
- Extension: 4.75"

LED Info	W	9
	CCT	3000K
	lm	500
	lm/W	55.6
	CRI	82+



- Chrome finish with White acrylic
- Dimmable (with compatible dimmers)

13" Wall Sconce - Light

directed Inward

- OAH: 13.5"
- OAW: 5.5"
- Extension: 3.5" (ADA compliant)

LED Info	W	10
	CCT	3000K
	lm	500
	lm/W	50
	CRI	82+



Matching Portables
Opposite Page

13" Wall Sconce - Light
directed Outward

- OAH: 13.5"
- OAW: 5.5"
- Extension: 3.5" (ADA compliant)

LED Info	W	10
	CCT	3000K
	lm	500
	lm/W	50
	CRI	82+



- Chrome finish with White acrylic
- Dimmable (with compatible dimmers)



Matching Portables
Pg 25



Matching Fixtures
Pg 10

- OAW: 18"
- OAH: 4.5"
- Ext.: 4.25"

LED Info	W	20
	CCT	3000K
	lm	805
	lm/W	40.3
	CRI	82+



- OAW: 24"
- OAH: 5.25"
- Ext.: 4.25"

LED Info	W	26
	CCT	3000K
	lm	1025
	lm/W	39.4
	CRI	82+



- OAW: 30"
- OAH: 5.5"
- Ext.: 4.25"

LED Info	W	30
	CCT	3000K
	lm	1180
	lm/W	39.3
	CRI	82+



LED VANITIES

- Chrome finish with White acrylic
- Dimmable (with compatible dimmers)

- OAW: 18"
- OAH: 4.25"
- Ext.: 4.25"

LED Info	W	20
	CCT	3000K
	lm	800
	lm/W	40
	CRI	82+



Matching Portables
Pg 21



Matching Fixtures
Pg 11



- OAW: 24"
- OAH: 4.25"
- Ext.: 4.25"

LED Info	W	26
	CCT	3000K
	lm	1005
	lm/W	38.7
	CRI	82+



- OAW: 30"
- OAH: 4.25"
- Ext.: 4.25"

LED Info	W	30
	CCT	3000K
	lm	1195
	lm/W	39.8
	CRI	82+



LED VANITIES

- Chrome finish with White acrylic
- Dimmable (with compatible dimmers)

OAW: 18"
OAH: 4.25"
Ext.: 4.25"

LED Info	W	20
	CCT	3000K
	lm	800
	lm/W	40
	CRI	82+



Matching Fixtures
Pg 15



Matching Portables
Pg 22



- OAW: 24"
- OAH: 4.25"
- Ext.: 4.25"

LED Info	W	26
	CCT	3000K
	lm	1025
	lm/W	39.4
	CRI	82+



- OAW: 30"
- OAH: 4.25"
- Ext.: 4.25"

LED Info	W	30
	CCT	3000K
	lm	1285
	lm/W	42.8
	CRI	82+



LED VANITIES

- Chrome finish with White acrylic
- 120 volt - No transformer or driver required
- Dimmable (with compatible ELV dimmers)

OAW: 15"
OAH: 4.3"
Ext.: 3.8"
(ADA Compliant)

LED Info	W	13
	CCT	3000K
	lm	1000
	lm/W	76.9
	CRI	82+



OAW: 24"
OAH: 4.3"
Ext.: 3.8"
(ADA Compliant)

LED Info	W	38
	CCT	3000K
	lm	2500
	lm/W	65.8
	CRI	82+



OAW: 30"
OAH: 4.3"
Ext.: 3.8"
(ADA Compliant)

LED Info	W	45
	CCT	3000K
	lm	3000
	lm/W	66.7
	CRI	82+



• OAW: 36"
OAH: 4.3"
Ext.: 3.8"
(ADA Compliant)

LED Info	W	57
	CCT	3000K
	lm	3750
	lm/W	65.8
	CRI	82+



-
- Chrome finish with Optic Crystals encased in Clear glass
 - Bulb: 50W / G9 (not included)

- OAW: 6"
- OAH: 6.5"
- Ext.: 6"



- OAW: 14"
- OAH: 5.75"
- Ext.: 6"



CRYSTAL VANITIES

- OAW: 22"
- OAH: 5.75"
- Ext.: 6"



- OAW: 29"
- OAH: 5.75"
- Ext.: 6"



- OAW: 36"
- OAH: 5.75"
- Ext.: 6"

