



Calpa® | K-32835

60" bathroom vanity cabinet with sinks and quartz top

Features

- Set includes cabinet, precut quartz vanity top, backsplash, sinks, and Helst cabinet knob in Vibrant® Brushed Moderne Brass
- Rectangular vitreous china sinks preinstalled on vanity top to simplify installation
- Vanity top has single faucet hole with knock-out holes for optional 8" (203 mm) widespread faucet configuration at each sink location
- Four doors with two adjustable shelves for personalized organization
- Full-extension 16-3/4" (425 mm) drawers with soft-close undermount slides
- Soft-close doors prevent slamming
- Solid-wood drawers with dovetail construction
- Built-in dividers in drawers to personalize organization
- Two internal electrical outlets and two USB ports for powering small devices
- Two stainless steel appliance holders for hairdryers, curling irons, or accessories
- Cabinet includes leg levelers to accommodate uneven floors
- Coordinates with Bianco Bella (GBB) quartz side splash (sold separately)
- Bianco Bella (GBB) quartz vanity top and backsplash add beauty and long-lasting durability



Available Colors/Finishes

Color tiles intended for reference only.

- 0 White
- EMG Emerald Green



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-30-2026 05:43 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.19.2/CSA B45.1
EPA TSCA Title VI/CARB P2

Technical Information

All product dimensions are nominal.

Lighting Included: No
Number of Deck Holes: 1

Material

- Solid wood and moisture-resistant MDF
- Vitreous china sinks
- Quartz vanity top and backsplash

Recommended Products/Accessories

K-38554 4" x 21-11/16" quartz side splash

Required Electrical Service

One circuit required, protected with Class A Ground-Fault Circuit-Interrupter (GFCI). Outside North America, this device may be known as a Residual Current Device (RCD).

Outlet: 120 V, 12 A, 60 Hz

Electrical Component Ratings


Outlet: 120 V, 12 A, 60 Hz
Power Cord Length: 98.4" (2499 mm)

Warranty

See website for detailed warranty information.

KOHLER® One-Year Limited Warranty





Installation

- Easy installation – no special tools required

Installation Notes

Install this product according to the installation instructions.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

7-30-2026 05:43 - US-CA