

Garden Chairs

**IMPORTANT-KEEP THIS INFORMATION FOR YOUR
SUBSEQUENT CONSULTATION: READ CAREFULLY**

Only for domestic use

Use tips:

- *Put the chair stably on a flat floor.
- *Mount the garden chairs in the shelter of the weather.
- *Stay away from open flames.
- *Don't hang anything in the structure.
- *Avoid the overload at the anchors/structure.
- *It is advised that don't stay on the chairs when there is a storm.
- *It is recommended to protect in case of strong wind or rain and in your absence.

Precautions before assembly:

- *Prepare a clean and dry mounting area.
- *Verify that the product is not damaged.
- *Check that none of the pieces are missing.

Maintenance:

- *Clean with a soft fabric.
- *Regularly remove leaves and / or water collected on the canvas.
- *Check the chair regularly.

Storage conditions:

*The fabric should be stored completely dry, in a clean and dry place to avoid the risks of mold.

Caution with the risks of pinching or cuts during assembly.

The manufacturer declines all responsibility in case of damages due to a bad installation or due to weather.

Assembly Instructions

Please read these instructions carefully before starting assembly. We suggest you carry out the assembly on a soft surface like a carpet, so as to avoid scratching the paint. Please note because of the nature of cast metal, you may find roughness on the surface which enhances the beauty of the product and is not a defect.



*Do not discard any of packaging until you have checked that you have all parts and pack of fittings.

*Keep children away during assembly. This item contains small parts which can be swallowed by children.

*Retain the assembly instructions for future reference.

List of Parts for Assembly of 2x Chairs

No	Parts	Qty
A	Backrest	2
B	Chair Seat	2
C	Front Chair Legs	4
D	Back Chair Legs	4
E	Right Arm	2
F	Left Arm	2
G	M6*30 Stud	5
H	M6 Flat washer	13
I	M6 Spring washer	13
J	M6 Nuts	13
K	M6*25 Stud	9
L	M8 Flat washer	21
M	M8 Spring washer	21
N	M8 Nuts	21
O	M6 protect hats	13
P	M8 protect hats	21



Assembly Instructions

<p>1. Place all parts on a clean soft surface.</p>	<p>2. Attach the front and back Legs (C,D) to the Studs on the Chair Seat (B) using Washers and Nuts (L,M,N). Tighten the Nuts using the wrench & tighten. Add the protect hats (P).</p>	<p>3. Attach the Backrest (A) to the Chair Seat (B) using Washers and Nuts (L,M,N). Tighten the Nuts using the wrench. Add the protect hats (P).</p>	<p>4. Attach the Right and Left Arm(E,F) ,using the studs (G) and washer ,nuts (H,I,J) ,DO NOT over tighten .and then using Studs (K) and Washers and Nuts (H,I,J). Adjust to a correct place ,then tighten G&K. Add the protect hats (O).</p>	<p>5. Adjust the pre-installed Rubber Pad (I) until the chair is level with the ground , Upon completion of full assembly and bolted up-all screws can be tightened down.</p>

Assembly Instructions

Please read these instructions carefully before starting assembly. We suggest you carry out the assembly on a soft surface like a carpet, so as to avoid scratching the paint. Please note because of the nature of cast metal, you may find roughness on the surface which enhances the beauty of the product and is not a defect.

*Do not discard any of packaging until you have checked that you have all parts and pack of fittings.

*Keep children away during assembly. This item contains small parts which can be swallowed by children.

*Retain the assembly instructions for future reference.

List of Parts for Assembly of 1x Table

No	Parts	Qty
A	Table Top	1
B	Table Leg	3
C	Leg Support	1
D	Stud M8*35	4
E	Flat Washers M8	4
F	Spring Washer M8	4
G	Nut M8	4
H	Stud M6*30	7
I	Flat Washers M6	7
J	Spring Washer M6	7
K	Nut M6	7
L	M6 protect hats	7
M	M8 protect hats	4



Assembly Instructions

<p>1. Place all parts on a clean soft surface.</p>	<p>2. Place the Table Top (A) upside down. Attach the Table Legs on the Table Top (B) using the Studs (D), Washers and Nuts (E, F, G). Tighten the Nuts using the a Wrench, DO NOT over tighten</p>	<p>3. Attach the Leg Support (C) to the Table Legs (B) using Studs (H), Washers and Nuts (I, J, K).</p>	<p>4. Tighten all the Nuts using the Wrench ,and add all the protect hats (L, M)</p>	<p>5. Adjust the pre-installed Rubber Pad , at the end of each Table Legs until the Table is level with the ground.</p>