


ASSEMBLY INSTRUCTIONS


STEP 1: CASTERS

Screw each CASTER (E) into the bottom of each POLE (A). Turn clockwise to screw in place.

Use the provided caster wrench to tighten completely. Failure to do as instructed could result in the caster stem breaking.



A (4) E (4)




STEP 2: SLIP SLEEVES


Note that each POLE (A) has slight horizontal line indentations at 1" intervals. Each SLIP SLEEVE (D) has raised horizontal lines inside designed to lock them in place on the POLE (A).

On POLE (A), place 1 pair of SLIP SLEEVES (D) at the desired level. Please make sure the arrow faces up and that the word "TOP" is right side up. Do this for each POLE (A) and make sure that the heights are identical for POLE (A).

Slide the pair of SLIP SLEEVES (D) until you hear a click to confirm the pair is locked onto the POLE (A). DO NOT place more than one pair on each POLE (A) at a time.



A (4) D (8)




* For safety and stability, the lowest SHELF (B) should be lower than the 3rd notch from the bottom.

** Note: There will be a very small gap in-between the SLIP SLEEVES (D)—this is normal.

ASSEMBLY INSTRUCTIONS

STEP 3: INSTALLING BOTTOM SHELF

Place SHELF (B) on its side and slide the (4) POLES (A) through the holes in the SHELF (B). Make sure that the SHELF (B) corner cylinders are positioned over the SLIP SLEEVES (D).




B (1)

Note: Make sure to insert the poles with the Locking Casters on the short side of the Cart.

Stand the unit upright.


**Note: The level side of the SHELF (B) is the TOP side (the TRINITY logo on the corner cylinders should be right-side up.)*

***Use a rubber mallet, if needed, to secure the SHELVES (B).*



STEP 4: INSTALLING SHELVES

On POLE (A), place 1 pair of SLIP SLEEVES (D) at the desired distance between SHELVES (B). Please make sure the arrow faces up and that the word "TOP" is right side up. Do this for each POLE (A), and make sure that the heights are identical for each POLE (A).




D (8)

B (1)

Lower SHELF (B) over the POLES (A) so that the corner cylinders of the SHELF (B) are positioned over the SLIP SLEEVES (D).

***Use a rubber mallet, if needed, to secure the SHELVES (B).*




ASSEMBLY INSTRUCTIONS

STEP 5: INSTALLING CART HANDLE


Attach SLIP SLEEVES (D) to the POLES (A) at the desired height for the CART HANDLE (C).

Make sure to put the CART HANDLE (C) in place before attaching the top SHELF (B).

For ease of use, please attach the CART HANDLE (C) to the same side of the Cart as the Locking Casters.




D (4) C (1)



STEP 6: INSTALLING TOP SHELF

Repeat Step 4 to install the last SHELF (B).

****Note:** For safety and stability, the highest SHELF (B) should be higher than the third horizontal indentation from the top.



D (8) B (1)