



Invigoration® Series | K-5548-K1

Digital steam adapter kit

Features

- Allows KOHLER® Invigoration® steam generator to be controlled via the DTV+™ and Anthem+™ digital showering systems.
- For use with Kohler Invigoration® Series steam generators between 5 and 15 kilowatts
- Adjustable temperature settings between 90°F and 125°F
- Aromatherapy reservoir on steam heads
- Includes steam head, temperature sensor, and adapter
- Circular steam head design allows steam to be evenly dispensed throughout shower
- 20-minute safety shutoff
- Quick-connect RJ-12 cord and connector for simplified installation and service
- Not compatible with other manufacturers' steam generators
- Requires Anthem+ controller module, Anthem+ digital control, and choice of steam generator, or DTV+ controller module, DTV+ digital interface, and choice of steam generator



Available Colors/Finishes

Color tiles intended for reference only.

CP	Polished Chrome
SN	Vibrant Polished Nickel
AF	Vibrant French Gold
BN	Vibrant Brushed Nickel
BV	Vibrant Brushed Bronze
BL	Matte Black
2MB	Vibrant Brushed Moderne Brass
TT	Vibrant Titanium



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
8-10-2026 17:21 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

None Applicable

Valves

Required Valve: Digital

Material

- KOHLER finishes resist corrosion and tarnishing

Required Products/Accessories

- K-27756 System controller module
- K-32324 5 kW steam generator
- K-28214-ASC Digital control

or

- K-27756 System controller module
- K-32325 7 kW steam generator
- K-28214-ASC Digital control

or

- K-32327 11 kW steam generator

or

- K-32328 13 kW steam generator

or

- K-32329 15 kW steam generator

or

- K-27756 System controller module
- K-32326 9 kW steam generator
- K-28214-ASC Digital control

or

- K-27756 System controller module
- K-32327 11 kW steam generator
- K-28214-ASC Digital control

or

- K-27756 System controller module
- K-32328 13 kW steam generator
- K-28214-ASC Digital control

or

- K-27756 System controller module
- K-32329 15 kW steam generator
- K-28214-ASC Digital control

or

- K-32324 5 kW steam generator

or

- K-32325 7 kW steam generator

or

- K-32326 9 kW steam generator



Warranty

See website for detailed warranty information.

KOHLER® Electronic Faucets, Valves, and Controls Five-Year Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

8-10-2026 17:21 - US-CA



Installation Notes

Install this product according to the installation instructions.

CAUTION: Risk of scalding. Do not locate the steam head near a seat or bench, as the steam head is hot during operation and may scald the user if touched.

The temperature sensor should be mounted on the wall opposite the steam head. The steam head should be located as far from the seating area as possible.

Locate the steam head 6" (152 mm) above the floor and at least 4-1/2" (114 mm) from the threshold.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

8-10-2026 17:21 - US-CA