

ASSEMBLY INSTRUCTIONS

Disclaimer:

Thank you for your purchase. Please read carefully and keep these instructions, as you may need them later. We suggest installation by a **licensed electrician**.

Beware of potential electrical shock! Before installing the fixture or removing any other light already present, please turn off the main power at the circuit breaker.

If your product contains glass items, please handle with care, as glass is fragile and can lead to injuries if handled incorrectly.

Please keep in mind that the warnings and instructions present in this document are not meant to cover and prevent all possibilities and situations that could lead to injury or damage. It is the responsibility of the end-user to exercise caution and common sense when handling and installing the product.

All electrical connections must be made by qualified personnel in accordance with the National Electrical Code.

Please refer to the table below for electrical connections:

Fixture wire markings:

"L" Live wire (Black or Brown)

"N" Neutral wire (White or Blue)






"⊕" Ground wire (Bare copper or Green)

AC power equivalent:

"L" Live wire (Black)

"N" Neutral wire (White)

"⊕" Ground wire (Bare copper or Green)

| Tools Required: (not included) | | | | |
|---|---|---|--|---|
|  |  |  |  |  |
| Step Ladder | Phillips Head, Flat Blade Screwdrivers | Electrical tape | Wire Cutter/Stripper | Plier |

Product Size



K9 Crystal

Clarity and Transparency



Metal Boom

Not easy to deform



Easy Assembly

Simple and convenient



Dimmable Light

Forms sparkling and radiant



Hassle-free returns


30 days return, 1 year warranty



BULBS NOT INCLUDED


10 x Max40W x E12

Installation instructions



Step 3: Wiring

Step 2. Adjustable length of hanging chain. Pass the wire and ground wire through the hanging chain, canopy (C), hanger (D), and mounting bracket (A) to the junction box. Hang both ends (F) of the chain onto the two hangers (D/E) respectively, and tighten them.



Step 4. Use the two screws (B) to secure mounting bracket (A) to the junction box.

Step 5. Use the screw nut (D) to secure canopy (C) to the mounting bracket (A).

Step 7. Use the buckle to hang the crystals (J) on the holes of the lamp body from inside to outside.

Bulbs not included

Parts Included:



J-64PCS+
2PCS(SPARE)

Step 6. Install the E12 LED candle bulbs 10pcs (H not included) into the lampholder (I).

Step 1. Remove all packaging material from the product and be careful not to throw away accessories that may be hidden within the packaging material.

Warranty

1-YEAR LIMITED WARRANTY

The manufacturer warrants this product to be free from defects in materials and workmanship for one (1) year from the date of purchase. This warranty is valid only for the original consumer purchaser and covers the product under normal use and conditions. If the product is found to be defective, the manufacturer's sole obligation and your exclusive remedy is to repair or replace the product at the manufacturer's discretion, provided it has not been damaged by misuse, abuse, accident, alteration, modification, negligence, or mishandling.

This warranty does not cover labor or any costs associated with the removal or installation of defective, repaired, or replaced products. The warranty excludes damages resulting from misuse, mishandling, misapplication, negligence (including improper maintenance), accidents, incorrect installation, modifications (including unauthorized parts or accessories), or adjustments and repairs.

If you experience damage or missing accessories during the warranty period, please contact our customer service team at [with your original order](#) number, the quantity of required accessories, and your current shipping address. We will arrange for the free replacement parts as needed.