


TABLE













Thank you for purchasing the **TABLE!**

Before you start, here is some helpful advice:


1. We suggest you spend a short time reading through this leaflet and then follow the simple step-by-step instructions.
2. Owing to the size and weight of the table, we recommend that it is assembled by two adults, on a carpeted or padded area, in the room that it is intended for. Approximate assembly time: 30 minutes.
3. Please do not use any tools other than those provided or recommended in these instructions.
4. Please do not throw away any of the packaging or the instruction until you have checked all the components and hardware and the furniture is fully assembled. Please ensure that the packaging is disposed of in a safe and environmentally friendly way.
5. Assemble all components loosely until advised to tighten. Depending on use, it may be necessary to tighten the components from time to time, so please save the tools that have been provided.
6. Please keep all fitting out of reach of children.



Hardware:

A		Bolt M12x70mm	x1
B		Spring Washer M12	x1
C		Washer M12	x1
D		Allen Wrench M10	x1
E		Bolt M6x20mm	x3
F		Spring Washer M6	x3
G		Flat Washer M6	x3
H		Allen Wrench M4	x1
J		Bolt M8x17.5mm	x4
K		Spring Washer M8	x4
L		Flat Washer M8	x4
M		Allen Wrench M5	x1

Component:



1	Table Top	x1	2	Connect Plate	x1	3	Table Post	x1	4	Table Base	x1
---	-----------	----	---	---------------	----	---	------------	----	---	------------	----

TABLE


STEP 1:

Please put **Post (3)** and **Table Base (4)** upside down on a carpeted or padded area.

Position **Table Base (4)** to the bottom of **Post (3)** as shown.

Insert 1 piece of **Bolt (A)** with 1 piece of **Spring Washer (B)** and 1 piece of **Washer (C)** into the hole on bottom of **Post (3)** through the hole on **Table Base (4)**.

Use **Allen Wrench (D)** to tighten **Bolt (A)** clockwise until secure.



Hardware & Tool required


STEP 2:

Carefully turn over the assembled **Post (3)** and **Table Base (4)**.

Position **Connect Plate (2)** to **Post (3)** as shown.

Insert 3 pieces of **Bolt (E)** with 3 pieces of **Spring Washer (F)** and 3 pieces of **Flat Washer (G)** into the holes on **Post (3)** through the holes on **Connect Plate (2)**.

Use **Allen Wrench (H)** to tighten all **Bolts (E)** clockwise until secure.



			
Ex3	Fx3	Gx3	Hx1

Hardware & Tool required

TABLE


STEP 3:





Please put the **Table Top (1)** and the assembled **Connect Plate (2)**, **Post (3)**, and **Table Base (4)** upside down on a carpeted or padded area.

Position the assembled **Connect Plate (2)** to the bottom of **Table Top (1)** as shown.

Insert 4 pieces of **Bolt (J)** with 4 pieces of **Spring Washer (K)** and 4 pieces of **Flat Washer (L)** into the holes on bottom of **Table Top (1)** through the holes on **Connect Plate (2)**.

Use **Allen Wrench (M)** to tighten **Bolt (J)** clockwise until secure.




			
Jx4	Kx4	Lx4	Mx1

Hardware & Tool required

STEP 4:

Carefully turn over the assembled table.



Assembly is complete. Your table is ready to be used now!