


ASSEMBLY INSTRUCTIONS



TOOLS REQUIRED



**Philips
Screwdriver**

(Not Included)



**2 - Persons
Recommended**

ASSEMBLY RATING



EASY —————> DIFFICULT

The Assembly Rating is a 5-point system showing the level of effort needed to assemble a specific product.



CHECK BEFORE STARTING



Are you missing anything?

Double-check all parts, hardware and accessories listed on Page 6 are accounted for.



Check out our Quick Tips!

We recommend reviewing the pre-assembly handouts. Even experts need a refresher now and then!




Prep Time!

Please review the assembly instructions and all diagrams prior to assembling. Arrange parts as recommended on Page 7 and group identical hardware together to make assembling easier.


PRE ASSEMBLY INTRODUCTION

We understand building ready-to-assemble furniture can be a challenging experience for some. To help avoid confusion, we have provided some helpful tips that may speed up the process.



Teamwork

ALWAYS have at least two people to help with transporting and assembling the product to avoid potential injury and/or damage.



Suitable Location

Assembling near the area of the intended location is highly recommended.



Sufficient Space

Make sure you have enough space to move around during the assembly.



Avoid Scratches

Use cardboard, blankets or a carpeted area while assembling furniture to prevent scratches.



Flat Surface

Make sure the furniture rests on a flat and level surface with each leg evenly touching the floor.


ASSEMBLY AND CARE ADVICE



**FAILURE TO FOLLOW THE GUIDELINES BELOW MAY
RESULT IN INJURY AND/OR PROPERTY DAMAGE.**



Position each part correctly
and insert screws or bolts into
their respective holes.




Turn clockwise to tighten and
only tighten when step is
completed or when instructed
to do so.



Save the instructions and store
any supplied tools for later
maintenance.

Use the appropriate hand tools
or power tools for assembly.
Select steps, such as tightening
screws and/or bolts, may require
hand tools to avoid causing
damage during assembly.




After two weeks, check and
tighten any loose hardware and
repeat again every six months
thereafter.

IT IS THE USER'S RESPONSIBILITY TO MAINTAIN THE FURNITURE. THE HARDWARE MAY LOOSEN OVER TIME AND MAY CAUSE THE FURNITURE TO BE WOBBLY AND UNABLE TO SUPPORT ITS INTENDED WEIGHT CAPACITY. THIS MAY LEAD TO COLLAPSE AND MAY CAUSE SERIOUS INJURY.

CAM LOCK FASTENER ASSEMBLY INSTRUCTIONS

Note :


Every cam lock bolt must have a cam lock connector in order to fasten the parts together.




cam bolt



cam lock




screwdriver




1

Screw the cam bolt into panel.




2

Insert the cam bolt into the bolt hole of joint panel.



3

Align the cam lock with its side opening (or arrow) pointing to cam bolt.




4

Turn the cam lock clockwise gently until it will not turn any more.

SOFA TABLE



- Please keep instructions for future reference.
- Check the quantity and irregularity of parts and hardware before you start.



PARTS

#1 1pc



Top Panel

#2 1pc



Bottom Panel

#3 1pc



Front Crossbar

#4 1pc



Rear Crossbar

#5 1pc



Left Side Panel

#6 1pc



Right Side Panel

#7 1pc



Divider Panel

#8 1pc



Front Left Leg

#9 1pc



Front Right Leg

#10 1pc



Rear Left Leg

#11 1pc



Rear Right Leg

#12 2pcs




Bottom Support Panel

#13 1pc




Back Panel

#14 1pc



Left Drawer Front

#15 1pc



Right Drawer Front

#17 2pcs




Drawer Right Side Panel

#18 2pcs



Drawer Back Panel

#19 2pcs




Drawer Bottom Panel

SOFA TABLE



- Please keep instructions for future reference.
- Check the quantity and irregularity of parts and hardware before you start.



HARDWARE

#A 38pcs



Large Cam Bolt L29

#B 38pcs



Large Cam Lock Ø15

#C 17pcs



Wood Dowel Ø8x25

#D 8pcs



Small Cam Bolt L20

#E 8pcs



Small Cam Lock L12

#F 10pcs



Screw Ø4x30

#G 2pcs



Handle 48x48x14

#H 2pcs



Handle Screw Ø4x10

#I 8pcs



Sticker Ø22

#J 4pcs



Foot Tack

#K 1pc



ANTI-TIP Strap 197x3x1mm

#L 1pc




Plastic Anchor Ø8x40

#M 2pcs



Metal Bracket 12x12x1mm

#N 1pc



Wood Screw Ø5x40

#O 1pc



Small Screw Ø4x16

#P 1pc




Glue

ASSEMBLY INSTRUCTIONS


1

Part #5 x1pc

Part #6 x1pc



Remove slide track and open Cam Lock Hoel.



Tip: Place parts on the flat level surface to ease alignment and assemble.

2

Part #10 x1pc



Part #11 x1pc

Hardware #A x2pcs

Hardware #B x2pcs

Hardware #C x2pcs

Attach dowels (#C) and cam bolts (#A) to the holes of the rear left and right legs (#10,11).
Align left and right side panels (#5,6) to the cam bolts (#A) and dowels (#C) of rear left and right legs (#10,11). Secure by using cam locks (#B).




ASSEMBLY INSTRUCTIONS

3

- Part **#3** x1pc
- Part **#4** x1pc
- Part **#5** x1pc
- Part **#6** x1pc
- Hardware **#A** x4pcs
- Hardware **#B** x4pcs
- Hardware **#C** x4pcs


Attach dowels (#C) and cam bolts (#A) to the holes of the left and right side panels (#5,6). Align front and rear crossbars (#3,4) to the cam bolts (#A) and dowels (#C) of left and right side panels (#5,6). Secure by using cam locks (#B).



4

- Part **#2** x1pc
- Part **#12** x2pcs
- Hardware **#A** x4pcs
- Hardware **#B** x4pcs
- Hardware **#C** x2pcs

Attach dowels (#C) and cam bolts (#A) to the holes of the bottom panel (#2). Align bottom support panels (#12) to the cam bolts (#A) and dowels (#C) of bottom panel (#2). Secure by using cam locks (#B).




ASSEMBLY INSTRUCTIONS

5

Attach cam bolts (#A) to the holes of the rear left and right legs (#10,11). Align bottom support panels (#12) to the cam bolts (#A) of rear left and right legs (#10,11). Secure by using cam locks (#B).

Hardware  #A x6pcs

Hardware  #B x6pcs



6

Attach dowels (#C) and cam bolts (#A) to the holes of the front left and right legs (#8,9). Align front left and right legs (#8,9) to the holes of the product. Secure by using cam locks (#B).



Part  #8 x1pc

Part  #9 x1pc

Hardware  #A x8pcs

Hardware  #B x8pcs

Hardware  #C x2pcs




ASSEMBLY INSTRUCTIONS

7


Part **#7** x1pc

Hardware **#F** x2pcs

Align divider panel (#7) to the holes of the crossbars (#3,4).
Secure by using screws (#F).





Slightly hammer in the floor protectors (#J) to the legs.



8


Reattach the drawer rails to the side panels (#5,6).



ASSEMBLY INSTRUCTIONS

9

Part  x1pc




Slide back panel (#13) through the thin gaps.

10

Part  x1pc

Hardware  x 14pcs

Attach cam bolts (#A) to the holes of the top panel (#1).



ASSEMBLY INSTRUCTIONS



11

Attach dowels (#C) to the holes of the top panel (#1). Align top panel (#1) to the base of the product. Secure by using cam locks (#B), then cover cam locks (#B) by using stickers (#I).

Hardware (#B) x 14pcs

Hardware (#C) x 7pcs

Hardware (#I) x 8pcs



12


Part (#14) x 1pc

Part (#15) x 1pc

Hardware (#G) x 2pcs

Hardware (#H) x 2pcs

Attach handles (#G) to the front drawer panels (#14,15) by using bolts and washers (#H).




ASSEMBLY INSTRUCTIONS

13

Part  x 2pcs
Part  x 2pcs
Part  x 2pcs
Hardware  x 8pcs


Align drawer side panels (#16,17) to the holes of the drawer back (#18).
Secure by using screws (#F).



14

Part  x 2pcs

Slide the bottom panel (#19) through the thin lined gaps of the drawer panels.



ASSEMBLY INSTRUCTIONS

15


Attach cam bolts (#D) to the holes of the front drawer panels (#14,15). Align front drawer panels (#14,15) to the holes of the drawer, then secure by using cam locks (#E).

Part #14 x 1pc

Part #15 x 1pc

Hardware #D x 8pcs

Hardware #E x 8pcs



16



ASSEMBLY COMPLETED



Please ensure the furniture rests on an even and flat surface. If the product wobbles or feels loose, double-check all bolts and/or screws are properly tightened and secured.



Keep this handy!

Please retain this instruction manual and any order-related information for future reference.

ASSEMBLY INSTRUCTIONS


HARDWARE (INCLUDED) :



DRYWALL ANCHOR $\phi 8 \times 40$ X 1PC



METAL BRACKETS $12 \times 12 \times 1$ X 2PCS



DRYWALL SCREW $\phi 5 \times 40$ X 1PC




STRAP $197 \times 5 \times 1$ X 1PC



FLATHEAD SCREW $\phi 4 \times 25$ X 1PC

TOOLS NEEDED (NOT INCLUDED) :




DRILL & DRILL BIT



LIGHT HAMMER


Note: Hardware included only compatible with standard drywalls.

STEP 1




1. Find spot on wall 1" below top of item.
2. Using a drill bit slightly thinner than anchor, drill hole into drywall.

STEP 2




1. Use a light hammer to tap anchor into hole.
2. Anchor should fit snugly. If hole is too small, drill again to increase hole size. Do not force anchor into wall.

STEP 3



1. Insert drywall screw into metal bracket and into drywall anchor.
2. Insert flathead screw into second metal bracket and into back of item along top edge.

STEP 4



1. Insert strap thru bracket attached to wall, then thru bracket on item, and into head of strap.
 2. Pull lightly til strap stops.
- Assembly is complete.


ASSEMBLY INSTRUCTIONS

Wall Mounting and Fixing



EXPANSION WALL ANCHOR

Our provided expansion wall anchors are only suitable for masonry walls, such as drywall, plaster or concrete, and are best for holding lightweight items or for anti-tip prevention. If you are unsure of the correct wall anchor to use with the product, please request professional guidance. Liability for product damage or failure due to using the incorrect anchors will fall on the installer.




CHECK BEFORE PROCEEDING


Prior to drilling or hammering, please check for wires or pipes. We recommend using a stud finder to locate a stud, which will offer more appropriate resistance and hold more weight.

QUICK TIPS


1. If unsure of the proper size, always choose a larger screw and wall anchor.




2. Match the drill bit to the wall anchor and hole size.



3. Only drill horizontally. Do not force the drill or enlarge the hole for the wall anchor.



4. Take extra care when drilling into high walls or ceramic tiles. Wall anchors should be a tight fit for the hole. Never use wall anchors in ceilings.



MAINTENANCE



We recommend a yearly check to see if the wall anchor or screw has loosened. If so, please remove the existing wall anchor and screw, and use a new anchor.