
Assembly Instructions X 4 Tier Shelf



Thank you for purchasing our product!

Please assemble the products with the guidance of this manual instruction. Contact our friendly customer service department with any comments or in case there is any missing or damaged parts or hardware.

We appreciate your business!

Hardware List


ITEM	DESC	PART	QTY	ITT.			
Α	CONNECTING ROD	6X80MM	8pcs	E	DESC WOODEN COVER	PART	26pcs
С	ALLEN HEAD SCREW	∂ ⊏ 0000000 6X40MM	28pcs	G	GLUE	0	1pc
D	DOWEL	6X30MM	20pcs				

Part List


ITEM	PART	QTY	ITEM	PART	QTY
1	LEFT BACK UPPER LEG	1pc	9	TOP CONNECTION BAR	1pc
2	LEFT BACK LOWER LEG	1pc	10	1ST SHELF PANEL (TOP PANEL)	1pc
3	LEFT FRONT UPPER LEG	1pc	11	2ND SHELF PANEL	1pc
4	LEFT FRONT LOWER LEG	1pc	12	3RD SHELF PANEL	1pc
5	RIGHT BACK UPPER LEG	1рс	13	4TH SHELF PANEL (BOTTOM PANEL)	1pc
6	RIGHT BACK LOWER LEG	1pc	14	SHORT UPPER RAIL	2pcs
7	RIGHT FRONT UPPER LEG	1pc	15	LONG LOWER RAIL	2pcs
8 /6	RIGHT FRONT LOWER LEG	1pc			

2/6

MADE IN CHINA




1. Joint the legs (1) and (2), (3) and (4), (5) and (6), (7) and (8) together using the




1. Attach assembly legs (1,2) and (5,6) to top connection bar (9) and shelf panel (10,11,12,13) using allen head screw (C) and dowel (D).

Import: The edge with radians for shelf should be upward.




1. Insert the dowel (D) to assembly legs (3,4) and (7,8).

STEP 4




- Insert the dowel (D) on leg (7) to leg (5), then rotate the legs (7,8) to attach to shelves (10,11,12,13).
 Repeat on other side.

STEP 5




1. Tighten all shelves to all legs using allen head screw (C). Tighten the bottom shelf (13)

STEP 6



- 1. Rotate the frame. Place short up rail (14) to another short up rail (14) to create "X".
- 2. Place long lower rail (15) to another long lower rail (15) to create "X". Put on the
- 3. Tighten the "X" rail, back and front leg using allen head screw (C).



1. Add the white glue (G) to wooden cover (E) and press wooden cover (E) to cover the screw head exposed on side of all legs.