

LED FLUSH MOUNT



INSTRUCTIONS PERTAINING TO RISK OF FIRE OR INJURY TO PERSONS
READ ALL INSTRUCTIONS

IMPORTANT SAFETY INSTRUCTIONS

SAVE THESE INSTRUCTIONS

TOOLS AND MATERIALS REQUIRED:









Wiring supplies
as required by
electrical code



SAFETY PRECAUTIONS:

1. **TURN OFF ELECTRICAL POWER BEFORE STARTING INSTALLATION OF LIGHT FIXTURE.**
2. **THIS PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE INSTALLATION CODE BY A CERTIFIED ELECTRICIAN FAMILIAR WITH LOCAL MUNICIPAL CODES AND REQUIREMENTS.**
3. **CAUTION-RISK OF ELECTRIC SHOCK. CONSULT A QUALIFIED ELECTRICIAN TO ENSURE CORRECT BRANCH CIRCUIT CONDUCTOR.**
4. **WARNING, THIS IS A LINE VOLTAGE MODEL AND DOES NOT AND CANNOT USE A DRIVER.**
5. **LINE VOLTAGE MODELS ALREADY HAVE A POWER SUPPLY CHIP BUILT INTO THE LED ARRAY.**

INSTALLATION

 <p style="text-align: center;">Trim Ring</p> <p style="text-align: center;">Lens</p> <p style="text-align: center;">Fixture Pan</p>	<p>1. Remove plastic lens by gently rotating the lattice trim ring counter-clockwise and remove it, then lift the lens.</p>	 <p style="text-align: center;">Mounting Screw</p>	<p>4. Attach fixture to mounting screws, turn fixture counter-clockwise to lock.</p>
 <p style="text-align: center;">Electrical Outlet Box</p> <p style="text-align: center;">Mounting Screws</p>	<p>2. Place mounting screws (included) in electrical box screwing in halfway.</p>		<p>5. Secure fixture by tightening mounting screws.</p>
 <p style="text-align: center;">Black</p> <p style="text-align: center;">Ground</p> <p style="text-align: center;">White</p>	<p>3. Using wire nuts to connect ground wire (green) from fixture and LED board to ground wire from electrical box. Connect black wire from fixture to black wire from electrical box. Connect white wire from fixture to white wire from electrical box.</p>	 <p style="text-align: center;">Fixture Pan</p> <p style="text-align: center;">Lens</p> <p style="text-align: center;">Trim Ring</p>	<p>6. Place acrylic lens in the lattice trim ring and keep together. Match the 3 key slots on the metal pan with the 3 pins on the metal lattice ring. After making sure that the pins are inserted in the key slots, twist and lock the lattice ring with lens together.</p>