
INSTALLATION MANUAL



Customer Service

Missing Parts:
If you find any parts missing from your product, please contact us immediately. We will respond within 24 hours and arrange to send you the missing parts as soon as possible.


Damaged Parts:
If any parts of your product are damaged upon arrival, please provide us with the specific part code(s) of the damaged item(s). Once we receive this information, we will promptly arrange for replacements to be sent to you.

Self-Purchased Parts:
If you have already purchased the missing or damaged parts on your own, please provide proof of payment, and we will process a partial refund for you.

Contact Service Team Information:
Email: mffm_service @163.com


We are committed to providing you with the best service to ensure a hassle-free experience. Your satisfaction is our top priority!

1 ARMREST




x2

2 BACKREST




x1

3 CUSHION




x1

4 BACKREST




x1

5 SEAT PLATE




x1

6 CROSSBAR



x1

7 WOODEN INSERTS



x2

Service Team: mffm_service @163.com

A

SCREW



M8*40MM

x8

B

SCREW



M8*60MM

x4

C

WRENCH



M8

x1

D

PADS



x6

SPARE



x1

M8*40MM



x1

M8*60MM




x1

Service Team: mffm_service @163.com


Assembly Instructions

- Please read carefully all instructions before assembly.
- For your safety and ease,assembly two or more adults is recommended.
- Please remain these instructions for future reference.




Service Team: mffm_service @163.com

1



All screws in this step only position,not tighten.




Note: screw to 50%


Connect handrail #1 and cross bar #6 with screw #A.

①	x2
⑥	x1
Ⓑ	x4

2



All screws in this step only position,not tighten.




Slip the side stretcher #5 into the mortise hole of the back leg,and secure it with screw #B.
Note: Do not fully tighten the screw.

⑤	x1
Ⓐ	x2
Ⓓ	x2

Service Team: mffm_service @163.com

3

Note: screw to 100%





Connect the front cross bar and the left and right front legs with screw #B.
Note: Do not fully tighten the screws.

④	x1
Ⓐ	x4

4

Note: screw to 100%






⑦	x2
Ⓐ	x2


Service Team: mffm_service @163.com

5



②	x1
③	x1

6



FINISH!

Service Team: mffm_service @163.com

CONTACT US!

Do Not return this product

Contact our friendly customer service team first for help.

① 

Service Team:
mffm_service@163.com

② 

Amazon Message

if you have any questions, please leave the order No.and related picture information, we will reply you within 24 hours, and solve the problem as soon as possible.