

05 : 00

estimated
assembly time



1 or more

people required

Ok, let's
get started!



- Put on mood music!
- To prevent damage to product, use the clean side of package carton or rug as working surface.
- In the event of missing or damaged parts, delivery problems etc., please reach out to our team. We will be happy to fix the problem!

care guide

- Clean regularly with a soft and dry cloth.
- To protect finish, avoid use of abrasive cleaners.
- Wipe up spills immediately. Please!

-
- ⓘ While assembling the product, tighten the bolts up to 50%. Once all parts are in place, only then fully tighten the bolts.



product parts



(A)
Wooden Top
1x



(B)
Metal Legs

what's included



(C) - Bolt
x8



(D)- Allen Key
x1



(E)- Washer
x8



(F)- Lock washer
x8

OS Orange Sticker

GS Green Sticker

assembly instructions


Friendly Tip: Take a deep breath going in. This may be a tricky part, but nothing too overwhelming. Just follow these steps to the T and the outcome will be worth it!



- ⓘ While assembling the product, tighten the bolts up to 50%. Once all parts are in place, only then fully tighten the bolts.


step 1:

Start by turning the wooden top (A) upside down.



step 2:


Place the metal legs (B) on the wooden top in a way that the orange stickers (OS) and green stickers (GS) on the wooden top align with their respective others on the metal legs.



! While assembling the product, tighten the bolts up to 50%.
Once all parts are in place, only then fully tighten the bolts.


step 3:

See the highlighted circles to know where to fix the bolts.




step 4:

Now, Fix them in place using washer (E), lock washer (F) and bolt (C) on the highlighted slots as shown in step 3 and tighten them fully using the allen key (D). Take the image below as reference.



⚠ While assembling the product, tighten the bolts up to 50%. Once all parts are in place, only then fully tighten the bolts.



**Voila! Your barstool is now assembled
and secure!**