

Apollo Tile



Antiek


Antiek
collection

2 FORMATS


2 DECORS

9 COLORS


GLOSS FINISH



3.94x3.94"




2.58x7.9"




1.25x7.9"




Antiek
Black



3.94x3.94"



MOD88BLK44A
Size: 3.94x3.94"



MOD88BLK258A
Size: 2.58x7.9"





2.58x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wlight/Box
MOD88BLK44A	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MOD88BLK258A	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5





Antiek
black




3.94x3.94"

MODDECBLK44
Size: 3.94x3.94"



2.58x7.9"



MODDECBLK258
Size: 2.58x7.9"



MOD88BLKPENA
Size: 1.25x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wlight/Box
MODDECBLK44	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MODDECBLK258	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5
MOD88BLKPENA	Ceramic	1.25x7.9"	5/16"	Glossy	66 pcs/box	12.91	2.60

Antiek
red



Antiek
black





3.94x3.94"



MOD88RED44A
Size: 3.94x3.94"



2.58x7.9"



MOD88RED258A
Size: 2.58x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wlght/Box
MOD88RED44A	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MOD88RED258A	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5






*Antiek
red*




3.94x3.94"

MOD88DERE44

Size: 3.94x3.94"



2.58x7.9"



MOD88DERE258

Size: 2.58x7.9"




MOD88REDPENA

Size: 1.25x7.9"


Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wlight/Box
MOD88DERE44	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MOD88DERE258	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5
MOD88REDPENA	Ceramic	1.25x7.9"	5/16"	Glossy	66 pcs/box	12.91	2.60



3.94x3.94"



MOD88BLU44A
Size: 3.94x3.94"



2.58x7.9"



MOD88BLU258A
Size: 2.58x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Waight/Box
MOD88BLU44A	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MOD88BLU258A	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5





*Antiek
blauw*




3.94x3.94"

MODDECBLU44
Size: 3.94x3.94"



2.58x7.9"



MODDECBLU258
Size: 2.58x7.9"




MOD88BLUPENA
Size: 1.25x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Weight/Box
MODDECBLU44	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MODDECBLU258	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5
MOD88BLUPENA	Ceramic	1.25x7.9"	5/16"	Glossy	66 pcs/box	12.91	2.60


Antiek
caramel



3.94x3.94"



MOD88CAR44A
Size: 3.94x3.94"



2.58x7.9"



MOD88CAR258A
Size: 2.58x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wight/Box
MOD88CAR44A	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MOD88CAR258A	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5





Antiek
caramel




3.94x3.94"

MODDECCAR44
Size: 3.94x3.94"



2.58x7.9"



MODDECCAR258
Size: 2.58x7.9"




MOD88CARPENA
Size: 1.25x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wlight/Box
MODDECCAR44	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MODDECCAR258	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5
MOD88CARPENA	Ceramic	1.25x7.9"	5/16"	Glossy	66 pcs/box	12.91	2.60



3.94x3.94"



MOD88CEL44A
Size: 3.94x3.94"





2.58x7.9"

MOD88CEL258A
Size: 2.58x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wiiight/Box
MOD88CEL44A	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MOD88CEL258A	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5





3.94x3.94"

MODDECCEL44
Size: 3.94x3.94"



2.58x7.9"



MODDECCEL258
Size: 2.58x7.9"



MOD88CELPENA
Size: 1.25x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wlight/Box
MODDECCEL44	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MODDECCEL258	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5
MOD88CELPENA	Ceramic	1.25x7.9"	5/16"	Glossy	66 pcs/box	12.91	2.60


Antiek
celadon



Antiek
pink



Antiek
pink



3.94x3.94"



MOD88PNK44A
Size: 3.94x3.94"



2.58x7.9"



MOD88PNK258A
Size: 2.58x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Waight/Box
MOD88PNK44A	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MOD88PNK258A	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5





*Antiek
pink*




3.94x3.94"

MOD88DEPN44
Size: 3.94x3.94"



2.58x7.9"



MOD88DEPN258
Size: 2.58x7.9"




MOD88PNKPENA
Size: 1.25x7.9"


Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wlght/Box
MOD88DEPN44	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MOD88DEPN258	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5
MOD88PNKPENA	Ceramic	1.25x7.9"	5/16"	Glossy	66 pcs/box	12.91	2.60



3.94x3.94"



MOD88SKY44A
Size: 3.94x3.94"



2.58x7.9"



MOD88SKY258A
Size: 2.58x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wliight/Box
MOD88SKY44A	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MOD88SKY258A	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5





Antiek
sky




3.94x3.94"

MOD88DESK44
Size: 3.94x3.94"



2.58x7.9"



MOD88DESK258
Size: 2.58x7.9"



MOD88SKYPENA
Size: 1.25x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wlight/Box
MOD88DESK44	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MOD88DESK258	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5
MOD88SKYPENA	Ceramic	1.25x7.9"	5/16"	Glossy	66 pcs/box	12.91	2.60

Antiek
white



3.94x3.94"



MOD88WHT44A
Size: 3.94x3.94"



2.58x7.9"



MOD88WHT258A
Size: 2.58x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wlight/Box
MOD88WHT44A	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MOD88WHT258A	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5





Antiek
white



3.94x3.94"

MOD88DEWH44
Size: 3.94x3.94"



2.58x7.9"




MOD88DEWH258
Size: 2.58x7.9"




MOD88WHTPENA
Size: 1.25x7.9"


Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wlight/Box
MOD88DEWH44	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MOD88DEWH258	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5
MOD88WHTPENA	Ceramic	1.25x7.9"	5/16"	Glossy	66 pcs/box	12.91	2.60



3.94x3.94"



MOD88OLV44A
Size: 3.94x3.94"



MOD88OLV258A
Size: 2.58x7.9"





2.58x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wiiht/Box
MOD88OLV44A	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MOD88OLV258A	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5





*Antiek
olive*




3.94x3.94"

MOD88DECOL44
Size: 3.94x3.94"



2.58x7.9"



MOD88DEOL258
Size: 2.58x7.9"



MOD88OLVPENA
Size: 1.25x7.9"

Code	Material	Size	Thickness	Surface	Packing	SqFt/Box	Wlight/Box
MOD88DECOL44	Ceramic	3.94x3.94"	5/16"	Glossy	50 pcs/box	5.38	6.83
MOD88DEOL258	Ceramic	2.58x7.9"	5/16"	Glossy	38 pcs/box	5.38	6.5
MOD88OLVPENA	Ceramic	1.25x7.9"	5/16"	Glossy	66 pcs/box	12.91	2.60

Exclusive Distributors:



Ph: +1 415 316-0898

e-mail: info@apollo-tile.com

www.apollo-tile.com

TECHNICAL DATA SHEET

a) DIMENSIONS

Characteristic	Norm	Average value depending on nominal dimension N		
		7 cm ≤ N < 15 cm	N ≥ 15 cm	
Length and width	EN ISO 10545-2	± 0.75 mm	± 0.5 %	± 2.0 mm
Thickness	EN ISO 10545-2	± 0.5 mm	± 10 %	± 0.5 mm
Straightness of sides	EN ISO 10545-2	± 0.5 mm	± 0.3 %	± 1.5 mm
Rectangularity	EN ISO 10545-2	± 0.75 mm	± 0.5 %	± 2.0 mm
Central curvature	EN ISO 10545-2	+ 0.75 mm - 0.50 mm	± 0.5 % - 0.3 %	± 2.0 mm - 1.5 mm
Side curvature	EN ISO 10545-2	+ 0.75 mm - 0.50 mm	± 0.5 % - 0.3 %	± 2.0 mm - 1.5 mm
Warp	EN ISO 10545-2	± 0.75 mm	± 0.5 %	± 2.0 mm

Surface flatness

b) PHYSICAL PROPERTIES

Characteristic	Norm	Average value
Water absorption	EN ISO 10545-3	> 10 % (BIII)
Breaking of rupture	EN ISO 10545-4	> 600 N
Modulus of rupture	EN ISO 10545-4	> 12 N/mm ²
Scratch hardness (MOHS)	EN 101	3
Resistance to thermal shock	EN ISO 10545-9	Guaranteed
Crazing resistance	EN ISO 10545-11 ASTM C424	Guaranteed
Slight colour differences	EN ISO 10545-16	ΔE _{cmc} < 0.75
Reaction to fire	---	A1- s1, d0

c) CHEMICAL PROPERTIES

Characteristic	Norm	Average value
Resistance to stains	EN ISO 10545-14	5
Low concentration acids and alkalis	EN ISO 10545-13	GLA
High concentration acids and alkalis	EN ISO 10545-13	GHB
Household chemicals	EN ISO 10545-13	GA

Chemical resistance