




## Upper Bounce U bolts & 8 Shape Clamps User Manual

**Assembly, Installation, Care, Maintenance and Use Instructions.**



### U-BOLTS

**Fits for Legs Up to 1.5"**

**UBHWD-UB-12 (set of 12)**


**UBHWD-UB-16 (set of 16)**

**Fits for 1.75"**

**UBHWD-1.75-UB-8**

**UBHWD-1.75-UB-12**

**UBHWD-1.75-UB-16**



### 8 Shape Clamps

**UBHWD-8SC-12**

**UBHWD-8SC-16**

Manual Version #01



**USA**

**UK**



**Call us**

**1-888-965-3331**

**020-3150-0484**



**Email us**

**support@upperbounce.com**

**support@upperbounce.co.uk**



**Check out our website**

**www.upperbounce.com**

**THANK YOU FOR PURCHASING THE UPPER BOUNCE<sup>®</sup> TRAMPOLINE PART**

Simply follow the assembly and safety instructions in this manual and you will soon be starting your **UPPER BOUNCE<sup>®</sup>** exercise program and fun and be on your way to a happier, healthier lifestyle.

Should you have any questions, please call our Customer Service Department  
Toll-free number: **1-888-965-3331**


<b>MONDAY - THURSDAY</b> 9:30 A.M. - 5:00 P.M. Eastern Time.	<b>FRIDAY</b> 9:00 A.M. - 12:00 P.M. Eastern Time.
--	--

**TABLE OF CONTENTS**

	Page
Steps for connecting poles using 8 SHAPE CLAMP	3
Steps for connecting poles using U BOLT	5

## MEASURING TIP FOR 8 SHAPE CLAMP:


Check the diameter of the leg to make sure the pole connecting tool fits your Trampoline. If the Pole diameter is 1 inch you need to look for a 1 inch connector if its 1 ½ you need a 1 ½ connector.




## STEPS FOR CONNECTING POLES USING 8 SHAPE CLAMP

### CLAMPS SERVES AS THE POLE AND LEG CONNECTOR


1. Clasp the trampoline pole into the smaller hole of the 8-Shaped Pole Clamp, Making sure that the black rubber cap of the pole is facing downwards.




8-Shaped Pole Clamp




2. Be aware that the mark on the lower pole needs to align with the trampoline frame. If there is no line on the pole then please have it attached 18" below the frame. First you need to align and then insert the leg into the clamp.




3. The set comes with 2 clamps per pole. One being attached 2" **below frame**, while the other being attached 2" **above the end of the lower pole**.



4. Once the pole is securely inserted into the clamp you can now clasp the leg into the larger hole of the clamp.




5. Feed the screw through the screw hole thus tightening the clamp to securely connect it to your trampoline leg with the tool included.



## MEASURING TIP FOR U BOLT:

Measure the diameter of your trampoline leg to make sure that the pole connecting tool fits your trampoline. If the leg measures for example 1" you will need a 1" connector. If the leg measures 1.5" you will need a 1.5" connector.




**Note:** If your legs measures 1.75" you should get one of the following models:

UBHWD-1.75-UB-8

UBHWD-1.75-UB-12

UBHWD-1.75-UB-16




## STEPS FOR CONNECTING POLES USING U BOLT

1. Take the clamp and clasp the trampoline pole into the rounded end of the clamp. Make sure that the black rubber cap of the lower pole faces down.


- (a) If the pole fits too loosely, insert the green rounded piece before clasp the pole so clamp will tightly clasp the pole.

If the pole is too thick and does not fit into the hole, remove the green rounded piece to create more space for the pole. You should then be able to clasp the trampoline pole into the clamp.




- (b) Once the pole is securely inserted into the clamp, you should now insert the plastic bracket until you reach the pole.

2. Be aware that the mark on the lower pole needs to align with the trampoline frame. If there is no line on the pole then please have it attached 18" below the frame.



3. The set comes with 2 clamps per pole. One being attached 2" **below frame**, while the other being attached 2" **above the end of the lower pole**.



4. After inserting the plastic bracket, clasp the leg into the clamp. Secure tightly with the steel brackets and nuts.

