
ASSEMBLING INSTRUCTION



Warm Tips:

If you experience any issues with damaged or missing parts, or notice a quality defect, we kindly ask you to share the part number along with photos of the issue. Once we have reviewed and confirmed the details, we will provide appropriate solutions, including arranging a replacement. We sincerely appreciate your understanding and patience! This instruction booklet contains important safety information. please read and keep for future reference.

TIPS BEFORE YOU START


1. Before assembling your furniture, please check that all parts are present and laid out.
2. Before initiating each assembly step, please confirm required parts are identified.
3. Please ensure adequate space and assistance for safe assembly of large items.
4. We recommend assembling the product near its intended placement area to avoid relocation after assembly.
5. We recommend to place components on soft surfaces (e.g., carpet, blanket) during assembly to prevent damage of the item.
6. Please do not overtighten any fittings, as this may damage the product. We recommend hand-tightening rather than using power tools.
7. Please position fully assembled product on flat, stable surfaces with even support.
8. Please do not stand on or use this product as a step ladder.
9. Product is designed exclusively for indoor household use in non-industrial environments.
10. Please lift with proper body mechanics to prevent injury and product damage.


CARE AND MAINTENANCE OF YOUR FURNITURE


- ☑ Periodically inspect and retighten all fittings as needed to maintain structural integrity.
- ☑ Periodically inspect all screws and retighten if necessary to maintain product stability.
- ☑ For optimal glass cleaning, apply a dedicated glass cleaner using a microfiber cloth to prevent streaks.
- ☑ Avoid liquid contact to prevent structural warping and surface delamination; immediately wipe any spills.
- ☑ Avoid placing hot objects (e.g., hot beverages) directly onto surfaces to prevent thermal shock and permanent discoloration.
- ☑ Lift the unit with multiple personnel using proper technique; dragging or pushing risks structural failure and injury.

ASSEMBLY REQUIREMENTS

- ☑ Equipment: phillips head screwdriver.
- ☑ 2 x adults required.
- ☑ 2m x 2m assembly space required.
- ☑ 1.5 hour assembly time approx.





14
2
15
19
1
17
16
20
4
8
14
26
15
17
9
18
22
7
25
5
16
8
11
23
12
21
23
24
3
6
12
13
13
10




Ø15*9.5mm

A	X52




Ø6.5*35mm

B	X12




Ø8*30mm

C	X46




Ø3.5*14mm

D	X72




Ø4*35mm

E	X4




F	X6



M4*19mm

G	X12




Ø21mm

H	X10




I	X18




Ø35mm

J	X8




Ø35mm

K	X4




572*12*6.5mm

L	X1




580*12*6.5mm

M	X2




60*38*1.3mm

N	X6




Ø4*14mm

O	X24




P	X2set




Ø5.5*135mm

Q	X1




Ø5*16mm

R	X12




Ø6.5*35mm


S	X40set




①	X1




②	X1




③	X1




④	X1




⑤	X1




⑥	X1




⑦	X1




⑧	X2




⑨	X1




⑩	X1




⑪	X1




⑫	X2




⑬	X2




⑭	X2




⑮	X2




⑯	X2




⑰	X2




⑱	X1




⑲	X1




⑳	X1




㉑	X1




㉒	X1




㉓	X2



㉔	X1




㉕	X1





㉖	X1


Step:1

S		X8












Step:2

S		X2









Step:3


A	Ø15*9.5mm	X1






Step:4


A	Ø15*9.5mm	X1







Step:5

A	Ø15*9.5mm	X4
C	Ø8*30mm	X4










Step:6

A	Ø15*9.5mm	X4
C	Ø8*30mm	X4









Step:7


S	Ø6.5*35mm	X12






Step:8


S	Ø6.5*35mm	X2






Step:9

C	Ø8*30mm	X2
E	Ø4*35mm	X2




Step:10

A	Ø15*9.5mm	X5
C	Ø8*30mm	X3




Step:11

C	Ø8*30mm	X2
E	Ø4*35mm	X2




Step:12

A	Ø15*9.5mm	X5
C	Ø8*30mm	X3




Step:13

C	Ø8*30mm	X3



Step:14


O	Ø4*14mm	X12
N	60*38*1.3mm	X3




Step:15

Two people are needed to assist.


A	Ø15*9.5mm	X4







Step:16

L	572*12*6.5mm	X1
M	580*12*6.5mm	X2










Step:17

B	Ø6.5*35mm	X12









X2

Step:18


A	Ø15*9.5mm	X3
C	Ø8*30mm	X2






Step:19


A	Ø15*9.5mm	X3
C	Ø8*30mm	X2



Step:20


S	Ø6.5*35mm	X8






Step:21


S	Ø6.5*35mm	X8







Step:22

A	Ø15*9.5mm	X2
C	Ø6*30mm	X2










Step:23

A	Ø15*9.5mm	X2
C	Ø8*30mm	X2









Step:24

C	Ø8*30mm	X3




Step:25


O	Ø4*14mm	X12
N	60*38*1.3mm	X3



Step:26

A	Ø15*9.5mm	X2
C	Ø6*30mm	X2








Step:27

Two people are needed to assist.

A	Ø15*9.5mm	X16
C	Ø8*30mm	X12
H	Ø21mm	X10










Step:28

I	Ø3×14mm	X18
P		X2








Insert the plastic buckle into the back plate slot, screw hrough the hole in the plastic buckle and lock it in place.

Step:29


R	Ø5*16mm	X12



Step:30

D	Ø3.5*14mm	X4
K	Ø35mm	X2
G	M4*19mm	X2
F		X1


Large bend hinge



Step:31

D	Ø3.5*14mm	X4
K	Ø35mm	X2
G	M4*19mm	X2
F		X1

Large bend hinge




Step:32

Please distinguish between Panel 12and Panel 13. The one with a wider distance from the holes to the edge is Panel 12, and the other is Panel 13.

D	Ø3.5*14mm	X8
J	Ø35mm	X4
G	M4*19mm	X4
F		X2


Middle bend hinge



X2

Step:33


D	Ø3.5*14mm	X8
J	Ø35mm	X4
G	M4*19mm	X4
F		X2



X2


Step:34

D	Ø3.5*14mm	X24




Step:35

D	Ø3.5*14mm	X24





Step:36



NOTE: If you encounter a gap or difficulty closing the door after installation, Please adjust the hinge according to the following operation.


The method is as follows:






[How to adjust vertical height of the door]


- First remove the 2 screws "A+"on the hinge.
- Then loosen the 2 screws "A"on the hinge so that it can be adjusted up or down a few millimeters.
- Then tighten "A" and reinstall "A+".






[How to adjust the level of the door]

- Turn screw "C" on hinge to adjust the level of the door.





[How to adjust depth of the door]


- Loosen screw "B" and adjust the depth of the door.
- If screw "B" is loose, the depth of the door still cannot be adjusted. Simply loosen the screw "C" slightly to adjust the position of the door forward and backward.
- After adjusting the position, tighten screw "B" last.

Step:37


P		X2

Install the tipping restraint hard ware


NOTE:The tipping restraint hardware included is for wooden stud wall construction. It must be attached to a wall stud. Depending upon your wall construction different anchor hardware maybe required. Please contact your local hardware store for assistance. Young children can be seriously injured by tipping furniture. You must install the tipping restraint hardware with the unit to prevent the unit from tipping, causing any accidents or damage. The tipping restraints are intended only as a deterrent and are not a substitute for proper adult supervision. The tipping restraints are not earthquake restraints. If you wish to add the extra security of earthquake restraints, they must be purchased and installed separately.




1.make mark on the wall




2.drill two Ø6 holes on the wall



3.put two anchors in the holes



4.fix the device on the wall by the long screws



5.Push the cabinet close to the wall so that the two bases are close to each other, and then put on steel wire zip tie to tighten it

