
Rect. Dining table







ASSEMBLY INSTRUCTIONS

OE2-15367T




BEFORE ASSEMBLY:

- Please read these instructions carefully before starting assembly. We suggest you carry out the assembly on a soft surface like a carpet, so as to avoid scratching the paint. Keep children away during assembly. This item contains small parts which can be swallowed by children.
- This product was made for the explicit purpose of providing outdoor function and is not to be used as a toy. This product is for residential use only. This product is NOT intended for commercial use; unintended use will void the warranty.
- This product is not intended for use during inclement or severe weather, that includes but is not limited to rain, hail, sleet, snow, wind, freezing conditions and extreme heat.
- Please note because of the nature of cast metal, you may find roughness on the surface which enhances the beauty of the product and is not a defect.
- Aluminum is soft metal, please do not use power tools, and over tighten may strip threads or break the parts.
- When not in use, store and/or cover the product in a cool dry location. Do not locate the product near any sort of high heat. Do not use the product as a support.
- Children under the age of 10, who are near the product, should be supervised by a competent adult at all times.
- Do not discard any of packaging until you finish the assembly. Keep the assembly instructions for future reference or warranty.

AX4  Leg	BX1  Table Top	CX16  Washer
DX16  Spring Washer	EX16  Bolt(M6*25)	FX16  Cap
GX1  Umbrella Hole Cover	HX1  Wrench	

1


Step 1:Place all the parts on a clean and soft surface.Identify all the parts and hardware kits against parts list.Turn over the **Table Top(B)** onto a flat surface;Assemble **Table Leg(A)** and **Table Top(B)** with **parts (C,D,E,F)** in the order displayed in Fig(1).Then assemble the other side of **Leg(A)**.Tighten all the **Bolts(E)** loosely at this stage.Repeat this step with the other three **Legs(A)**.



(1)

2

Step 2:Check that all the parts are securely connected, tighten all bolts fully.Then turn the table over. Adjust the levelers until the table is stable, and cover the **Umbrella Hole Cover(G)**.Now your table should be ready for use.




(2)

Tip:Tighten all the bolts with **Wrench(H)**.

Dining Chair




ASSEMBLY INSTRUCTIONS

OE2-FKO1KD




BEFORE ASSEMBLY:

- Please read these instructions carefully before starting assembly. We suggest you carry out the assembly on a soft surface like a carpet, so as to avoid scratching the paint. Keep children away during assembly. This item contains small parts which can be swallowed by children.
- This product was made for the explicit purpose of providing outdoor function and is not to be used as a toy. This product is for residential use only. This product is not intended for commercial use; unintended use will void the warranty.
- This product is not intended for use during inclement or severe weather, that includes but is not limited to rain, hail, sleet, snow, wind, freezing conditions and extreme heat.
- Please note because of the nature of cast metal, you may find roughness on the surface which enhances the beauty of the product and is not a defect.
- Aluminum is soft metal, please do not use power tools, and over tighten may strip threads or break the parts.
- When not in use, store and/or cover the product in a cool dry location. Do not locate the product near any sort of high heat. Do not use the product as a support.
- Children under the age of 10, who are near the product, should be supervised by a competent adult at all times.
- Do not discard any of packaging until you finish the assembly. Keep the assembly instructions for future reference or warranty.

AX2  Back	BX2  Seat	CX2  Right Armrest	DX2  Left Armrest
EX16  Washer	FX16  Spring Washer	GX12  Bolt(M6*35)	HX4  Bolt(M6*55)
IX2  Cushion	JX2  Wrench		

1


Step 1:Place all the parts on a clean and soft surface.Identify all the parts and hardware kits against parts list.Assemble **Right Armrest(C)** and **Seat (B)** with **parts(E,F,G)** as **Fig(1)**.



(1)

2


Step 2: Connect **Back(A)** and **Seat(B)** with **parts(E,F,G)** as **Fig(2)**. Make sure both side of **Seat(B)** and **Back(A)** are connected.Then connect **Back(A)** and **Right Armrest(C)** with **parts(E,F,H)** as **Fig(2).**



(2)

3


Step 3:Connect **Back(A)** and **Left Armrest(D)** with **parts(E,F,H)** as **Fig(3)**. Then connect **Seat(B)** and **Left Armrest(D)** with **parts(E,F,G)** as **Fig(3).**



(3)

4

Step 4:Tie the **Cushion(I)** as **Fig(4)**. Adjust the levelers until the chair is stable.Now,your chair should be ready for use.



(4)

Tip:Tighten all the bolts with **Wrench(J)**.