



Trampoline Assembly Instruction





Experience Joyful Moments with FIZITI



+1 201-351-9617

Online Time: (EST) 9am-6pm



service@fiziti.com

At your service within 24 hours!









Search FIZITI to help you further with your installation!






Welcome to FIZITI FAMILY ! Here, you can share fun Videos of you using FIZITI products, discover new items, and find discount coupons. It's also a great place to meet friends who share similar interests. Join us to enjoy a vibrant community where you can connect with others, explore exciting finds, and have a great time . We look forward to seeing you!




Trampoline Package List

Number	Diagram	Part Name	10FT QTY	12FT QTY	14FT QTY	16FT QTY
1		Jumping Mat	1	1	1	1
2		Spring Cover Pad	1	1	1	1
3		Safety Enclosure Net	1	1	1	1
4		Top Rail +T Connector	8	8	8	12
5		Base Leg	4	4	4	6
6		Leg Extension	8	8	8	12
7		Top Frame Tube	8	8	8	12
8		Bottom Frame Tube	8	8	8	12
9		Nylon Sleeve	16	16	16	24
10		Spring	64	72	80	108
11		Loading Spring Tool	2	2	2	2
12		Net Pole Cap	8	8	8	12
13		Net Pole Caps Screw	8	8	8	12
14		Long Rope (Fix Enclosure Net Bottom)	2	2	2	2
15		Long Screw	16	16	16	24
16		Washer	16	16	16	24
17		Black Gap Spacer	16	16	16	24




Number	Diagram	Part Name	10FT QTY	12FT QTY	14FT QTY	16FT QTY
18		Lock Nut	16	16	16	24
19		Allen Tool	1	1	1	1
20		Screwdriver	1	1	1	1
21		Tie Down Stake Kit	4	4	4	6

Basketball Hoop Part List


Number	Diagram	Part Name	Quantity
22		Basketball Hoop Ring	1
23		Basketball Hoop Board	1
24		Triangular Pad	2
25		Rubber Ball	2
26		Rubber Ball Pump	1



Lander Part List

Number	Diagram	Part Name	10FT QTY	12FT QTY	14FT QTY	16FT QTY
27		Ladder Pole	2	2	2	2
28		Step Pole	3	3	3	3
29		Ladder Screw	6	6	6	6
30		Washer	6	6	6	6
31		Lock Nut	6	6	6	6

Gifts Package List

Number	Diagram	Part Name	10FT QTY	12FT QTY	14FT QTY	16FT QTY
32		LED Lights	1	1	1	1
33		Sprinkler	1	1	1	1
34		Non-slip Socks	6	6	6	6
35		Gloves	2	2	2	2



Before Assembly, Prepare by

1, Ensure a suitable assembly location: Choose a **flat**, spacious area without any obstacles to assemble the trampoline. Make sure the area is clear of branches, power lines, or other potential hazards.

2, Clean the assembly area: Remove debris, stones, branches, etc., from the assembly area. Ensure the ground is dry, level, and free of sharp or hard objects.



3, Make sure you have all the accessories. If there are any damaged or missing parts, please contact the supplier service@fiziti.com promptly. (14ft trampoline used in this manual example)



4, Prepare necessary tools: According to the trampoline's assembly manual, gather the required tools such as wrenches, screwdrivers, etc. (We've provided tools for assembly, but you are more than welcome to use your own.)

5, Read the installation instructions: Thoroughly read the trampoline's assembly manual and ensure understanding of each step. Follow the instructions provided in the manual to assemble the trampoline step by step.

6, Seek assistance: Trampoline assembly usually requires two or more people to work together, so find a suitable helper to ensure safety and a smooth assembly process.

Please note that the specific steps for these preparations may vary depending on the trampoline model and brand. Make sure to carefully read and follow the corresponding assembly manual.



service@fiziti.com



YouTube

Search FIZITI for installation video

Frame Assembly



Step 1

Arrange all the Top Rails (#4) in a circle.



Step 2

Insert the Top Rails(#4) into the T-shaped Connector.





Place the Base Leg (#5) and Leg Extension (#6) under the corresponding Top Rail (#4).



Connecting Leg Extension (#6) and Base Leg (#5).





Step 4

Align the T-shaped Connector with the hole in the Leg Extension(#6) and attach the assembled leg under the Top Rail (#4).



After the feet are all in place, make sure the holes are aligned.



Step 5

Screw the Ground Stakes(#21) clockwise into the ground.

Note: This step is crucial as it enhances the stability of the trampoline, enabling it to withstand the impact of strong winds!



Thread the belt through the top rail, ground stakes head and into the buckle in turn.Adjust to the tightest point.Install a floor spike between every two legs.



Install all Ground Stakes(#21) between every two legs.






Step 6

Start by spreading the Jumping Mat (#1) evenly in the center.




Trampoline Spring Assembly

Assemble the Spring (#10) in the X-shape order one by one to make sure the tension is distributed evenly for the Jumping Mat (#1). Gently tap down against the spring if the hook is not completely in the hole. Make sure the serial number of the triangular rings on the jumping Mat (#1) and the holes on the top rail frame are the same when counting from the same direction. Tip: Please take care not to pinch your hands and other body parts during spring assembly




X shape: 1st→32th→16th→48th→8th→40th→24th→56rd



X shape: 1st→37th→18th→54th→9th→45th→27th→63rd



X shape: 1st→41st→20th→60th→10th→50th→30th→70th



X shape: 1st→54th→27th→81st→14th→68th→41th→95th



Here we show the steps for 14ft trampoline. One installs the spring(#10) clockwise following 1st-41st-20th-60th-10th-50th-30th-70th.





After the positioning of the eight main locations, the remaining springs, installed by two people diagonally at the same time (if the springs are not installed in accordance with the diagonal caused by the bending of the top rail need to be replaced at the buyer's own expense)




Frame Tube Assembly



Step 7

Insert Long Screws (#15) in Bottom Frame Tube (#8), Black Gap Spacer (#17) and Leg Extension (#6) area.



Secured with Washers (#16) and Lock Nuts (#18).



Eight Bottom Frame Tubes (#8) installed.



Assemble the Black Nylon Sleeves(#9) to the Bottom Frame Tube(#8).



Spring Cover Pad Assembly



service@fiziti.com



YouTube

Search FIZITI for installation video



Step 8

Install Spring Cover Pad(#2) (cord should not be tied tightly to maintain elasticity)




Inside cords tied to a triangular hook

Outer cords tied to springs



Step 9

First, insert the Top Frame Tube (#7) to the Net Pole Cap (#12).Second,ensure that two holes are aligned,then secure it with a Net Pole Caps Screw(#13).





Step 10

Assemble the black Nylon Sleeves(#9) to the Top Frame Tube(#7).




Step 11

Insert the belts on the top of the Safety Enclosure Net (#3) into the Net Pole Cap (#12) and lock the buckle adjust the tightness of the belt as required.



Insert the Top Frame Tube(#7) into the Bottom Frame Tube(#8).



Basketball Hoop Assembly

**Step 12**

Install the basketball hoop according to the following images.



Select the appropriate height, then tie the rope at the top to the pole cap and at the bottom to the spring.





Step 13

Installing the Long Rope (#14). One end of the rope is tied to the triangular ring.



Thread one end of the Long Rope (#14) through the bottom holes of the Safety Net (#3) and the triangular rings of the mat until it meets the other end. Pull tight until there are no gaps, then secure with a knot.





Align the holes in the Ladder Pole (#27) and Step Pole (#28) and secure with Ladder Screws (#29) through the lock holes, using Washers (#30) and Lock Nuts (#31) in that order, and with an Allen Tool(#19).



Place the ladder underneath the zipper of the safety net.



Light and Sprinkler Assembly



Step 15

Connections in order.



Secure the Sprinkler(#33) to the top of the net with the black fastening straps.

Please note:

- 1:Pipes with holes should be placed on the inside.
- 2:In order to allow the water to flow into the sprinkler,do not tighten the fastening strap too much.



Thread the LED Lights(#32) into the fastening straps.

If you have any questions,please feel free to contact service@fiziti.com

Congratulations! You have finished the assembly. Have fun with the trampoline!



service@fiziti.com



YouTube

Search FIZITI for installation video

The trampoline load capacity is up to 2000LBS after factory's test.

!!! NOTE: WHEN A PERSON USE THE TRAMPOLINE ALONE, THE RECOMMENDED MAXIMUM WEIGHT IS 330LBS/150KG TO AVOID INJURIES CAUSED BY A SINGLE POINT FORCE.



WARNING

Ladder helps children climb onto the trampoline. This trampoline is not recommended for children under 6 years old.

Please remove the ladder when you don't use the trampoline.



DANGER

1. Do not attempt or allow somersaults on the trampoline. It may cause serious injury, paresis or death when landing on the head or neck, even when landing in the middle of the bed.
2. Trampolines should not be used for more than 3 adults weighing more than 330lbs at a time, there is an increased likelihood of injury.
3. Children of 0-6 years old need to use the trampoline under supervision.
4. Do not use the trampoline in strong wind conditions as wind will cause unexpected movement of the trampoline. The product must be properly stored or disassembled completely in severe windy conditions.



SAFETY INSTRUCTION OF TRAMPOLINE ENCLOSURE NET



**SINGLE PERSON
WEIGHT
LIMIT: 330LBS**



**DO NOT PERFORM
SOMERSAULTS
(FLIPS) AS THIS
WILL INCREASE
YOUR CHANCES OF
LANDING ON YOUR
HEAD OR NECK!**

A. NOTICE TO SUPERVISOR

1. Supervisor is strictly to enforce the safety rules and be familiar with all the information provided in the trampoline.
2. No trampoline user shall use the trampoline without mature adult supervision, regardless of the skill or age of the trampoline user. Secure the trampoline against any unauthorized use. Keep objects away from the jumper and the trampoline that may interfere with the jumper or could be potentially hazardous.
3. The trampoline enclosure system is not recommended for use by children under the age of 6 or anyone weighing more than 330 LBS (150kg).
4. Use only when the trampoline jumping mat is clean and dry. Inspect the trampoline and enclosure before using and replacing any parts. Use only when the enclosure has no holes, pole clamps are tightly secured to the poles and the frame and the barrier is properly suspended.
5. Children must never be left unattended in the enclosure at any time.

B. NOTICE TO JUMPER

6. Do not use the trampoline and the enclosure net when one is under the influence of drugs or alcohol. Do not smoke while using the trampoline and the enclosure.
7. Avoid jumping too high or too long on the trampoline. Always control your jumping. Do not try to jump over the barrier.
8. Always have someone watch you when using the trampoline. Do not jump alone.

WARNING: MAKE SURE ALL INSTRUCTIONS ABOVE FOLLOWED




9. Do not climb on trampoline frames that are not equipped with a spring cover pad.
10. Do not wear clothing drawstrings, hooks, loops or anything that could get caught while using the trampoline/net, or it may result in entanglement or strangulation.
11. Only climb on and off the trampoline at the net door opening. Do not crawl under the trampoline frame. Do not use the trampoline as a springboard to other objects.
12. Do not jump from other objects, building or surface onto the trampoline or into the trampoline net.

⚠ WARNING

Do not jump into the enclosure netting deliberately.
Do not jump and try to hang onto the top of the netting or the enclosure pole.
Misuse of the enclosure as stated above may result in serious injury or death.
Users may become entangled in or strangled by loose cords or in gaps between trampoline and enclosure keep enclosure tightly fastened to the trampoline in accordance with the manufacturer's instructions. Failure to properly assemble and maintain a tight, secure trampoline/enclosure boundary may result in serious injury, strangulation or death.

⚠ WARNING

Your trampoline enclosure netting is manufactured with UV-resistant material. The netting is exposed to outdoor elements including sunlight, wind, rain and wildfire for a long time, so the enclosure netting must be checked before each use for wear or tear by pinching a section of fabric between fingers and pulling, stretching.
Please see the diagram below.



If it produces a tear or if it produces a continuous ripping sound, then the net is unsafe and must be taken down immediately. STOP USING THE TRAMPOLINE IF YOU FIND ANY SIGNS OF WEAKNESS. RESTRICT ACCESS BY USERS UNTIL A NEW AUTHORIZED REPLACEMENT NETTING IS INSTALLED OR STORE THE TRAMPOLINE.





FIZITI's design philosophy: Trampolines must be safer. FIZITI trampolines comply with ASTM F381-16 Standard Safety Specification for Components, Assembly, Use, and Labeling of Consumer Trampolines. You can rest assured that our safety materials are among the best on the market for your family.

website: <https://www.fiziti.com>

Email: service@fiziti.com



Welcome to FIZITI FAMILY! Here, you can share fun videos of you using FIZITI products, discover new items, and find discount coupons. It's also a great place to meet friends who share similar interests. Join us to enjoy a vibrant community where you can connect with others, explore exciting finds, and have a great time. We look forward to seeing you!



service@fiziti.com



YouTube

Search FIZITI for installation video



Experience Joyful Moments with FIZITI



+1 201-351-9617

Online Time: (EST) 9am-6pm



service@fiziti.com

At your service within 24 hours!



Search FIZITI to help you further with your installation!



Welcome to FIZITI FAMILY ! Here, you can share fun Videos of you using FIZITI products, discover new items, and find discount coupons. It's also a great place to meet friends who share similar interests. Join us to enjoy a vibrant community where you can connect with others, explore exciting finds, and have a great time . We look forward to seeing you!



service@fiziti.com



YouTube

Search FIZITI for installation video