



ASSEMBLY INSTRUCTION

32"W BOOKCASE


A Top Panel **B** Upper Shelf **C** Middle Shelf **D** Lower Shelf




1pc



1pc




1pc




1pc


E Bottom Shelf **F** Left Side Frame **G** Right Side Frame **H** Cross Bar




1pc



1pc



1pc



2pcs

I Bolt **J** Bolt **K** Hex Nut **L** Allen Key

Ø1/4"x5/8"

Ø1/4"x7/8"

Hex Nut

M4




11pcs

16pcs


1pc

1pc


M Spanner **N** Anti-Tipping Kit



1pc




2sets




This page lists all the contents included in the box. Please take the time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.


- 1** Attach Upper Shelf (B), Middle Shelf (C), Lower Shelf (D) and Bottom Shelf (E) to Left Side Frame (F) & Right Side Frame (G) using Bolt (J) by Allen Key (L) as below shown.




- 2** Attach Top Panel (A) to Left Side Frame (F) & Right Side Frame (G) using Bolt (I) by Allen Key (L) as below shown.



- 3** Secure both Cross Bar (H) together using Bolt (I) and Hex Nut (K) as shown. While holding Hex Nut (K) with Spanner (M), tighten Bolt (I) by Allen Key (L) as below shown.



- 4** Attach Cross Bar (H) to the back of Left Side Frame (F) & Right Side Frame (G), using Bolt (I) by Allen Key (L) to lock the bottom holes of Cross Bar (H) first only as below shown.




5 *NOTE: WE RECOMMEND THAT YOU ATTACH THE PRODUCT TO YOUR WALL AS A SAFETY PRECAUTION USING ANTI-TIPPING KIT (N) AS BELOW INSTRUCTION.

Attach 2pcs mounting plate of Anti-Tipping Kit (N) to the top holes on back of Back Cross Bar (H) using Bolt (I) by Allen Key (L), making sure the Mounting Plate extend DOWNWARD.

Drill 2 holes in your wall approximately 2" (Inches) BELOW the corresponding positions of Mounting Plate and insert Wall Anchor as shown.

* NOTE: You may need to tap LIGHTLY with a rubber mallet.

Now connect the corresponding Mounting Plate with Connection Strap and tighten as described before locking in place.



Cleaning & Care

Treat surface with care. Surface is resistant to scratches but is not scratch resistant. Clean surfaces with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.