



Notice

1.50% Tighten before fixings all screws, Allen wrench is recommended instead of an electric drill.

2.Place the item on a flat ground to adjust and make sure it remains stable.

3.Tighten up all screws with tools gradually.

4.If the screws are not aligned with holes during assembly, please loosen all all the other screws to 50% and continue the assembly process.

5.If the item is not stable, please loosen all the screws, adjust it on a flat ground and tighten up all screws again.

6.Note: If one or more screws are fully tightened during assembly,chances are the others will not be aligned with holes. In addition, all the holes are disigned to be relatively larger to provide more space for the adjustment of the screws.

Warranty

LIMITED WARRANTY

This warranty is a limited warranty, and applies to the original purchase is required. This is a residential warranty and does not apply to commercial use. This collection carries a (1) year limited warranty and is valid from original date of purchase to the original owner (proof of purchase required).

WHAT IS COVERED

We warrant the frame to be free of Manufacturing defects to the original purchaser for one year.

WHAT IS NOT COVERED

This warranty does not cover commercial use, hardware, acts of nature, fire, freezing and abusive.

In addition, purchased parts are not covered under this warranty.

We reserve the right to make substitutions with similar merchandise, if the model in question is no longer in production.

For a copy of our full limited warranty, please contact our customer service team below.

| | | | | | |
|----------------|----------------|---------------------------------|--------------------------------|-----------------------------------|------------------------------|
| A-3 | B-3 | C-1 | D-1 | E-2 | F-2 |
| G-2 | H-1 | I-28 M6x30 | J-8 M6x15 | K-36 D16/8x1 | L-16 M6 |
| M-2 | N-1 | O-1 4 | | | |



