



Vanity Table Manual






























Vanity Table Manual




Hardware list

| | | | |
|-------------|---|----------------------------|--|
| A x3 | B x6 | C x3 | D x3 |
| E x1 | F x1 | G x1 | H x1 |
| I x1 | J x1 | K x2 | L x1 |
| M x1 | R x1 Upper bracket without rubber pad | T x4 570x20x20mm | S x1 Lower bracket with rubber pad |
| Q x1 | N x1 | O x5 | P x1 |
| U x1 | | | 2 |

Accessories list


| | | | |
|---|---|--|--------|
| ① |  | Two in one screw (6x28mm) | 48 Pcs |
| ② |  | Two in one nut (10x12mm) | 48 Pcs |
| ③ |  | Leather drawer handle & Hardware nut | 6 Pcs |
| ④ |  | Wood chipping (6x30mm) | 10 Pcs |
| ⑤ |  | Countersunk head tapping screw (3.5x12mm) | 20 Pcs |
| ⑥ |  | Light bulb | 10 Pcs |
| ⑦ |  | Hexagon socket screwdriver H4 | 1 Pcs |
| ⑧ |  | Hexagonal machine wire (6x30mm) | 25 Pcs |
| ⑨ |  | Protective sticker | 2 Pcs |
| ⑩ |  | Back plate buckle & Screw (3x16mm) | 4 Pcs |
| ⑪ |  | Corner code(30x30x1.5)(3.5x12) | 2 Pcs |
| ⑫ |  | Countersunk head tapping screw (4x45mm) | 1 Pcs |
| ⑬ |  | anti-tipping tape | 1 Pcs |
| ⑭ |  | Countersunk head tapping screw (4x16mm) & gasket | 1 Pcs |
| ⑮ |  | The power adapter | 1 Pcs |
| ⑯ |  | Cross screwdriver | 1 Pcs |
| ⑰ |  | Cross machine wire (8x20mm) | 6 Pcs |
| ⑱ |  | Concentrator | 1 Pcs |
| ⑲ |  | Hardware electroplating cabinet feet | 4 Pcs |
| ⑳ |  | Acrylic hair dryer holder | 1 Pcs |
| |  | Hexagonal machine wire (4x16mm) | 2 Pcs |
| ㉑ |  | Brown acrylic lipstick grid | 1 Pcs |
| ㉒ |  | power cord extension cord | 1 Pcs |
| ㉓ |  | Wire clamp | 4 Pcs |
| ㉔ |  | Hexagonal machine wire (4x25mm) | 3 Pcs |
| ㉕ |  | Hexagonal machine wire (4x16mm) | 3 Pcs |
| ㉖ |  | Iron gasket & Self tapping screw(3x10) | 2 Pcs |

Vanity Table Manual




Use parts ① and ②



Step1




Step2



Step3



Use a screwdriver to lock in the direction of the "+" sign





Disassemble along the direction of "-" sign

Step 1


1






x 4




Step 2








| | | |
|---|---|-----|
| 1 |  | x 4 |
| 2 |  | x 4 |



Step 3




| | | |
|----|---|-----|
| 2 |  | x 4 |
| 3 |  1pcs  1pcs | x 3 |
| 25 |  | x 3 |






Repeat the first, second, and third steps three times.

Vanity Table Manual




Step 4

| | | |
|---|---|-----|
| 1 |  | x 4 |
| 4 |  | x 6 |



Step 5

| | | |
|---|---|-----|
| 2 |  | x 4 |
|---|---|-----|




Step 6

1



x 4




Step 7


4




x 4



Step 8




Step 9




Step 10

10




x 4



10

x4

3x16mm



Step 11

19





x 4


5



x 20




19 x 4





5 x 20

Vanity Table Manual





Step 12

| | | |
|---|---|-----|
| 8 |  | x 4 |
| 7 |  | x 1 |



Install screws on the counterbore side

The hole design is misaligned, after the screw is installed, if the screw is higher than the iron plate, it is wrong, and the R wrought iron strip needs to be reversed and reinstalled




| | | |
|---|--|-----|
| 8 |  | x 4 |
|---|--|-----|

Step 13




Step 14

8



x 3

Note that the foot pad at the bottom of the iron frame S can be rotated and adjusted according to the actual situation.



Step 15

3



1pcs





1pcs

x 3

24




x 3



15

Vanity Table Manual




Step 16

1




x4




Step 17

2



x 4




Step 18

1




x6




Step 19

2




x 6



Step 20

1




x6

20



x1



Step 21


26

1 pcs

1 pcs


x 2

2




x 6


9




x 2



Step 22




Remove the film before installation



Make sure that you insert cables on bulb through prepared holes on board, suggest to insert once a time.

Step 23

26




1pcs



1pcs

x 2

6




x 10

14




x 1

13



x 1

After passing the power cord of the bulb through the hole, stick the bulb onto the back panel



Step 24

18





x 1

22







x 1


Paste and fix the socket socket upwards, From the first bulb, connect all bulbs in turn



The right socket is the power inlet interface




Vanity Table Manual





Step 25

8




x 5





Step 26

8




x 5




25

Step 27

8









x 4




Note that the foot pad at the bottom of the iron frame R can be rotated and adjusted according to the actual situation.


Step 28



| | | |
|----|--|-------|
| 12 |  | x 1 |
| 21 |  | x 1 |
| 11 |  1pcs 4pcs | 2 Pcs |
| 15 |  | 1 Pcs |



wall



Left side installation method


Step 29

12



x 1

21




x 1

21



11



12

13

wall

12

wall

Right side installation method

28



User's Guide

Thank you for purchasing this product.

To use this product, please plug it into a 12V DC power supply.

Please use if the product works normally after connecting to power.

Introduction

The box is an intelligent controller. It has 1 USB port and 1 type-C port and can distribute the current output up to 5V DC-2A. With 2 touch buttons, it can turn ON/OFF the light, change light colors, and adjust the light luminance.

Operation




This touch button is used to turn on/off, change colors, and adjust brightness.

- A. Short touch -> lighting on -> short touch -> change light color -> short touch -> change light color -> short touch -> lighting off.
- B. Long touch -> adjust the luminance.



This touch button is used to turn on/off the induction function.

- A. Short touch to turn on the induction function. It can auto-turn on the light when people are close to the controller in 1 meters. It can auto power off the light when the body is far away from the controller after 30 seconds.
- B. Long touch to turn off the induction function.
- C. Note: When you touch the light button to change the light modes, the induction function will automatically turn off. It is best to turn on this function after selecting the light color and adjusting the brightness you want.



This range is a wireless charging area, and only mobile phones with wireless charging function can be charged.



ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.
2. If bubbles appear on the panel, remove the protective film.
3. If you have any questions when installing, please feel free to contact us. Thank you.