








LED CEILING LIGHT




5



6




7




8




9




10



11



12



WARNING:

CHOKING HAZARD—Small parts.

Small screw. Choking hazard

Not for children under 3 yrs





CE



UK
CA

Made in China



NOTICE:

This remote control does not contain batteries.
Please insert [2x1.5V](#) batteries before use.



OPERATING INSTRUCTIONS

Thank you for your purchase! Before install the product, Please read this instruction carefully, and keep it for further reference.

1.PRODUCT PARAMETERS

Category	LED Ceiling Light - Dimmable
Color temperature	3000-6000K
Input Voltage	AC185-240V
Color rendering index	≥80Ra
Working Temperature	-20~55°C
Lifespan	30000H
Certifications	CE ROHS

2.REMOTE CONTROL MANUAL

Pairing Method

Press the  button within 10 seconds after the lamp is powered on, when the lamp flashes to indicate the pairing is successful.

Otherwise, turn off the lamp, and re-operate above step until the lamp flashes.

-  Press or click this key for a long time and the brightness increases.
-  Press or click this key for a long time and the brightness dimmed.
-  Long press this key, color temperature increase, light color cooling
-  Long press this key, color temperature drop, light color warming
-  Press this key to change the lamp to warm light (3000K)
-  Press this key to turn the lamp into white (6000K)
-  Click this key, the lamp color temperature in the white light, warm light, neutral light switch.
-  Press this key, the lamp switches between full power and half power and the color temperature of the lamp is neutral.

1		Auxiliary Light(no function for this lamp)
2		Night Light
3		Brightness+
4		Color Temperature -
5		Color Temperature +
6		Brightness-
7		Pairing Button
8		Warm Light
9		White Light
10		Change color temperature(3000K/4000k/6000k)
11		Full /Half Brightness of neutral light
12	ON	Turn on the light
13	OFF	Turn off the light