














# SWIVEL BAR STOOLS ASSEMBLY MANUAL



**Dear Customer,**

Thank you for choosing our product. Please read this manual carefully before assembling or using this product. If there are parts missing, please kindly send us messages to let us know the name of missing part regarding to the Part List parts list of instructions. We will send replacement to you asap.

# PARTS LIST



## TOOLS REQUIRED

### NOTE!

The manual is an example of assembling one chair.



300 LBS  
EACH STOOL



2 PERSON  
ASSEMBLY




UP TO 30 MIN  
ASSEMBLY

# ASSEMBLY INSTRUCTIONS

## Step 1

Before you start to assemble the stools, please kindly noted that your cushions come vacuum packed and sealed for shipping. And it takes half an hour to an hour to restore the cushion's original shape.


Follow the steps below, and after cutting open the vacuum packaging, place them somewhere dry and ventilated.





Uneven Fabric is a normal phenomenon that the first time you open it, the fabric is uneven. Because the fabric is easy to crease after long time transport in vacuum compression. You can use an iron to smooth it out, have a try!

## Step 2

Connect 2 part (C) to 2 part (D) with 2 pcs screws (H) and 4 pcs washers (J) and 2 pcs nuts (K).




C		2PCS
D		2PCS
H		2PCS
J		4PCS
K		2PCS








## NOTE!

DO NOT tighten the screws to 100% before Step 3 finished. 70% is enough.


**Step 3** Align the part (E) to the legs with 4 pcs screws (I) and 4 pcs washers (J) and 4 pcs nuts (K).









E		1PC
I		4PCS
J		4PCS
K		4PCS






**Step 4** Align the legs to the part (A) with 4 pcs screws (H) and 8 pcs washers (J) and 4 pcs nuts (K).




A		1PC
H		4PCS
J		8PCS
K		4PCS








**Step 5** Attach the part (F) to the part (A) with 4 pcs screws (G) and 4 pcs washers (J).

F		1PC
G		4PCS
J		4PCS



**Step 6** Place the cushion (B). The cushion has two velcro straps to prevent the cushions from sliding.

B		1PC
---	---	-----





**Step 7** Repeat the above 6 steps to get your second stools.

