



Serif® | K-2824

20-3/4" oval undermount bathroom sink, no overflow

Features

- Oval basin
- No faucet holes; requires wall- or counter-mount faucet
- Coordinates with other products in the Serif collection



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

- | | | |
|---|----|---------|
|  | 0 | White |
|  | 96 | Biscuit |



Codes/Standards

ADA, CSA B651 compliant when installed to the specific requirements of these regulations.

ADA CSA B651

ASME A112.19.1/CSA B45.2

ADA

ICC/ANSI A117.1

CSA B651

Technical Information

Drain Hole Diameter:	1-5/8" (41 mm)
Basin Configuration:	Single Bowl
Basin Length:	17-3/4" (451 mm)
Basin Width:	12-3/4" (324 mm)
Basin Depth:	6-13/16" (174 mm)

Material

- KOHLER® enameled cast iron

Recommended Products/Accessories

K-23726 Drain treatment

K-9018 Adjustable P-trap with long tubing outlet, 1-1/4" x 1-1/4"





K-23725 Cast iron cleaner

Warranty

See website for detailed warranty information.

KOHLER® Enameled Cast Iron Kitchen and Bathroom Sink
Lifetime Limited Warranty





Installation

- Undermount

Installation Notes

Install this product according to the installation instructions.

Supplied basin clamp assemblies require 1" (25 mm) minimum countertop thickness. Installer must supply anchors for thinner countertops.

NOTICE: The countertop manufacturer or cutter must use the cutout template provided with the product, or a current one provided by the Kohler Co. (call 1-800-4KOHLER). Kohler Co. is not responsible for cutout errors when the incorrect cutout template is used.

ADA, CSA B651 compliant when installed to the specific requirements of these regulations.

