












ASSEMBLY INSTRUCTIONS



Thank you for purchasing our product!

MAIN PARTS LIST		
A Backrest 	B Seat 	C Nylon star base 
D Mechanism 	E Lift cylinder 	F Casters x5 
G-L Left armrest 		G-R Right armrest 
H Covers for lift cylinder x1 Set 		

Hardware			
Part #	QTY	SIZE/Description	Item
I	8	M6x20	
J	4	M6x30	



Tools (Included)	
M6 Allen Wrench	

ASSEMBLY STEPS

STEP 1


FIRST: Insert F into C using pressure.

THEN: Insert E into C and cover with H.





STEP 2

Use I to attach G-L and G-R to A in their respective sides.




PAY ATTENTION!

(Sitting on it, not by looking at it)




ASSEMBLY STEPS


STEP 3 Use J to assemble B to G-L and G-R.



STEP 4 Use I to assemble D to B.




STEP 5 Finally, join the seat to the base parts.




CHAIR'S FUNCTIONS



Pull UP / push DOWN on handles.




Pull Handle OUT to UNLOCK; Push Handle IN to LOCK.



Pull Handle UP.




Flip arms UP or DOWN.




Turn the knob (+) for more tension, and (-) for less tension. Less tensions means easier tilting.


WARNINGS - Not paying attention to the following warnings could result in injuries.



Only one person at a time and refrain from sitting on the edge of the seat to prevent the chair from tipping over.



Do not stand on the chair.




Do not use the chair if the frame parts are damaged, or if any of the screws are loose or missing.



Do not leave babies or toddlers unattended while seated on the chair, always ensure adult supervision. Keep children from playing with the chair for their safety.

CARE AND MAINTENANCE


Clean with a soft cloth lightly dampened in a solution of smooth soap and water.



Do not use solvents or abrasive materials.



Do not expose to direct sunlight or to extreme environmental conditions.



Inspect the chair thoroughly every 4 months and re-tighten the screws.

