


ASSEMBLY INSTRUCTION



Notes:

1. ASSEMBLY PREPARATION AND TIPS FOR ASSEMBLY





















- 1). Remove all packaging materials, staples and packing straps from the carton.
- 2). Refer to Parts List and Hardware List, and ensure parts and hardware are correct before assembly.
Contact customer service for missing parts.
- 3). Place all wooden parts on a clean, flat and soft surface (e.g. carpet or rug) to prevent scratch and damage to parts.
- 4). Allow ample room for assembly and assemble the product near where the product will be placed.
- 5). During assembly, do not over-tighten any fittings as this may cause damage.
- 6). Always place the product on a flat, level surface.

















2. CARE AND MAINTENANCE

- 1). KEEP ALL HARDWARE PARTS OUT OF REACH OF CHILDREN.
- 2). Wipe clean with a soft, dry cloth; avoid the use of harsh chemicals or household cleaners as they may damage the exterior finish of the furniture.
- 3). Hardware may loosen over time. Periodically, check that all connections are tight; re-tighten as necessary.


3. TIPS TO PROTECT & CARE FOR YOUR FURNITURE

- 1). Avoid placing your furniture in direct sunlight, as sunlight causes fading.
- 2). Use a protective pad when writing on the furniture surface.
- 3). Use cutting boards and trivets for food preparation in order to avoid damaging the top for the unit.

1  800*400*15 1PC	2  800*400*15 1PC	3  989*399*15 1PC
4  989*399*15 1PC	5  800*400*15 1PC	6  616*399*15 1PC
7  616*399*15 1PC	8  982*379*15 1PC	9  982*379*15 1PC
10  200*762*15 3PCS	11  350*150*12 3PCS	12  350*150*12 3PCS
13  719*150*12 3PCS	14  337*72*12 3PCS	15  766*356*12 2PCS
16  768*100*12 3PCS	17  331*778*3 1PC	18  331*778*3 2PCS
19  311.5*778*3 2PCS	20  729*347*3 3PCS	21  L=766mm 3PCS

A  16PCS	B  16PCS	C  36PCS	D  36PCS
E  Ø8*30mm 8PCS	F  Ø3.5*12mm 34PCS	G  Ø3.5*14mm 80PCS	H  Ø3.5*30mm 12PCS
I  Ø3.5*40mm 2PCS	J  2PCS	K  4PCS	L  4CS
M  6PCS	N  CR CL DR DL 3PCS		O  5PCS
P  20PCS	Q  8PCS	R  1PC	S  2PCS
T  52PCS			


Instructions For Fastening CAM-BOLT and CAM-LOCK



CAM-BOLT




CAM-LOCK




Tools Required


INSERTING AND TIGHTENING CAM-BOLT



Place Cam-bolt on pre-drilled hole and screw in vertically




Shoulder is flushed (on the same level) with the panel.




Shoulder is above the panel.

Place Cam-bolt on the designated pre-drilled holes on the panel. Use a Phillips Screwdriver to screw-in Cam-bolt vertically until shoulder is flushed (on the same level) with panel.


INSERTING CAM-LOCK



Insert Cam-lock with arrow align to Cam-bolt head




CORRECT



WRONG


Align the arrow on the Cam-lock to the Cam-bolt head and insert the Cam-lock. Ensure Cam-lock is fully inserted.

TIGHTENING CAM-LOCK




Use a Flat-head Screwdriver to turn Camlock clockwise so it locks onto the head of the Cam-bolt. Turn until it is snug (about 3/4ths of a turn) -- over-tightening could damage Cam-lock or/and Cam-bolt.

N



CR







CL



DR

DL



STEP 1





STEP 2






STEP 3






STEP 4





STEP 5






STEP 6




STEP 7




STEP 8






STEP 9






STEP 10





STEP 11





STEP 12





STEP 13






STEP 14







STEP 15





STEP 16





STEP 17



STEP 18





STEP 19





STEP 20

X3




STEP 21


X3




STEP 22




X3




STEP 23




X3





STEP 24





X3





STEP 25





STEP 26






STEP 27






STEP 28






STEP 29



Move panel in and out to match with the screw shown, and retighten the 4 screws.




When the panels connected by the hinge cannot close properly, please loose the 4 screws and move the panel top and down to relocate the position of hinge with the screws shown.



Move panel left and right to match with the screw shown.

STEP 30



Warning:

Seller is responsible for the product-related issues occurred upon receipt, but will not be responsible for the personal injury, property damage or loss resulting from the incorrect assembly, improper use, inadequate maintenance or neglect of this product.