

30" Linear LED Bath Light in Chrome CH

(Chrome)



Dimensions

| | |
|--------|--------|
| Height | 5.50" |
| Width | 30.25" |

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

| | |
|--------------------|--------|
| Product ID | |
| Finish | Chrome |
| Available Finishes | CH, OZ |

Dimensions

| | |
|------------------------------------|--------------|
| Extension | 3.50" |
| Height from center of Wall opening | 2.75" |
| Base Backplate | 29.50 X 4.75 |
| Weight | 11.00 LBS |

Photometrics

| | |
|-----------------------|-------|
| Kelvin Temperature | 3000K |
| Color Rendering Index | 90 |

Specifications

| | |
|-------------------|--------------------|
| Material | Glass |
| Glass Description | Satin Etched White |

Electrical

| | |
|----------------|--|
| Dimmable | Yes |
| Dimmable Notes | This LED is compatible with most standard incandescent dimmers, LED dimmers, and electronic low voltage dimmers. |
| Voltage | 120V |
| Input Voltage | Single(120) |

Qualifications

| | |
|--------------------|-------------|
| Safety Rated | Damp |
| Class 2 | Yes |
| ADA Compliant | Yes |
| Expected Life Span | 40000 Hours |
| Warranty | |

Primary Lamping

| | |
|-----------------------|------------|
| Light Source | LED |
| Lamp Included | Integrated |
| Number of Lights/LEDs | 1 |
| Delivered Lumens | 1275 |

Notes:
1) Information provided is subject to change without notice.
All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

30" Linear LED Bath Light in Chrome CH

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

| | |
|---------------------|------|
| Initial Lumens | 3000 |
| Delivered Efficacy | 43 |
| Max or Nominal Watt | 30W |
| Dimming | Yes |

Notes:
1) Information provided is subject to change without notice.
All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.