













ASSEMBLY INSTRUCTION

BAR CART WITH MIRROR BOTTOM AND TOP


A	Side Panel	B	Metal Frame	C	Stretcher	D	Handle
	2pcs		2pcs		4pcs		2pcs
E	Mirror	F	Caster Wheel 40mm	G	Caster Wheel With Brake 40mm	H	Bolt 1/4" x 1"
	2pcs		2pcs		2pcs		16pcs
I	Bolt 1/4" x 1/2"	J	Caster End Cap 16mm	K	End Cap 20mm	L	Suction Cap 8mm
	4pcs		4pcs		4pcs		8pcs
M	Allen Wrench 1/4"						
	1pc						




This page lists all the contents included in the box. Please take the time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.

***** Do not tighten screws & bolts until the entire unit is completely assembled.**

1 Attach Metal Frame (B) to Side Panel (A) by Bolt (H) and Allen Wrench (M) as shown.




2 Attach Stretcher (C) to Metal Frame (B) by Bolt (H) and Allen Wrench (M) as shown.




3

Attach Handle (D) to Side Panel (A) by Bolt (I) and Allen Wrench (M). Attach Caster End Cap (J) to the bottom of Side Panel (A), then attach Caster Wheel (F) and Caster Wheel With Brake (G) to the bottom of Side Panel (A) as shown.


**4**

Attach Suction Cap (L) to Metal Frame (B) as shown.



5

Attach End Cap (K) to Handle (D). Then place Mirror (E) as shown.



Cleaning & Care

Treat surface with care. Surface is resistant to scratches but is not scratch resistant. Clean surfaces with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.