

Hardware			
Label	Picture	Description	QTY
1		Bolt (M6X35mm)	5
2	\bigcirc	Washer	5
3		Spring Washer	5
(4)		Сар	5
5		Allen Key	1
Assembly Preparation			
Before Beginning Assembly:			
 Read instructions, cover to cover- Have 2 adults on hand for assembly- Do not assemble on flooring or carpet- Assemble on a clean non-marring surface (packing foam)- Save all packaging until finished- 			

Assembly Steps **Overview** Seat (A) Chair Legs (B) FRONT FACING This Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly. <u>Step 1</u> Unpack and place all parts on a clean, non-marring surface. Step 2 В 1 3 (5) 2 Place the Seat(A) facedown onto a clean, non-marring surface. Align the Seat(A) to Chair Legs(B) as shown above. Attach Seat(A) to Chair Legs(B) using Bolts(1), Spring Washers(3) and Washers(2) with Allen Key(5). Do not fully tighten the Bolts.

<u>Step 3</u>



Exert pressure floorwards, onto the Chair with both your hands.

This pressure will help the Legs and Seat reach full alignment status.

Check for wobbles on a LEVEL surface.

If no wobbles are found proceed to tighten the Bolts in a sequential manner, until evenly secured.

When tightening the Bolts tighten sequentially.

Do not tighten any Bolt fully and then move on towards the next one. If there are still wobbles, loosen the Bolts and excute the same above process.



