
Installation Instruction



Assembling

Estimated time for assembly



45:00

What you need


- Use the packaging carton as a working surface to prevent product damage during assembly
- Phillips head screwdriver



Weight Limitation




100 I 35
lbs table top lbs per



What' included

Code Description	Qty
A Cam Bolt M6X35MM	10
B Cam Lock 15X10MM	10
C Wooden Dowel M6X30MM	12
D Screw M4X40MM	10
E The screw M3.5X16MM	50
F Inner Shaft	8
G Stopper	8
H External Shaft	8
The screw M6X35MM	6
J Cam Bolt M4X18MM	4
K Metal shake handshandle	4
M Screw M4X12MM	8
N The screw M6X25MM	10
O Anchor	2
P Wrench M4X55MM	1
Q Metal connector	2
L Left Plastic Holder	4
R Right Plastic Holder	4

The Hardwares




IMPORTANT:


- 1.Do not tighten bolts / screws completely until all bolts / screws are lined up and inserted into holes.
- 2.Do not over tighten screws and bolts to avoid stripping
- 3. Please use hand tools to assemble this product. Do not use power tools.


Included Accessories

Code	Description	Qty
1	Cabinet Top	1
2	Bottom Panel	1
3	Left Side Panel	1
4	Right Side Panel	1
5	Back stiffener	1
6	Door	4
7	Inner lamella	4
8	Large inner plate	8
9	Middle Division Panel	1
10	Left and right metal legs	2
11	Upper metal connecting rod	2
12	Lower metal connecting rod	1


The Accessoriess










Step 5











Step 6











Step 13

