




24" x 32"

LED Vanity Mirror



ICON 2432

b -IVANEES

FEATURES

- Integrated touch sensor control with memory
- Energy efficient LED lighting 3000-6000K
- CRI 90+
- Integrated Defogger

CONSTRUCTION

- Quality polished edge mirror
- Single phase wire installation, silver backed, copper free
- Construction for surface mounting
- Includes installation hardware

TECHNICAL INFORMATION


Size	24"x32"
MPN	MR017-2432GD
SKU	IVA-JAS1006-2432GD
CCT	3000 - 6000K
CRI	>90
Lumens	4725LM
Input Voltage	100-120VAC
LED/ Meter	5.25
Wattage	61W

502 SAMPLE NUMBER

info@ivanees.com

www.ivanees.com

DIMENSIONS



FRONT & SIDE

A	B	C	D	E	F	G
24	32	13/16	3 15/16	3 15/16	7/8	2 1/8

BACK

A	B	C	D	E	F
23 15/16	18 1/8	31 7/8	25 9/16	15 15/16	11 15/16



ICON 2432

b -IVANEES

FEATURES

- Integrated touch sensor control with memory
- Energy efficient LED lighting 3000-6000K
- CRI 90+
- Integrated Defogger

CONSTRUCTION

- Quality polished edge mirror
- Single phase wire installation, silver backed, copper free
- Construction for surface mounting
- Includes installation hardware

TECHNICAL INFORMATION


Size	24"x32"
MPN	MR017-2432SL
SKU	IVA-JAS1006-2432SL
CCT	3000 - 6000K
CRI	>90
Lumens	4725LM
Input Voltage	100-120VAC
LED/ Meter	5.25
Wattage	61W

502 SAMPLE NUMBER

info@ivanees.com

www.ivanees.com

DIMENSIONS



FRONT & SIDE

A	B	C	D	E	F	G
24	32	13/16	3 15/16	3 15/16	7/8	2 1/8


BACK

A	B	C	D	E	F
23 15/16	18 1/8	31 7/8	25 9/16	15 15/16	11 15/16



ICON 2432

b -IVANEES



FEATURES

- Integrated touch sensor control with memory
- Energy efficient LED lighting 3000-6000K
- CRI 90+
- Integrated Defogger

CONSTRUCTION

- Quality polished edge mirror
- Single phase wire installation, silver backed, copper free
- Construction for surface mounting
- Includes installation hardware

TECHNICAL INFORMATION


Size	24"x32"
MPN	MR017-2432RG
SKU	IVA-JAS1006-2432RG
CCT	3000 - 6000K
CRI	>90
Lumens	4725LM
Input Voltage	100-120VAC
LED/ Meter	5.25
Wattage	61W

502 SAMPLE NUMBER

info@ivanees.com

www.ivanees.com

DIMENSIONS



FRONT & SIDE

A	B	C	D	E	F	G
24	32	13/16	3 15/16	3 15/16	7/8	2 1/8

BACK

A	B	C	D	E	F
23 15/16	18 1/8	31 7/8	25 9/16	15 15/16	11 15/16



ICON 2432

b -IVANEES

FEATURES

- Integrated touch sensor control with memory
- Energy efficient LED lighting 3000-6000K
- CRI 90+
- Integrated Defogger

CONSTRUCTION

- Quality polished edge mirror
- Single phase wire installation, silver backed, copper free
- Construction for surface mounting
- Includes installation hardware

TECHNICAL INFORMATION


Size	24"x32"
MPN	MR017-2432BL
SKU	IVA-JAS1006-2432BL
CCT	3000 - 6000K
CRI	>90
Lumens	4725LM
Input Voltage	100-120VAC
LED/ Meter	5.25
Wattage	61W

502 SAMPLE NUMBER

info@ivanees.com

www.ivanees.com

DIMENSIONS



FRONT & SIDE

A	B	C	D	E	F	G
24	32	13/16	3 15/16	3 15/16	7/8	2 1/8

BACK

A	B	C	D	E	F
23 15/16	18 1/8	31 7/8	25 9/16	15 15/16	11 15/16

