



Modular Sofa Assemble Instruction

MULTI-BOX SHIPPING NOTICE & INSPECTION PROTOCOL

- The sofa set is shipped in multiple separate boxes. Deliveries may occur on different dates. Do not unpack or begin assembly until all boxes have been received.
- Ensure that you have received all the boxes and check for defects or damage.

BEFORE BEGINNING ASSEMBLY

- Check Manuals: Refer to the parts list of the manuals to check all the contents. Read instructions cover to cover.
- Team up for safety: Two-person installation is recommended for handling large modules.
- Working Space: Clear your workspace and lay out components on a soft surface.
- Secure all fasteners: Ensure all connections are tight and the sofa is stable, especially with children or pets.
- Save your manual & packages: Keep digital or physical instructions for future reconfiguration or maintenance. Keep all the packages till assembly completed.

CONTACT US

- Contact the seller directly via your order and report the issue, providing relevant pictures. Our customer service team is standing by.



RETURN & WARRANTY POLICY

We are committed to providing high-quality products and exceptional customer service. If you require a replacement, refund, or any product support, please contact the seller directly.

Instructions for Damaged or Defective Items

If your item arrives damaged or defective, please take clear photos of the issue from multiple angles. These will help us process your replacement or refund request efficiently.

Important Notice

Please do not return this item to the store. For any issues, contact the seller directly for assistance.

How to Contact Us

If you encounter any issues, you can reach us through the following methods:

1. Click on the seller's name on your order details page to send a message.
2. Select the "Contact Seller" button on your order page.
3. Visit the app order page for further support.
4. Call Customer Service for additional assistance.



MAINTENANCE & CARE GUIDELINES



Friendly Reminder

Due to vacuum packaging, cushions may initially appear wrinkled.

- Give each cushion a few firm pats to help restore its shape.
- Allow up to 72 hours for wrinkles to naturally smooth out.



Maintenance Don'ts

- Avoid placing hot items directly on the surface.
- Do not use harsh cleaners, detergents, solvents, abrasives, spray products, or leather cleaners.
- Clean spills only with a mild, colorless soap mixed with warm water (1 part soap : 10 parts water).
- Keep furniture out of direct sunlight to prevent fading.
- Avoid positioning near heating or cooling vents.
- Never write on the furniture without a protective pad.

Table of Contents

1. PART 1: PACKING LIST

1.1 Box Contents & Installation Preview..... 1

1.2 Parts List by Box..... 2

1.3 Module Introduction..... 5

2. PART 2: ASSEMBLY INSTRUCTIONS

2.1 Box A-Accent Chair Assembly..... 8

2.2 Box B-Ottoman Assembly..... 12

2.3 Modular Sectional Sofa Assembly..... 14

2.4 Modular Sectional Corner Sofa Assembly..... 21

1.1 BOX CONTENTS & INSTALLATION PREVIEW

Packing List	Module Name	Post-Installation View
BOX A	Accent Chair	
BOX B	Ottoman	
BOX C	Seat Base and Ottoman	
BOX D	Corner	
BOX E	Seat Base*2	
BOX F	Armrest	

1.2 PART LIST BY BOX

BOX A			
A 1PC  Seat Frame	D 1PC  Backrest	E 1PC  Left Armrest	F 1PC  Right Armrest
G 1PC  Seat Cushion	I 1PC  Back Cushion	J 1PC  Left Armrest Pillow	K 1PC  Right Armrest Pillow
S 1PC  Pillow	M 4PCS  Leg	L 4PCS  Gasket	N 12PCS  Washer
O 12PCS  Screws M8X60mm	R 1PC  Wrench		

BOX B			
C 1PC  Ottoman Frame	H 1PC  Ottoman Cushion	M 4PCS  Leg	L 4PCS  Gasket

BOX C

A	1PC	C	1PC	D	1PC	G	1PC
							
Seat Frame		Ottoman Frame		Backrest		Seat Cushion	
H	1PC	I	1PC	M	8PCS	S	1PC
							
Ottoman Cushion		Back Cushion		Leg		Pillow	
L	8PCS	N	12PCS	O	4PCS	P	4PCS
							
Gasket		Washer		Screws M8X60mm		Screws M8X80mm	
Q	4PCS	R	1PC				
							
Butterfly nut		Wrench					

BOX D

B	1PC	D	2PCS	I	1PC	Z	1PC
							
Back Cushion		Backrest		Back Cushion		Pillow	
M	4PCS	X	1PC	Y	1PC	L	4PCS
							
Leg		Seat Frame		Seat Cushion		Gasket	

BOX D

N	16PCS	O	8PCS	R	1PC	P	4PCS
							
Washer		Screws M8X60mm		Wrench		Screws M8X80mm	
Q	4PCS						
							
Butterfly nut							

BOX E

A	2PCS	D	2PCS	G	2PCS	I	2PCS
							
Seat Frame		Backrest		Seat Cushion		Back Cushion	
S	2PCS	M	8PCS	L	8PCS	N	24PCS
							
Pillow		Leg		Gasket		Washer	
O	8PCS	P	8PCS	Q	8PCS	R	1PC
							
Screws M8X60mm		Screws M8X80mm		Butterfly nut		Wrench	

BOX F							
E	1PC	F	1PC	J	1PC	K	1PC
							
Left Armrest		Right Armrest		Left Armrest Pillow		Right Armrest Pillow	
N	8PCS	O	8PCS	R	1PC		
							
Washer		Screws M8X60mm		Wrench			

1.3 MODULE INTRODUCTION

Style	Description	Packing List by Box
	Accent Chair	A
	Accent Chair with Ottoman	A+B
	Loveseat	E+F
	L Shaped Sofa (2+1)	A+C

Style	Description	Packing List by Box
	Sofa Bed (2+2)	A+B+C or C+C+F
	3 Seater	A+E
	L Shaped Sofa (3+1)	A+B+E or C+E+F
	U Shaped Sofa (3+2)	A+C+C
	Sofa Bed (3+3)	A+C+C+B or C+C+C+F
	4 Seater	E+E+F
	L Shaped Sofa (4+1)	A+C+E or B+E+E+F


Style	Description	Packing List by Box
	U Shaped Sofa (4+2)	A+B+C+E or C+C+E+F
	U Shaped Sofa (4+3)	A+C+C+C or B+C+C+E+F
	Sofa Bed (4+4)	A+B+C+C+C or C+C+C+C+F
	L Shaped 5 Seater	D+E+E+F
	U Shaped 7 Seater	C+C+D+E+F

2.1 Box A-Accent Chair Assembly



STEP 1 Install Legs


Screw legs(M) and Gaskets (L) firmly into bottom of armrest (E&F) base.



E		1 PC
F		1 PC
M		4 PCS
L		4 PCS

STEP 2 Connect Seat Frame and Armrests

Use bolts(O) and washers(N) to secure armrests(E&F) to seat frame(A), tighten all connections securely.




A		1 PC
O		8 PCS
N		8 PCS
R		1 PC



STEP 3 Install Backrest

Mount backrest [D] to base [A]. Hand-tighten screws [O] with washers [N] until snug, then fully tighten. Attach fabric cover.

D		1 PC
O		4 PCS
N		4 PCS
R		1 PC



Quality Check

- ✓ Verify structural stability
- ✓ Check for damage/color discrepancies
- ✓ Confirm all parts installed correctly



Prepare Cushions (Important!)

- ✓ Carefully cut compression bags with scissors (avoid damaging fabric)
- ✓ Allow 2-7 days for full expansion
- ✓ Wait 72 hours after expansion for regular use (extends lifespan)



Carefully cut and open the vacuum-sealed bags, pull the cushions out of the bags, and gently pat them to evenly fluff, shake or roll them to help restore their original shape.



STEP 4 Final Assembly

Place the expanded seat (G), back (I), and lumbar (S) cushions on the frame (A). Then, zip the armrest pillows (J & K) onto the armrests (E & F).

G		1 PC
I		1 PC
S		1 PC



K



J

J		1 PC
K		1 PC

2.2 Box B-Ottoman Assembly



STEP 1 Install Ottoman Legs

Attach the four legs (M) using the gaskets (L) to the bottom of the ottoman (C).


C		1 PC
M		4 PCS
L		4 PCS



STEP 2 Install Cushion (H)

Remove the protective tape, align the Velcro strips on the cushion (H) with the ottoman, and press down firmly to secure.

H		1 PC
---	---	------




2.3 Modular Sectional Sofa Assembly



STEP 1 Install Legs


Screw legs(M) and Gaskets (L) firmly into bottom of armrest (E&F) base.



E		1 PC
F		1 PC
M		4 PCS
L		4 PCS

STEP 2 Connect Seat Frame and Armrests

Use bolts and washers to secure right armrests [F] to seat frame, tighten all connections securely.



A		1 PC
O		4 PCS
N		4 PCS
R		1 PC






STEP 3 Install Legs

Screw legs(M) and Gaskets (L) firmly into bottom of right seat frame.

Installation Tip: The support legs should not be installed on the seat frame where it meets the armrests (see diagram). This ensures the best look.

M		2 PCS
L		2 PCS



STEP 4 Connect Seat Frame and Armrests

Use bolts and washers to secure left armrests [E] to seat frame, tighten all connections securely.

A		1 PC
O		4 PCS
N		4 PCS
R		1 PC




STEP 5 Install Legs

Screw legs(M) and Gaskets (L) firmly into bottom of left seat frame.

Installation Tip: The support legs should not be installed on the seat frame where it meets the armrests (see diagram). This ensures the best look.


M		2 PCS
L		2 PCS



STEP 6 Install Legs

Install the legs(M) and Gaskets (L) to the seat frame(A).

A		1 PC
M		4 PCS
L		4 PCS



STEP 7 Install Seat Frame

Connect the side frames to the center section, ensuring no gaps between each sections. Fully tighten all the screws.



N		16 PCS
P		8 PCS
Q		8 PCS
R		1 PC



STEP 8 Install Backrest

Mount backrest [D] to base [A]. Hand-tighten screws [O] with washers [N] until snug, then fully tighten. Attach fabric cover.

D		3 PC
O		12 PCS
N		12 PCS
R		1 PC



Quality Check

- ✓ Verify structural stability
- ✓ Check for damage/color discrepancies
- ✓ Confirm all parts installed correctly



Prepare Cushions (Important!)

- ✓ Carefully cut compression bags with scissors (avoid damaging fabric)
- ✓ Allow 2-7 days for full expansion
- ✓ Wait 72 hours after expansion for regular use (extends lifespan)



Carefully cut and open the vacuum-sealed bags, pull the cushions out of the bags, and gently pat them to evenly fluff, shake or roll them to help restore their original shape.




STEP 9 Final Assembly

Carefully cut and open the vacuum-sealed bags, pull the cushions out of the bags, and gently pat them to evenly fuff, shake or roll them to help restore their original shape.

G		3 PCS
I		3 PCS
S		3 PCS



J		1 PC
K		1 PC



2.4 Modular Sectional Corner Sofa Assembly




NOTE: Two-person installation is recommended for handling large modules.



STEP 1 Install Legs


Screw legs(M) and Gaskets (L) firmly into bottom of armrest (E&F) base.



E		1 PC
F		1 PC
M		4 PCS
L		4 PCS

STEP 2 Connect Seat Frame and Armrests

Use bolts and washers to secure right armrests [F] to seat frame, tighten all connections securely.



A		1 PC
O		4 PCS
N		4 PCS
R		1 PC






STEP 3 Install Legs

Screw legs(M) and Gaskets (L) firmly into bottom of right seat frame.

Installation Tip: The support legs should not be installed on the seat frame where it meets the armrests (see diagram). This ensures the best look.


M		2 PCS
L		2 PCS



STEP 4 Install Legs

Install the legs(M) and Gaskets (L) to the seat frame(A).

A		1 PC
M		4 PCS
L		4 PCS




STEP 5 Connect the Seat Sections

Align and connect the right-arm base unit to the next seat frame. Secure with screws.



N		8 PCS
P		4 PCS
Q		4 PCS
R		1 PC



STEP 6 Connect Seat Frame and Armrests

Use bolts and washers to secure left armrests [E] to seat frame, tighten all connections securely.

A		1 PC
O		4 PCS
N		4 PCS
R		1 PC





STEP 7 Install Legs

Screw legs(M) and Gaskets (L) firmly into bottom of left seat frame.

Installation Tip: The support legs should not be installed on the seat frame where it meets the armrests (see diagram). This ensures the best look.


M		2 PCS
L		2 PCS



STEP 8 Install Legs

Install the legs(M) and Gaskets (L) to the seat frame(A).

A		1 PC
M		4 PCS
L		4 PCS




STEP 9 Connect the Seat Sections

Align and connect the left-arm base unit to the next seat frame. Secure with screws.



N		8 PCS
P		4 PCS
Q		4 PCS
R		1 PC



STEP 10 Install Legs


Screw legs(M) and Gaskets (L) firmly into bottom of corner seat frame.

X		1 PC
M		4 PCS
L		4 PCS




STEP 11

Please rotate the assembled seat frame by 90 degrees so that the backrest side is flush against the wall, while the bottom support surface faces the outside of the room, in order to facilitate the subsequent installation.



STEP 12 Connect the Seat Sections

Lock and fix the pre-assembled base frame and the independent corner modules firmly. Place it safely and flatly.



N		8 PCS
P		4 PCS
Q		4 PCS
R		1 PC



STEP 13 Install Backrest

Mount backrest [D] to base [A]. Hand-tighten screws [O] with washers [N] until snug, then fully tighten. Attach fabric cover.

D		6 PC
O		24 PCS
N		24 PCS
R		1 PC



Quality Check

- ✓ Verify structural stability
- ✓ Check for damage/color discrepancies
- ✓ Confirm all parts installed correctly



Prepare Cushions (Important!)

- ✓ Carefully cut compression bags with scissors (avoid damaging fabric)
- ✓ Allow 2-7 days for full expansion
- ✓ Wait 72 hours after expansion for regular use (extends lifespan)



Carefully cut and open the vacuum-sealed bags, pull the cushions out of the bags, and gently pat them to evenly fluff, shake or roll them to help restore their original shape.



STEP 14 Final Assembly

Zip the armrest pillows(J&K) to the armrests(E&F).
Position expanded cushions(G&I&S) on frame(A).

B		1 PC
G		4 PCS
I		5 PCS
S		4 PCS
Y		1 PC
Z		1 PC
J		1 PC
K		1 PC

