














ASSEMBLY AND CARE INSTRUCTION Dog Crate Sliding Door



WARNING





1. PLEASE READ ALL INSTRUCTIONS CAREFULLY BEFORE STARTING ASSEMBLY.
2. DO NOT LET ANY SHARP OBJECTS TOUCH OR RUB THE SURFACE OF THE PRODUCT.
3. WHEN ASSEMBLING, DO NOT LET CHILDREN PLAY AROUND THE WORKING AREA.
4. PLEASE CONFIRM ALL PARTS ARE CORRECT BEFORE STARTING THE ASSEMBLY PROCESS.
5. DO NOT TIGHTEN ALL BOLTS AND SCREWS COMPLETELY UNTIL THE ENTIRE UNIT HAS BEEN ASSEMBLED AND SET UP.

ADVISE



1. DO NOT SIT OR STAND ON THIS PRODUCT. IT IS INTENDED FOR PETS ONLY.
2. THIS PRODUCT SHOULD BE ASSEMBLED BY AN ADULT.
3. PLEASE PUT THE PRODUCT ON A SMOOTH SURFACE AFTER YOU ASSEMBLED IT.
4. PLACE ALL PARTS ON A CLEAN AND SMOOTH SURFACE SUCH AS A RUG OR CARPET TO AVOID THE PARTS FROM BEING SCRATCHED.
5. THE SCREW OF HINGE ON THE DOOR ALSO CAN BE ADJUSTABLE, TO MAKE IT EVEN THEN TIGHTEN ALL SCREWS.

TOOL NEEDED




SCREWDRIVER REQUIRED
- NOT INCLUDED

PARTS




A
Top Panel
x1




B
Left Side Panel
x1




C
Right Side Panel
x1




D
Back Panel
x1




E
Front Panel
x1



F
Bottom Panel
x1




G
Plastic Tray
x1



H
Cushion
x1

HARDWARE




1
x 18 pcs



2
x 18 pcs



3
x 15 pcs



4
x 1 Set



5
x 6 pcs



6
x 8 pcs



7
x 8 pcs



8
x 8 pcs



9
x 1 pc




10
x 4 pcs

ASSEMBLY INSTRUCTIONS



1

Tighten pin 1 and insert wooden dowel 3 into top panel A, back panel D & front panel E.




2


Connect left side panel B and back panel D, insert cam lock 2 into the hole in left side panel B, tighten cam lock 2 to pin 1.



Left side panel B and right side panel C can be exchangeable, the positions depends on your need.






OR



3

Connect right side panel C and back panel D, insert cam lock 2 into the hole in right side panel C, tighten cam lock 2 to pin 1.

Connect front panel E to left and right side panel B & C, insert cam lock 2 into the hole in left and right side panel B & C, then tighten cam lock 2 to pin 1.





4

Connect assembled body frame to top panel A, insert cam lock 2 into the hole in body frame, then tighten cam lock 2 to pin 1.

Insert wooden dowel 3 into the hole in right side panel C, back and front panel D & E, then connect bottom panel F to assembled body frame, tighten them with bolt 6, washer 7 & 8 by Allen Wrench 9.




Stick EVA pad 10 to the corner of bottom panel F.

								
2 x 10 pcs	3 x 5 pcs	6 x 8 pcs	7 x 8 pcs	8 x 8 pcs	9 x 1 pc	10 x 4 pcs	NO!	YES !



5

Turn assembled dog crate upside down.
Install latch 4 to right side panel C with screw 5.
Insert plastic tray G from left side panel B.
Input cushion H into dog crate.



6

Slide the door and lock it with latch as below image shown.

