Cabinet

Assembly Instruction - Please keep properly for future reference.

If you find any missing boxes, damaged parts, or accessory shortages, please contact the customer service team of your purchasing channel immediately. We will resolve the issue as quickly as possible.



SKU
BG040A-1D9A0
BG040A-1D9B0
BG040A-1D9C0

V1.0

EN

CONTACT US

- **Email: service@grandtunnel.com**
  In order to receive assistance more quickly, please provide

THE FOLLOWING INFORMATION:

- Order number
- Purchase platform
- Purchase date
- Detailed description of the issue along with photos (if applicable)

Important – Please read these instructions carefully before starting the installation.

Cabinet

Before Assembly

Thank you for choosing our product!
To ensure a smooth installation process, please read this guide carefully to familiarize yourself with the required tools, materials, and installation steps.
Follow the relevant sections to avoid any damage caused by improper installation, and make sure to review all operation and safety guidelines for correct installation procedures.

Packaging Notice:

If you find any missing boxes, damaged parts, or accessory shortages, please contact the customer service team of your purchasing channel immediately. We will resolve the issue as quickly as possible.

Safety and Care Advice

Important :
Please read these instructions fully before starting assembly.

- Check you have all the components and tools listed on the following pages.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.
- During assembly do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.



- To reduce the likelihood of damaging your product please ensure that your power drill is set on a low torque setting.

Email : **service@grandtunnel.com**

EN

Care and Maintenance

- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal center.

Handy Hints

- Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts.
- Regularly check and ensure that all bolts and fittings are tightened properly.

Warning

In order to help prevent overturning, please follow these instructions.

- Use the anti tip strap or wall fixing method provided (if applicable).
- Do not allow children to climb or hang on the furniture.
- Do not open more than one drawer at a time.
- Do not place heavy items in the top drawers.
- Do not place heavy items on top of the furniture, unless the furniture has been designed for this purpose.
- Please note that only the anti tip strap is provided. You will need to provide wall plugs and screws applicable for your wall type.

Email : **service@grandtunnel.com**

Customer Service Guide

Thank you for choosing our product! We are committed to providing you with excellent service. If you find any missing parts, damaged packaging, or product damage after receiving all packages, please follow the steps below to quickly contact our customer service team. We will do our best to resolve your issue.

1. Missing Parts

Verify Parts:

1. Refer to the “Parts List” in the manual to verify the name, specifications, and quantity of the missing parts.
2. Take a clear photo of the parts list and mark the missing parts with detailed information, e.g., “Missing 5 pieces of M6×30mm screws.”

Contact Us:

By Email:

Send an email to **service@grandtunnel.com**, with the subject line “Missing Parts Issue.” Include the following in the email:

- A description of the missing parts and a photo of the parts list.
- Order details (order number, purchase platform, purchase date).

2. Product or Packaging Damage

If it affects normal use:

Steps:

1. Take clear photos or videos showing the damaged parts and the extent of the damage (multi-angle shots are recommended).
2. Email the photos/videos along with order details to **service@grandtunnel.com**, with the subject line “Product Damage Issue.”

Resolution:

After verification, we will arrange for a replacement part, product exchange, or refund as quickly as possible.

If it does not affect normal use:

Steps:

1. Contact our customer service team (by email: **service@grandtunnel.com**).
2. Provide a description of the damage and include relevant photos or videos.

Resolution:

We will provide repair guidance or an appropriate compensation plan based on the specific situation.

Contact Us:

Customer Service Email: **service@grandtunnel.com**

Helpful Tips

To process your issue efficiently, please prepare the following information:


- Order details (order number, purchase platform, purchase date).
- Clear photos or videos.
- We are committed to providing quick and professional solutions, no matter the size of the issue, to ensure your satisfaction.

Thank you for your trust and support!
We hope you enjoy using our product!


EN

Parts List - Panels


Please check you have all the panels listed below.




1 1149*400*15mm **x1**




2 795*400*15mm **x1**




3 795*400*15mm **x1**




4 824*384*15mm **x1**




5 596*60*15mm **x2**




6 596*60*15mm **x2**




7 596*80*15mm **x1**




8 596*80*15mm **x1**




9 596*100*15mm **x1**




10 596*100*15mm **x1**




11 400*64*27mm **x2**




12 599*231*15mm **x1**




13 599*231*15mm **x1**




14 599*201*15mm **x2**




15 599*201*15mm **x2**




16 300*130*12mm **x6**




17 300*130*12mm **x6**




18 547*130*12mm **x6**




19 287*60*12mm **x6**



20 557*297*3mm **x6**



21 699*300.5*3mm **x2**



22 699*300.5*3mm **x2**

Email : **service@grandtunnel.com**








Email : **service@grandtunnel.com**

EN

Parts List - Fittings


Please check you have all the fittings listed below.

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied are required.

			
A Φ15*9.5 x75+3	B Φ6.5*35 x75+3	C Φ8*30 x10+2	
		 CL	
D Φ3.5*14 x72+3	E Φ4*35 x36+3	F L=300 x6	
 CR	 DL	 DR	
F L=300 x6	F L=300 x6	F L=300 x6	
			
G 689*12*6.5 x2	H x16+1	I x2	
			
J 70*30*5 x1			


Cam Lock Fastening System

Insert the cam bolt into the hole first, then insert the cam lock and lock it.



Email : **service@grandtunnel.com**


Assembly Instructions




Email : **service@grandtunnel.com**


EN


Step 1






As shown in the diagram, attach F to Panels 2 and 3 using Screws D.







Email : **service@grandtunnel.com**


Step 2






Secure Hardware B to Panels 2 and 3.










Email : **service@grandtunnel.com**

Step 3







As shown, attach F to Panel 4 using Screws D.





Step 4






Install Screws B on both the front and back sides of Panel 4.






Step 5




A
Φ15*9.5 x8

Align Panels 5, 7, and 9 with the corresponding holes on Panel 2. Insert Hardware A and turn clockwise as shown to secure them to Panel 2.

Note:
The upper end of the No.7 plate is not centered, and the lower end hole is in the center, and the center hole is installed here.




Insert the cam bolt into the hole first, then insert the cam lock and lock it.



Proper orientation of CAM LOCK


Email : **service@grandtunnel.com**

Step 6




A
Φ15*9.5 x6

Note:
When installing this step, you need a helper.



Align Panels 2, 5, 7, and 9 with the corresponding holes on Panel 4. Insert Hardware A and turn clockwise as shown to secure them to Panel 4.

Insert the cam bolt into the hole first, then insert the cam lock and lock it.




Proper orientation of CAM LOCK

Email : **service@grandtunnel.com**


EN

Step 7




A
Φ15*9.5 x8

Align Panels 6, 8, and 10 with the corresponding holes on Panel 3. Insert Hardware A and turn clockwise as shown to secure them to Panel 3.



Note:
The upper end of the No.8 plate is not centered, and the lower end hole is in the center, and the center hole is installed here.


Insert the cam bolt into the hole first, then insert the cam lock and lock it.



Proper orientation of CAM LOCK


Email : **service@grandtunnel.com**

Step 8




A
Φ15*9.5 x8

Align Panels 6, 8, and 10 with the corresponding holes on Panel 4. Insert Hardware A and turn clockwise as shown to secure them to Panel 4.



Note:
When installing this step, you need a helper.

Insert the cam bolt into the hole first, then insert the cam lock and lock it.





Proper orientation of CAM LOCK


Email : **service@grandtunnel.com**

EN

Step 9









Connect Panels 21 and 22 with Hardware G, then insert them into the grooves on Panels 2, 3, and 4.

Step 10





Attach Hardware B to Panel 11.





x2

Step 1


As shown, secure Hardware B and I to Panel 1. Align Panel 11 with the corresponding holes on Panel 1, insert Hardware C, and turn Hardware A clockwise as shown to secure it to Panel 1.

Step 2






Insert the cam bolt into the hole first, then insert the cam lock and lock it.



Proper orientation of CAM LOCK


Step 11



A	C
	
Φ15*9.5 x9	Φ8*30 x6

Using Hardware C, align the holes on Panels 1 and 11 with the corresponding holes on Panels 2, 3, and 4. Turn Hardware A clockwise to secure them to Panels 2, 3, and 4, as shown.

Note that the slot is here.





Insert the cam bolt into the hole first, then insert the cam lock and lock it.

Proper orientation of CAM LOCK


EN

Step 12




A	B	E
		
Φ15*9.5 x5	Φ6.5*35 x5	Φ4*35 x6


Secure Panels 16, 17, 18, and 19 with Screws E. Insert Panel 20 as shown. Attach Hardware B at position 12, then flip it and connect to Panels 16, 17, and 20 using Hardware A.




Step 1




Step 2






Step 3


Insert the cam bolt into the hole first, then insert the cam lock and lock it.





Proper orientation of CAM LOCK

Step 13












Secure Panels 16, 17, 18, and 19 with Screws E. Insert Panel 20 as shown. Attach Hardware B at position 13, then flip it and connect to Panels 16, 17, and 20 using Hardware A.




Step 1




Step 2



Step 3



Insert the cam bolt into the hole first, then insert the cam lock and lock it.





Proper orientation of CAM LOCK


Email : **service@grandtunnel.com**


EN

Step 14












Secure Panels 16, 17, 18, and 19 with Screws E. Insert Panel 20 as shown. Attach Hardware B at position 14, then flip it and connect to Panels 16, 17, and 20 using Hardware A.




Step 1



Step 2




Step 3



x2


Insert the cam bolt into the hole first, then insert the cam lock and lock it.




Proper orientation of CAM LOCK


Email : **service@grandtunnel.com**

Step 15




A	B	E
		
Φ15*9.5 x10	Φ6.5*35 x10	Φ4*35 x12


Secure Panels 16, 17, 18, and 19 with Screws E. Insert Panel 20 as shown. Attach Hardware B at position 15, then flip it and connect to Panels 16 and 17 using Hardware A.




Step 1




FLIP OVER



Step 2




Step 3



x2

Insert the cam bolt into the hole first, then insert the cam lock and lock it.




Proper orientation of CAM LOCK

Email : **service@grandtunnel.com**


EN

Step 16




D	F	F
	 DL	 DR
Φ3.5*14 x6	L=300 x1	L=300 x1

As shown, use Screws D to secure F to Panels 16 and 17.




Email : **service@grandtunnel.com**

Step 17




D	F	F
		
Φ3.5*14 x6	DL L=300 x1	DR L=300 x1

As shown, use Screws D to secure F to Panels 16 and 17.




Email : **service@grandtunnel.com**

Step 18



D	F	F
		
Φ3.5*14 x12	DL L=300 x2	DR L=300 x2

As shown, use Screws D to secure F to Panels 16 and 17.




x2

Email : **service@grandtunnel.com**


EN

Step 19



D	F	F
		
Φ3.5*14 x12	DL L=300 x2	DR L=300 x2


As shown, use Screws D to secure F to Panels 16 and 17.



x2

Email : **service@grandtunnel.com**


Step 20



H

x16


Insert the plastic buckle into the back plate slot, screw through the hole in the plastic buckle and lock it in place.



Insert the plastic buckle into the back plate slot, screw through the hole in the plastic buckle and lock it in place.

Email : **service@grandtunnel.com**

Step 21




⚠WARNING




Childern have died from furniture tipover.
To reduce the risk of furniture tipover:
- ALWAYS install tipover restraint provided.
- NEVER put a TV on this product.
- NEVER allow children to stand, climb or hang on drawers, doors, or shelves.
- NEVER open more than one drawer at a time.
- Place heaviest items in the lowest drawers.


This is a permanent label. Do not remove!




Install the tipping restraint hardware




1.Mark the wall.




2. Drill two holes (Ø6mm) in the wall.




3. Insert two anchors into the holes.




4. Use long screws to secure the hardware to the wall.




Step 22






Cabinet Slide



Drawer Slide

Slide Drawers 12, 13, 14, and 15 into place in order to complete the cabinet assembly.



The cabinet installation is complete.

EN