


Product Installation Instructions








Accessories list			
1		Two In One Screw	71pcs +4pcs
2		Two in One Nut	71pcs +4pcs
3		Wood Chipping (6x30mm)	36pcs +4pcs
4		Handle & Screw (4x16mm)	8pcs 4pcs +1pcs
5		Power Socket & Screw (3x10mm)	2pcs 1pcs +1pcs
6		Cabinet door hinge & Screw (3x12mm)	8pcs +1pcs 4pcs
7		Door Magnet & Screw (3.5x12mm)	2pcs +1pcs
8		Iron Sheet & Screw (3x10mm)	4pcs +1pcs 2pcs
9		Non-slip pads	4pcs +2pcs
10		Fixing Clip & Screw (3x16mm)	4pcs +1pcs
11		Iron Chip	4pcs +1pcs
12		Laminate Support Nail	4pcs +1pcs
13		Foot nail	2pcs +1pcs
14	Anti Fall Hardware Double-head screwdriver, use as need		
x2 (4x45mm) x2 (4x45mm) 1pcs 2			


Product structure decomposition 0 \bigcirc V \odot (X)Q \bigcirc R F \bigcirc _ _K **©** \bigcirc (C) B 3











































Step 23








x12
















































































Step 52



Use a hammer to drive the nail into the gap of the wooden board and fix the back board









User's Guide

Thank you for purchasing this product.

To use this product, please plug it into a 12VDC power supply.

Please use if the product works normally after connecting to power.

Introduction

The box is an intelligent controller. It has 1 USB output port 1 Type-c port and can distribute the current output up to 5VDC-2A. With 2 touch buttons,

it can turn. ON/OFF the light, change light colors, and adjust the light luminance.

Operation



This touch button is used to turn on/off, change colors, and adjust brightness.

- A. Short touch -> lighting on -> short touch -> change light color -> short touch -> change light color -> short touch -> lighting off.
- B. Long touch -> adjust the luminance.



This touch button is used to turn on/off the induction function.

- A . Short touch to turn on the induction function. It can auto-turn on the light when people are close to the controller in 1 meters. It can auto power off the light when the body is far away from the controller after 30 seconds.
- B. Long touch to turn off the induction function.
- C. Note: When you touch the light button to change the light modes, the induction function will automatically turn off. It is best to turn on this function after selecting the light color and adjusting the brightness you want.

