

## SIDE CHAIR

### ASSEMBLY INSTRUCTION












## ASSEMBLY INSTRUCTION

### ASSEMBLY TIPS:

- 1、 Remove hardware from box and sort by size.
- 2、 Please check to see that all hardware and parts are present prior to start of assembly.
- 3、 Please follow attached instructions in the same sequence as numbered to assure fast & easy assembly.


#### ▲Warning!

- 1、 Don't attempt to repair or modify parts that are broken or defective. Please contact the store immediately.
- 2、 This product is for home use only and not intended for commercial establishment.

PARTS IDENTIFICATION		Z	HARDWARE PACKAGE		
		NO	FIGURE	DESCRIPTION	Q'TY
A SEAT	 2PCS	1	WRENCH 4MM		1PC
		2	LONG BOLT $\Phi 1/4"$ DAL $\times 1-3/4$ "		16PCS
		3	LOCK WASHER $\Phi 1/4"$ DAL		24PCS
B BASE	 2PCS	4	FLAT WASHER $\Phi 1/4"$ DAL		24PCS
		5	SHORT BOLT $\Phi 1/4"$ DAL $\times 1-1/8"$		8PCS
C LEG	 8PCS	6	WOOD CAP $\Phi 13.5$		8PCS

NOTE : QUANTITIES SHOWN ARE FOR TWO CHAIRS

## STEP 1



Step 1: Put seat upside down on soft nonabrasive surface, bolt legs to seat by using (#2) long bolt, (#3) lock washer, (#4) flat washer and tighten with (#1) wrench. Set base inside the legs aligning the holes, using (#5) short bolt, (#3) lock washer, (#4) flat washer and tighten with wrench. Final put (#6) wood cap into (#5) short bolts cap only by hand tighten.