


Installation Guide



Thanks for your purchase and please share your experience with others



Installation Guide

Mount only on a sturdy surface to avoid injury or damage

Specifications

Voltage: 110-120v

Wattage: 60w

Material: Metal & Glass

Warning and Cautions

Please turn off the circuit breaker before installation and consult an electrician if unsure. Also, remember to turn off the fixture and wait for the bulbs to cool before replacing

Light Source
BULBS NOT INCLUDED



BULB BASE TYPE
Medium(E26)



Package Contents

Preparations:

Identify and inspect all parts before beginning the installation. Missing or damaged parts?

Parts Bag:



Crossbar Assembly x1



Outlet Box Screw x2




Blubs Quality x7



Wire Connector x3



White Glove x1




Metal Frame Body x1

Globe Glass Shade x2

Install


STEP1 - Crossbar Assembly



- Carefully remove your new vanity lamp from packaging.
- Unscrew the Backplate Screw to remove the mount plate from the Backplate.
- Attach your mounting board to the wall, or place the mounting board over the junction box.
- Gently thread the wire from the junction box through the center hole of your mounting bracket, then secure the mounting bracket to the junction box by tightening the machine screws that come with your junction box.

Thanks for your purchase and please share your experience with others

STEP2 - Wiring



- A. Next, have a helper support the fixture while you complete the wiring.
- B. Connecting the outlet box Live Wire with lights "L" wire.
- C. Connecting the outlet box Naught Wire with lights "N" wire.
- D. Grounding to ground (green or copper)

! NOTE: Must cut off the power supply to avoid electric shock!!!

Live Wire from outlet box



"L" wire from fixture

Naught Wire from outlet box



"N" wire from fixture

Bare ground wire from outlet box




Ground wire from Fixture

*Green Ground Screw on crossbar optional



E. Twist the ends of the wire pairs together, and then twist the wire connector. Tuck the wires into the mounting bracket. Finally, loop the screw around the wire around the grounding screw that was partially installed into the mounting bracket. Once that wire is looped, tighten the screw. If there is no ground wire (green or copper) coming from the junction box, contact a certified professional electrician.


STEP3 - Install Body



Place the backplate against the wall, making sure the holes on the top and bottom of the backplate are aligned with the holes in the mounting plate.


Secure the backplate to the mounting plate with the backplate screws.

STEP4 - Glass Shade



Secure shade to the socket with metal holder rods.

STEP5 - Bulb



Install E26 bulb (not included)
In accordance with your vanity light's specifications

Thanks for your purchase and please share your experience with others

Lighting Service Policy

1. Free Warranty Policy:

Basic Terms

A. The warranty period is effective from either the date of purchase or the date of delivery, if the latter is slightly later than the former. Please retain your purchase invoice or related documents as an essential basic for warranty service.

B. The warranty policy applies solely to _____ products and utilized in the continental United States, except for American Samoa, Guam, Northern Mariana Islands, Puerto Rico, and the U.S. Virgin Islands. Furthermore, the warranty policy excludes products purchased from other vendors on other platforms.

C. _____ Lighting does not provide and warranty for product-related components. Except the global galss shaded, _____ Lighting does not offer any replacement products for _____ lighting items sold individually or separately from the complete package.

2. Warranty Period:

The Warranty period for _____ Lighting products is 2 years from the date of purchase. Within this period, customers can enjoy free warranty services provided by _____ Lighting.

Note: All products sold by _____ Lighting do not include light bulbs, except for product that integrate new LED light sources.

3. Warranty:

If your product is found to be faulty due to poor Materials, workmanship, or functionality after inspection by _____ Lighting, we will determine the appropriate course of action. This may include replacement parts, a full product replacement or a full refund. If you encounter the following problems during the use of our products, we will provide free repair services:

- A. Scorch;
- B. Non-functional lamp head problems;
- C. Broken products(photo evidence required);
- D. Missing essential accessories from the package(photo evidence required);
- E. Damage caused by workmanship and quality issues during installation(photo evidence required);

However, in the following cases, we will not be able to provide free warranty services for your products within the warranty period:

- A. Product damage or damage to home circuits caused by improper installation or installation by an unlicensed electrician;
- B. Normal wear and tear, including bulbs, aging wires, etc;
- C. Parts not listed in the item list, such as bulbs, extra screws, extra rods, chains, etc.
- D. Use of the product in an environment outside the recommended use site.

Discontinued Products:

Products that have been discontinued by _____ lighting and have been out of production for over two years will not be serviced. Spare parts will no longer be available, and the warranty will no longer apply. This policy is subject to updates, as permitted by law.



For any replacement parts or installation issues, please Contact Us!

Thanks for your purchase and please share your experience with others