









Care & Maintenance



Caution: You must read this before you proceed

- ⊘  ● Not for commercial use. For residential use only.
- ⊘  ● Prolonged exposure to rain may cause rusting which can stain floors.
- ⊘  ● Do not put hot items directly on furniture surface.
- ⊘  ● Do not clean furniture with harsh cleansers or polish.
- ✓  ● To obtain the longest lifespan of your outdoor products, minimizing exposure to direct sunlight is recommended.
- ⊘  ● Children should not climb or jump on the furniture.
- ⊘  ● Do not write on furniture without a padded barrier to protect the surface.
- ✓  ● To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.
- ⊘  ● Do not place the product in stone areas or areas that absorb too much sunlight.
- ⊘  ● Stains may be removed with mild soap solution and damp cloth.
- ✓  ● Keep away from sources of ignition.
- ✓  ● High-pressure water guns must not be used for cleaning. Dust and pick-up spills using a clean, non-colored, lint-free cloth.


SKU: KS-ZC88R/KS-ZC140R				ASSEMBLY INSTRUCTION	
No	Hardware	Fig	Q.ty	 ① x 1 Armless side	 ② x 1 Backrest
①	Bolt M6 x 80mm		2		
②	Bolt M6 x 55mm		2		
③	Bolt M6 x 50mm		6		
④	Screw M6 x 70mm		1		
⑤	Screw M6 x 50 mm		8		
⑥	Nut M6x18mm		2	 ③ x 1 Seat base	 ④ x 2 Seat cushion
⑦	Horizontal nut		2		
⑧	Allen Key		2		
⑨	Tight vecro strap		2		
 ⑤ x 1 Armrest				 ⑥ x 1 Support pole	 ⑦ x 2 Back cushion





STEP 1





STEP 2









STEP 3




STEP 4





STEP 7




100%




100%





FINISH











NOTE:

Vaccum compressed cushions,
Will return to normal shape after 5-7 days use.

