
24″ THREE ZONE WINE COLUMN

ALL FINISHES — STAINLESS STEEL · SIGNATURE BLACK STAINLESS · PANEL READY · VEGA · ORION

INDUCTION HARDWARE





SPECIFICATIONS

SKUs	**RFC-W-24-SS · RFC-W-24-BS · RFC-W-24-PR · RFC-W-24-SS-VEGA · RFC-W-24-BS-ORION**
Product type	**Three-zone wine column, built-in, 24 in**
Cutout W × D × H	**24 × 25 × 84 in**
Capacity	**100 bottles · 94 mixed**
Electrical	**115–120 V · 15 A · NEMA 5-15P**
Certification	**ETL**

Installation — True built-in column. Hardwood/level floor, dedicated circuit.

OVERVIEW

Three independently controlled temperature zones in a 24-inch built-in wine column — reds, whites and sparkling each at their own setpoint.

KEY FEATURES

- Three independently set zones, 41–68°F each
- Eleven beech glide racks — 100 bottles, or 94 mixed with display racks
- Shelf A full-depth glide racks · Shelf B angled display racks
- Electromagnetic door switch lights the cabin and stops the fan
- Rear carbon filter — replace every 3–6 months
- Digital inverter compressor · R600a refrigerant
- Selectable shelf heights · heat-treated safety glass
- Soft-close bins · adjustable, removable door bins
- Built-in flush install · 84 in common cabin height across the column line
- Panel Ready in-family — five fronts, identical internals
- 115–120 V · 15 A · NEMA 5-15P · water 25–80 psi
- Lifetime parts warranty · Restore & Renew refurbishment

24″ THREE ZONE WINE COLUMN

RFC-W-24-SS · RFC-W-24-BS · RFC-W-24-PR · RFC-W-24-SS-VEGA · RFC-W-24-BS-ORION

INDUCTION HARDWARE



Three independent zones
Reds, whites and sparkling held at their own temperatures in one column.

UV-filtered glass door
Protects the cellar from light without hiding it.

Vibration-damped racking
Wood-fronted shelves on damped runners keep sediment undisturbed.

Digital inverter compressor
Holds temperature to a tight band and steps its own speed rather than cycling hard.

One finish system
Stainless, Signature Black Stainless, Panel Ready, and Celestial Edition gold hardware.

Lifetime parts warranty
Parts covered for the life of the appliance, backed by the Restore & Renew refurbishment program.

24″ THREE ZONE WINE COLUMN


DIMENSIONS & INSTALLATION — ALL FINISHES

INDUCTION HARDWARE

INDUCTION **HARDWARE**

RFC-W-24 · BUILT-IN COLUMN

PRODUCT DIMENSIONS · INCHES · NOT TO SCALE



115–120 V · 15 A · NEMA 5-15P — FEET ADJUST TO 85⅜″ MAX · VERIFY BEFORE FRAMING

SPECIFICATIONS

Product type	**Three-zone wine column, built-in, 24 in**
Cutout W × D × H	**24 × 25 × 84 in**
Overall W × D × H	**23.75 × 23.5 × 83.56 in**
Capacity	**100 bottles · 94 mixed**
Weight	**298 lbs**
Bottle count	**100 · 11 beech glide racks**
Zone temperature range	**41–68°F · three zones**
Electrical	**115–120 V · 15 A · NEMA 5-15P**
Certification	**ETL**

Dimensions, cutout, electrical service and performance are identical across every finish in this family.

Pairs with the other built-in columns at a common 84 in cutout height for a continuous run.

FINISHES

5 FINISHES — ONE PLATFORM

INDUCTION HARDWARE

Dimensions, cutout, electrical service and performance are identical across every finish. Only the SKU, the hardware treatment and the exterior finish change.



Stainless Steel
RFC-W-24-SS
Brushed 304 stainless with stainless hardware



Signature Black Stainless
RFC-W-24-BS
Fingerprint-resistant black stainless with matching hardware



Panel Ready
RFC-W-24-PR
Takes a custom panel and handle to match the cabinetry



Vega — Celestial Edition
RFC-W-24-SS-VEGA
Gold knobs and handles on brushed stainless



Orion — Celestial Edition
RFC-W-24-BS-ORION
Gold knobs and handles on black stainless