








Power Right Chair **Assembly Manual**




CAUTION THIS ASSEMBLY MANUAL CONTAINS IMPORTANT SAFETY INFORMATION.
PLEASE READ AND KEEP FOR FUTURE REFERENCE.

Parts


A  Backrest	B  Power Right Chair	C  Metal Leg x 2	D  screw x 8
E  Plastic Leg x 4	F  Hex Key x 1	G  Power Cord	

Before you begin


Locate both the All-in-One Kit (with hardware and tools) and the Power Cord (G) at the bottom of the Power Right Chair Seat. Then remove the disposable shipping protective feet.




Step 1: Tip over the Power Right Chair, remove 2 Metal Legs (C) and 4 Hexagon Socket Screws (D). Align them with the holes as shown in the diagram, then use the Hex Key to tighten the screws. Align the plastic legs (E) with the holes and tighten them.



Step 2: As shown in the figure, Connect the power supply. Then press the “Headrest open” button on the remote until the headrest hinge mechanism is fully upright.




Step 3: As shown in the figure, place the back cushion on the seat, then zip up the zipper.




Step 4: Snap the metal part of the headrest into the raised hinge, ensuring it is firmly locked in place, as illustrated in the figure. Then attach the hook-and-loop strips (Velcro®-type) to the underside of the back frame.

Note: If the headrests are at different angles when opened and used after installation, it indicates that one of the headrests is not properly installed.




How to Connect

Step 1: Lift the side of the sofa with the protruding side brackets, insert it into the side slots on the opposite side, to lock them into place.



Step 2: For Power Armless Chair, connect the wires piece by piece.



Step 3: Plug the power cord of either the left or right power armchair into the power outlet.

Note: After all the connections are made, the green LED will be lit up.

