

USER'S MANUAL
Trampoline with
Safety Enclosure Net



Before You Start

- ⚠ Please read all instructions carefully.
- ⚠ Retain instructions for future reference.
- ⚠ Separate and count all parts and hardware.
- ⚠ Read through each step carefully and follow the proper order.
- ⚠ We recommend that, where possible, all items are assembled near to the area in which they will be placed in use, to avoid moving the product unnecessarily once assembled.
- ⚠ Always place the product on a flat, steady and stable surface.
- ⚠ Keep all small parts and packaging materials for this product away from babies and children as they potentially pose a serious choking hazard.




WARNING!

SAFETY INFORMATION, INSTALLATION, CARE AND MAINTENANCE INSTRUCTIONS: READ THESE MATERIALS PRIOR TO ASSEMBLING AND USING THE TRAMPOLINE.


WARNING

- This trampoline is intended for use by children from 3 to 6 years of age.
- This trampoline contains small parts which may cause choking hazards.
- This trampoline is subject to a maximum user weight limit of 45KG.
- Do not allow more than one person on the trampoline at a time.
- Do not allow young children to use unless under adult supervision.
- This trampoline is designed for domestic use only.

PARTS	QTY.	ITEM
Frame Cover w/ Skirt Mesh	1	A
Jumping Mat w/ Encl. Mesh	1	B
Suspension Cord	30	C
Screw	24	D
Screw Driver	1	E
Top Rail	6	F
Lower Pole & Foam	6	G
Upper Pole & Foam	6	H
Leg Tube	6	K



A Frame Cover with Sewn-on Skirt Mesh (1)



B Jumping Mat with Sewn-on Enclosure Mesh (1)



C Suspension Cord



D Screw




E Screw Driver



F Top Rail



G Lower Enclosure Pole & foam



H Upper Enclosure Pole & foam



K Leg Tube

Assembly Instructions (Frame)

NOTE:

CHOKING HAZARD

-Small Parts. Not for children under 3 years.

ADULT ASSEMBLY REQUIRED


-Contains small parts, sharp points and sharp edges.

1

Begin by assembling 2 of the top rails (F) together into an arc.


2

Continue building a circle by adding the remaining 4 top rails (F) to the arc you made in Step 1.




3

Joining the 2 loose ends of the circle together may require you to stand the frame on edge and press downward on the 2 ends, while connecting them together.



4

With the top rail (F) frame connected into a circle, lay it flat on the floor (either side facing up—they are identical). Then insert the tapered end of each of the 6 leg tubes (K) into the 6 leg sockets that are facing up, as shown. The Curves should all point out—away from the center of the trampoline.



5

Align the screw hole in the leg tube (k) with the hole in the leg socket. Then secure with screw and tighten. DO NOT OVER-TIGHTEN. Repeat this until all 6 legs are securely attached to the top rail (F) frame with screws (D).


2

Use your right hand to stretch the loop end of the cord (C) OVER the top rail (F) and your left hand to pull the ball end of the cord (C) UNDER the top rail (F), then press the ball through the loop.



3

SLOWLY release the loop end of the cord so that it captures the knob, locking the suspension cord (C) in place, as shown.



Assembly Instructions (Jumping Mat)

NOTE:

CHOKING HAZARD


-Small Parts. Not for children under 3 years.

ADULT ASSEMBLY REQUIRED

-Contains small parts, sharp points and sharp edges.


1

Lay out the jumping mat (B) in the center of the frame. Then slide a suspension cord (C) from left to right through the sewn-in loop as shown.



4

From the 1st attached cord, count around the jumping mat to the 16th loop. Like the picture show position 1&2. Then repeat step 1 to step 3 to fix the position 3,4,5,6. Finally fix all the suspension cords (C) evenly. By doing so, it will ensure even-tension around the entire jumping mat (B).





5

Place the Frame Cover with Sewn-on Skirt Mesh (A) onto the trampoline main frame. Between each section of the Frame Cover pad, there is a built-in hole to secure the pad to leg tube/enclosure leg socket.

6

Pull the Sewn-on Skirt Mesh down, align the hole on both the Mesh and the Leg Tube. Secure the Skirt Mesh to the leg tube with Screws (D) and tighten them with Screw Driver (E).



Assembly Instructions (Safety Enclosure Net)

NOTE:

CHOKING HAZARD

-Small Parts. Not for children under 3 years.

ADULT ASSEMBLY REQUIRED


-Contains small parts, sharp points and sharp edges.

1

Insert the smaller diameter end of a lower enclosure pole (G) into the larger diameter end of an upper enclosure pole (H) and align screw holes. (You may need to slide the preinstalled foam sleeves to gain access to the ends of poles.)



2

Insert screw (D) & tighten. **DO NOT OVERTIGHTEN!** Repeat steps 1 & 2 to assemble remaining 5 sets of upper (H) and lower (G) poles.




3

Insert the bottom end of lower enclosure pole (G) assembly into the socket on frame, as shown. Align screw holes.



4

Insert the screw (D) & tighten. **DO NOT OVERTIGHTEN!** Repeat step 3 for the remaining 5 enclosure pole (G) assemblies. When it is done, it looks as shown.





5

Attach the Enclosure Net to the top of pole tube.

6

Locate the upper and lower sets of hook and loop fasteners sewn to the enclosure net. Tightly wrap both the upper and lower hook and loop fasteners around the enclosure pole to secure the net in place.



7

Repeat step 6 with remaining upper & lower hook and loop fasteners on the other 5 enclosure poles. When finished, the trampoline is as shown. The assembly is now completed, and the trampoline is ready for jumping!

Disassembly

To disassemble, simply follow ASSEMBLY INSTRUCTION-FRAME, JUMPING MAT, SAFETY ENCLOSURE NET in reverse order, until you have disassembled the trampoline.