Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance



- Not for commercial use. For residential use only.




- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside. For indoor use only.



- Stains may be removed with mild soap solution and damp cloth.




- Children should not climb or jump on the furniture.



- Dust and pick-up spills using a clean, non-colored, lint-free cloth.






Please look in Seat Panel for hardware packs.

INDOOR BARSTOOL








Caution: This Barstool is NOT a TOY.
Keep your child / children at bay during the assembly process.
Whenever lifting or moving the Barstool and to prevent damage to the Barstool, two adults may be needed to execute these actions.

Part List:


Label	Picture	Description	QTY
A		Backrest Panel	1
B		Seat Support Bar	2
C		Lower Support Bar	1
D		Rear Leg	1
E		Front Leg	1
F		Chair Seat	1

Hardware List:

Label	Picture	Description	QTY
1		Bolt (M6 x 50 mm)	3
2		Bolt (M6 x 80 mm)	6
3		Screw (M6 x 40 mm)	5
4		Screw (M4 x 50 mm)	5
5		Flat Washer (Ø6 x 13 x 1 mm)	8
6		Wooden dowel (Ø10 x 30 mm)	5
7		Wood Plug (Ø15 x 10 mm)	8
8		Allen Wrench (k4 x 60 mm)	1
9		Screwdriver (Not provided)	

Assembly Preparation:

Before Beginning Assembly:



Ⓐ x 1




Ⓑ x 2




Ⓒ x 1




Ⓓ x 1




Ⓔ x 1



Ⓕ x 1



① x 3



② x 6




③ x 5



④ x 5



⑤ x 8




⑥ x 5



⑦ x 8



⑧ x 1



⑨ (Not provided)



• Read instructions, cover to cover-



• Have 2 adults on hand for assembly-



• Do not assemble on flooring or carpet-




• Assemble on a clean non - marring surface (packing foam)-



• Save all packaging until finished-


Assembly Preparation:

Overview




This Barstool has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Barstool, the above picture is to help you put the various parts into perspective. Please read through the instructions here below to familiarise yourself with the parts and steps before assembly.

STEP 1




Unpack and place all parts on a clean, non-marring surface.

STEP 2




With assistance from your adult partner as shown in above picture.
2.1) Secure the Front Leg (E) to the Lower Support Bar (C) by using Bolts (①) and Washers (⑤) with Allen Wrench (⑧) as shown above.
2.2) Secure the Front Leg (E) to the Seat Support Bar (B) by using Screw (③) and Wooden Dowel (⑥) with Allen Wrench (⑧) as shown above.
DO NOT fully tighten the Bolts and Screw.

STEP 3



With assistance from your adult partner as shown in above picture.
3.1) Secure the Rear Leg (D) to the Lower Support Bar (C) by using Bolts (①)and Washers (⑤) with Allen Wrench (⑧) as shown above.
3.2) Secure the Rear Leg (D) to the Seat Support Bar (B) by using Screw (③) with Allen Wrench (⑧) as shown above.
DO NOT fully tighten the Bolts and Screw.

STEP 4



With assistance from your adult partner, Place the chair in the upright position as shown in above picture.

4.1) Attach the Wooden Dowels (⑥) to Backrest Panel (A) as shown above.


Align the rear tenons with the backrest, then:

4.2) Secure the Backrest Panel (A) to the Rear Leg (D) by using Bolt (②) and Washers (⑤) with Allen Wrench (⑧) as shown above.

4.3) Secure the Backrest Panel (A) to the Front Leg (E) by using Bolt (②), and Washers (⑤) with Allen Wrench (⑧) as shown above.

DO NOT OVERTIGHTEN THE BOLT.
OVER TIGHTENING COULD LEAD TO DAMAGE OF THE PRODUCT.
TIGHTEN ONLY UNTIL SECURE.

STEP 5




With assistance from your adult partner, place the Barstool assembly completed in Step 4 on its side on a table or a box, and position the Chair Seat (F) onto the assembly as shown above.

Secure Chair Seat (F) to the Seat Support Bar (B) by using Screw (④) and Screwdriver (⑨) as shown above.

DO NOT OVERTIGHTEN THE SCREWS.


STEP 6



Press the Wood Plug (⑦) into the hole of Front Leg (E) by hand as shown in above.

Place the Barstool on a LEVEL SURFACE to see if it wobbles.
If it wobbles, lift the Barstool to some 30cm to 50cm height from the ground.
Keep your feet and toes well away from the drop zone. Drop the Barstool freely and vertically with the four legs, hitting the ground, at the same time.
This Drop Test will help to ensure that all the screws and gaps to all reach full alignment status.
Test again for evenness on a LEVEL SURFACE.
If no wobbles found, proceed to tighten all the screws.
CAUTION: When tightening these Bolt and Screws, tighten sequentially.
DO NOT tighten any Bolt and Screw fully and then towards the next one.This would cause the frame to warp.
If there is still wobbles, loosen the screws and execute this same drop tests.
WARNING!! IF BARSTOOL IS NOT STABLE, IT COULD LEAD TO DAMAGING THE PRODUCT.

STEP 7



Turn the Barstool upright carefully
Your Barstool is ready for use.
This Barstool can only be used on a flat, level surface.