

How to install

1. So the accessories are arranged



2. Install particle board inner sheet



3. Install particle board



4. Installing the Particle Board Blade



5. Install the spring



6. Screw fixing



7. Install the tail spacer



8. The installation of the screw is completed



9. Fix the screw to the machine



10. Fixing screw



11. Install the handle



12 Fixed handle



What should be paid attention to in the particle production process?.

You can buy it in the supermarket. When making 1.5MM and 2.0MM granules, it is recommended that the powder should be filtered through a 50-mesh sieve to make the bean powder fine enough, so that it can be made into granules to make granules. If there is no hindrance, it will not be very laborious. If the viscosity of the material is high, we need to go to the supermarket to buy yeast powder according to the instructions, and add it properly to leaven.

Note when making the title grain:

"Cement" production:

Use a soymilk machine to make "cement" materials from fruits, vegetables, carrots, wolfberry, huangdang, red dates (removed traps), etc., and mix them into the food, which can increase the absorption of the food to the bird more fully. (Using Joyoung cooking machine to make soy milk equipment)

Boiled eggs:

Hard-boiling eggs has two major benefits:

1. Prevent the eggs from going bad and moldy, which will lead to moldy ingredients. Boiled eggs can help digestion
2. When making word materials, reduce the viscosity of the feed, which can effectively prevent the feed from sticking together when it is made. It can also increase the elasticity and lubricity of the word material, making it easier to make word materials. If it is too sticky,

you need to add yeast powder for 10-15 minutes of fermentation and leavening.

Beans must be fried or cooked:

Raw beans have mold-causing bacteria. If they are not cooked properly, the life span of the feed will be shortened. Also, raw beans have a bitter taste, so cubs don't like to eat them.

The meat should be cooked: (Why should the inner meat be cooked?)

First: Raw meat often contains meat bacteria, which is not good for the bird's health

Second: Raw meat is crushed to make food, which generally leads to blockage of particle holes

Carrots need to be cooked:

Cooked carrots are better for birds to absorb, and then crushed into powder

Solid substances must be comminuted in whole:

The powder is filtered with a 50-mesh sieve to prevent clogging and make it difficult to discharge

How to powder cooked substances (carrots, meat, goji berries, etc.):

Because, some friends are making word materials for the first time, and they will encounter some very troublesome things, that is, how to crush cooked and watery food?

It is actually very simple to grind cooked food with moisture. First, prepare the dry powder you need to make ingredients (fried bean

powder, chicken powder) and mix the wet food and The dry powder is crushed, but it should be noted that the wet one should be less and the dry one should be more, that is, the dry powder should be more, and finally put it into the dry grinding disc of the cooking machine or powder machine for powdering.

Personal approach to feed:

Two sentences: Hold it in your hand, shake it lightly, and it will disperse (the feed that has been prepared with water, can be picked up lightly with one hand, the feed will form a ball, and the feed will disperse immediately when you flick it lightly with your fingers. However, the feed is mixed too much Not sticky, slightly loose ingredients are good ingredients)

How the granules dry:

First: sun dry

Second: Microwave drying

Third: fried dry

Fourth: Oven drying

1.Powder tool

(1) Cooking machine, which mainly has other functions such as dry grinding, mincing meat, making soy milk, etc. The dry grinding function can grind the fried beans, but the effect is not as good as that of the traditional Chinese medicine powder machine; the meat function can grind the cooked meat It can also crush wolfberry, red

dates, etc., and the effect is not bad; the function of making soy milk is very powerful, mainly for making soy milk. However, some vegetables and fruits can also be used together to make vegetable puree, and fruit puree can be mixed into the word material.

(2) Traditional Chinese medicine pulverizer: it can mainly pulverize some hard substances (for example: mountain plants, rice, beans, etc.). Not as many as cooking machines, and you can't beat wet items.

2. Water distribution tools:

Viscosity of feed: Generally, if the water content is too low (less than 10%), the feeding speed will be slow, the machine will be blocked, and cracks will easily occur on the surface of the pellets: if the water content is too high (more than 23%), the pressed pellets will have poor hardness and will easily Adhesion. Therefore, when making feed, it is generally because the powder is slowly sprinkled with water to become a wet powder. If you want to make a catty, don't measure a catty to do it, because you are afraid that if you do not use water for the first time. More water means less water. At this time, it is necessary to add water or powder a little bit, because the content of the formula in the personal wine dispenser is different, and the water content to be mixed is different, such as: egg yolk, fruit, vegetable puree, etc. The content of water content Different water distribution is also different. In a word: Practice is the key to solving problems

3. Particle making tools:

Add.:No.18 gongye Road,East Erqi District,Zhengzhou Henan

Web: <http://www.huafoodmachine.com>

Email:sales9@huafoodmachine.com

Mob: +86 13043973696

Machine installation control discharge problems:

- (1) Do not make mistakes in the installation of the granulator. The fixing ring (including the final shaft nut) is too tight, the screws are not tightly tightened, the material cannot be delivered with effort, and brute force is caused by incorrect installation or operation. of. Simply verify whether the installation is correct, it is to see if idling is laborious when there is no filler, if the installation is not correct, it will be very laborious
- 2) If the idling machine feels difficult to swing, it may be that the large screw cap pressing the discharge plate is too tight, so the large screw cap must be loosened, depending on whether the idling machine feels labor-saving.
- 3) When making granules, all solid food such as beans must be crushed into powder, otherwise the granule holes will be blocked, which will be very laborious when making granules. It takes a lot of effort to see whether the material is uniformly discharged from the particle holes of the material. If the material is not uniformly discharged, it means that the particle holes are blocked~~!]

4. Drying tools

Household drying feed generally uses a microwave oven, which can save a lot of money to buy some professional drying equipment. It does not take too long to set up a boat of dry feed, and the burnt feed almost loses its nutritional value, so friends who recommend making feed , it is best to put it in the sun another day and dry it in the sun.

The function of drying: drying feed can sterilize some bacterial substances in the feed, and can also break the granules into shape and non-conductive fragmentation. Drying some ingredients of the feed can prolong the life of the feed. There are also some friends, it is advisable to fry the feed and expose it to the sun, but pay attention to the mold of the feed.

5. After drying,

rub the granules that are scattered into agglomerates
Put the feed into the microwave oven and bake for 3-4 minutes, take it out, it is about 90% dry and moisture state, take it out, rub the agglomerated particles to loosen them.
Note: The freshly baked feed is very hot, so don't rub the feed with your hands at once, so as not to burn your hands, so put the baked feed in an open area to cool down. However, do not knead the granules after cooling. The cooled granules are very firm and difficult to disperse. You can rub them with warm hands.

6. Packaging

Seal up the finished feed, but it must be sealed to prevent moisture from causing mold to the granules, and the bag must be sealed for sealing

Some recipes for feeding:

Sixi feed basic formula:

Recipe 1: 5 taels of corn flour, 5 taels of soybeans, 5 taels of mung beans, 2 taels of sesame seeds, 4 taels of fresh beef, 8 pieces of fish, 4 taels of ant powder (breadworm), 2 taels of cicada shells, 8 taels of cooked egg yolks 1, 1 whole egg, 5 egg shells, 2 sweet potatoes, 2 taels of peanuts, 2 taels of wild plants, 2 carrots, 2 taels of wolfberry, 2 taels of Codonopsis pilosula

Recipe 2: 1 catties of chicken ingredients, 3 taels of soybean powder, 3 taels of mung bean powder, 2 taels of fish or shrimp powder, 4 taels of ant powder, 3 taels of beef, 6 cooked egg yolks, 1 whole egg, 5 taels 1 eggshell, 2 carrots, 2 wolfberries, 2 Codonopsis

Singing bird feed additives:

The feed must add appropriate amount of mountain powder and orange peel powder to the above feed preparation

Bucket feed additives:

Go to the pharmacy to buy a little soil worm (10 grams for 1 yuan). After buying it, you should smash the soil worm into powder and mix it into the word material, but don't put too much at one time. With a little saltiness, it is not suitable to add too much.

Moulting Additives:

During the moulting period, the number of egg shells should be increased, the number of fish should be increased by about 2 compared with the normal period, and a little fine sand and a little salt should be added when preparing the ingredients. Egg yolks can be

added or subtracted according to the season. When it is cold, there are more loose eggs, and there are fewer eggs for new birds.

Meat of choice:

Generally do not choose pork [pork is high in fat], generally choose beef and chicken.

Thrush feed basic formula

Recipe 1: 500g corn flour, 100g soybean flour, 1-2 boiled sweet potatoes, 200g rice, 50g black sesame, 50g yam, 50g ling, 5-6 boiled egg yolks, 2 boiled egg whites, 3 Egg shells, beef 200g

Recipe 2:

5 taels of corn flour, 6 cooked egg yolks, 2 taels of wolfberry, 2 taels of soybeans, 2 taels of mung beans, 2 taels of peas (black beans), 2 carrots, 1 carp or 10 fish, a small amount of fine sand, powder 2 taels, chicken feed 5 taels wolfberry 2 taels, Codonopsis ginseng strips

Singing bird feed additives:

The feed must add appropriate amount of mountain plant powder and orange peel powder to the above ingredients

Bucket feed additives:

Go to the pharmacy to buy a little wood beetle worm (10 grams for 1 yuan). After you buy it, you should smash the soil worm into powder and mix it into the feed, but don't put too much at one time. A little salty, if you don't feel comfortable adding too much.

Moulting Additives:

Add.:No.18 gongye Road,East Erqi District,Zhengzhou Henan

Web: <http://www.huafoodmachine.com>

Email:sales9@huafoodmachine.com

Mob: +86 13043973696

During the moulting period, the number of egg shells should be increased, the number of Gan fish should be increased by about 2 compared with the normal period, and a little fine sand and a little salt should be added when formulating the feed. Egg yolks can be added or subtracted according to the seasons. If it is cold, there will be more black pine eggs, and fewer eggs for new birds.

Meat of choice:

Generally do not choose pork [pork is high in fat and brain], generally choose beef and chicken

Lark Basic Recipe

The ratio is as follows:

1. Add 3 whole eggs to one catty of millet, plus two egg yolks and three slices of 21 Jinweita (each time add two eggs for half an hour, rub it open and let it dry for a thousand times to make the feed not easy to deteriorate)
2. Mazi 2: Millet 1: Seed 1. Mix and set aside.
- 3 Give a can of mixed pockmarks every week with eggs and rice.

The recipe is simple, but all the birds I raise love to call hands bright.

Remind novices to pay attention! Do not overweight the ratio of oily feed to cause obesity. Braun's obesity mostly occurs in novices. The reason is that they are afraid that the birds will lose weight. What can be used? Under the cage, they don't like to move.

Think about it, what can wild larks eat in winter? Mainly grass seeds. Don't they survive well? Larks are omnivorous birds. They must not

be artificially fed into "fat ducks"!

recipe one

Chicken ingredients 300G, corn flour 100G, cuttlefish powder 50g beef 50g 4 egg shells, 5 egg yolks a whole egg, wolfberry 10g, 2 carrots

Preparation method:

1. The meat must be cooked and boiled, and the vegetables and carrots must be mashed
2. Egg shells and bones are ground into powder (the egg yolk is the best)
3. Cook or steam the prepared powder

Recipe 2:

Chicken ingredients 300g, ant flour 100g, corn flour 200g, 8 boiled egg yolks, beef 2 taels

Heba Feed Basic Formula

Recipe one:

Corn flour 250g, winter main: soybean flour 200g, summer main: mung bean flour 200g, cuttlefish powder 50g beef 50g 4 egg shells, 5 egg yolks, a whole egg, wolfberry 10g, 2 carrots

Preparation method:

1. The meat must be cooked and boiled, and the vegetables and carrots must be mashed
2. Grind egg shells and bones into powder (boiled eggs are best for egg yolks)

3. Cook or steam the prepared powder

recipe two

250g small chicken ingredients, 250g medium chicken ingredients, peanut powder (about 2-3 taels), 8 hard-boiled egg yolks, 4 egg shells, 5 caries fish, 100g beef, a little wolfberry, 2 carrots

Four seasons bird food ratio:

spring:

During the moulting period, Er Ge needs to supplement nutrition, and must increase some beef, mealworms, ants and egg shell powder, etc.

summer:

In hot weather, it is necessary to reduce high-energy, high-fat, high-protein and other auxiliary materials (for example: fish offal, egg yolk paste, bread worms, chopped worms, flour, and rice noodles); it is necessary to increase fruits, vegetables, mung beans, etc.

Department.

autumn:

At the end of moulting, to strengthen nutrition, meat protein must be added, such as: beef, fresh fish and shrimp, insects, etc., so that it can grow a good waist and prepare for winter

winter:

In order to keep the body fat of the bird, it is necessary to feed more birds, more protein food and fatty food

Recipe one:

5 taels of mung bean powder, 5 taels of soybean powder, 20 taels of egg powder, 2 taels of beef powder, 2 taels of shrimp powder, 2 taels of rice flour, and 3 taels of wolfberry powder. (Both red and blue beards use this food, the effect is good, and this food is also used to feed Xiuyan".

I think the secret recipe of the ingredients is to learn to "add" and "subtract". "

Recipe 2:

1. The ratio of mung bean flour, corn flour, egg yolk flour and fish meal is 5:2:2:1

2. The ratio of mung bean flour, corn flour, egg yolk powder and river shrimp powder is 5:1:2:2

3. Mung bean, flour, egg powder, fish and shrimp powder, others 5:2:2:1 (this depends on the state of the bird, add beef or fried chicken when it is losing fat, add some vegetarian food, corn flour or something, no One and all, reserved for maneuvering)

4. 1 catty of mung bean noodles, 20 egg yolks, 15 catties of beef, 1 catty of river prawns, 3 taels of carrot powder, 3 taels of wolfberry powder, and usually add minced cucumber

Note: Egg yolks can be added or subtracted according to the seasons. When it is cold, there should be more black pine eggs, and new birds should put fewer eggs.

Indigo chin feed basic formula

Add.:No.18 gongye Road,East Erqi District,Zhengzhou Henan

Web: <http://www.huafoodmachine.com>

Email:sales9@huafoodmachine.com

Basic formula of embroidered eye feed

Mob: +86 13043973696

Note: Mainly soybeans in winter and mung beans in summer, but the meat should not be too heavy [Note: Do not choose pork for meat, pork fat is too high, generally choose chicken and beef]

Recipe one:

1 boiled egg yolk, 1 boiled egg white, 5 egg shells, 250g fried soybean powder, 100g fried mung beans, 50g black beans and sesame seeds, 50g peanut powder, 50g fresh fish and shrimp, 3 wolfberries 2. 3 carrots, 2 tomatoes

Recipe 2:

6 taels of fried soybeans, 3 taels of fried mung beans, 1 tael of red beans, 6-7 egg yolks, 2-3 taels of fresh fish and shrimp meat, 2 taels of wolfberry, 2 sticks of Codonopsis pilosula, 2 sticks of carrots, and each chicken 2 taels, corn flour 4 taels

Recipe three:

200g soybean flour, 50g corn flour, 50g cooked lotus seeds, 25g walnut kernels, 6 egg yolks, 25g pollen, 70g locusts

Usually feeding:

Eat more hydrangea fruits, supplement vitamins, feed more honey water, supplement glucose

Molt period:

The amount of egg shells increases, a little salt is added to the ingredients, and a little fine sand is added to the ingredients

Note: Egg yolks can be added or subtracted according to the seasons.

When it is cold, there are more birds and eggs, and new eggs are less.