



## **Product Installation Instructions**







1		Two In One Screw (6x28mm)	68pcs +2pcs
2		Two In One Nut	68pcs +2pcs
3		Wood Chipping (6x30mm)	28pcs +2pcs
4	Dr. Comments of the comments o	Handle & Screw (4x10mm)	3pcs +1pcs
5		Door Magnet & Iron Sheet & Screw (3x10mm)	8pcs +1pcs 2pcs 2pcs
6		Rubber strip guide & Screw (4x16mm)	24pcs 6pcs +4pcs
7		Non-slip pads	4pcs
8		Power Socket & Screw (3x10mm)	2pcs 1pcs +1pcs
9		Iron bar	6pcs +1pcs
10		Wooden board upport	8pcs +1pcs
11	Comment of the second of the s	Cabinet Door Hinge & Screw (3. 5x12mm)	16pcs 4pcs +2pcs
12	ST THE STATE OF TH	Handle & Screw (4x18mm)	2pcs 2pcs +1pcs
13		Fixing Clip & Screw (3x16mm)	28pcs +1pcs
14		Wire Clamp	2pcs +1pcs








Double-head screwdriver, use as required















Step 6





Repeat the drawer installation steps








































Step 25 E




















Step 36





30


<u> x6</u>















If there is a large gap after the installation of the door, please twist the screw of the door hinge back halfway and move the door left and right.

**35** 











## User's Guide

Thank you for purchasing this product.

To use this product, please plug it into a 12V DC power supply.

Please use if the product works normally after connecting to power.

## Introduction

The box is an intelligent controller. It has 1 USB output port 1 Type-c port and can distribute the current output up to 5V DC-1.5A. With 2 touch buttons,

it can turn. ON/OFF the light, change light colors, and adjust the light luminance.

## Operation



This touch button is used to turn on/off, change colors, and adjust brightness.

- A. Short touch -> lighting on -> short touch -> change light color -> short touch -> change light color -> short touch -> lighting off.
- B. Long touch -> adjust the luminance.



This touch button is used to turn on/off the induction function.

- A . Short touch to turn on the induction function. It can auto-turn on the light when people are close to the controller in 1 meters. It can auto power off the light when the body is far away from the controller after 30 seconds.
- B. Long touch to turn off the induction function.
- C. Note: When you touch the light button to change the light modes, the induction function will automatically turn off. It is best to turn on this function after selecting the light color and adjusting the brightness you want.

