

## **INSTALLATION REQUIREMENTS:**

Fan must be attached to a securely anchored electrical junction box capable of withstanding a load of at least 35 lbs.

## **ELECTRICAL REQUIREMENTS:**

Requires a grounded electrical supply line of 120 volts AC, 60 Hz, 15 amp circuit.

#### MOTOR SPECS:

153 x 25 FS sensorless DC motor is designed for optimal performance with this fan.

## **BLADES:**

3 bladed blade sets are available in plastic materials- all sold separately.

See our catalog or visit www.fanimation.com for blade options.

#### **CONTROL OPTIONS:**

TR205D hand-held remote control is included. Push button remote control with variable fan speeds, fresh air, reverse, infinite light levels, fan/light timer, home away, safe exit and off button. Optional TW206D wall control, WFR8531 WiFi receiver are available- sold separately. Instructions are provided with each control.

#### LIGHTING OPTIONS:

LK8530- One 18-watt dimmable LED.

# **DOWNROD OPTIONS:**

Fan comes with a 1" dia. x 8" long downrod (DR1-8). Optional downrods are available in 12", 18", 24", 36", 48", 60" and 72" lengths. A downrod coupler is available for installations requiring a downrod longer than 72". The fan can be mounted on a sloped ceiling up to 27°. Optional sloped ceiling ball kits (SCB1-52) are available for slope angles greater than 27° and up to 42°. Optional close-to-ceiling kit is available as well-sold separately. Call technical support for more information.

#### LOCATION USE:

Fan is rated for dry and damp locations.

BN	Brushed Nickel			
BL	Black			
GR	Matte Greige			
MW	Matte White			
DZ	Bark Bronze			
		Α	В	

	Α	В
Fan w/8" downrod	15.96″	15.33″
Fan w/12" downrod	19.96″	19.33″
Fan w/18" downrod	25.96″	25.33″
Fan w/24" downrod	31.96″	31.33″
Fan w/36" downrod	43.96″	43.33″
Fan w/48" downrod	55.96″	55.33″
Fan w/60" downrod	67.96″	67.33″
Fan w/72" downrod	79.96″	79.33″

Airflow / Energy Efficiency Info Energy Star test with BPW8531-84 Blade in 84″ sweep								
Fan Speed	Max RPM	CFM	CFM / Watts	Amps	Watts			
High	81	11206	366	0.43	31			
Med	56	7859	827	0.15	10			
Low	29	3516	1172	0.05	3			

Energy Guide FTC Measured with BPW8531-84 Blades in 84 <sup>"</sup> sweep								
Power (W <sub>ave</sub> )	Total Air Delivery (CFM <sub>ave</sub> )	Estimated Yearly Energy Cost (\$)	Ceiling Fan Efficiency (CFM/W)					
21	8762	6	420					