



Flat Tufted Bench Assembly Instructions



Flat Tufted Bench Assembly Instructions



NOTE: Place all parts on a clean and smooth surface (rug, carpet) to avoid the parts from being scratched.

NOTE: Follow assembly instructions step by step.



Flat Tufted Bench Assembly Instructions

PART LIST:




- ① Tufted Seat ② Frame (4 holes) 3 pcs ③ Frame (2 holes) 2 pcs ④ Frame (square) 2 pcs

HARDWARE LIST:


LABEL	PICTURE	DESCRIPTION	QTY	LABEL	PICTURE	DESCRIPTION	QTY
A		1-1/4" Bolts	12	C		5/8" Bolts	10
B		M8 ALLEN WRENCH	1				

Flat Tufted Bench Assembly Instructions

STEP 1: Attach parts ④ & ③ using the smaller (5/8") of the two size bolts, make sure the edge with the three holes of the square frame is facing up (See below diagram)




STEP 2: Now attach the parts ② to the partially assembled frame (see diagram) using the smaller (5/8") of the two size bolts, completing the frame.



Flat Tufted Bench Assembly Instructions

STEP 3: Now place the frame upside down onto the upside down tufted seat ① and attach one to the other using the 12-1-1/4" bolts.
(See below diagram)



STEP 4: Return Bench to upright position, and have a seat.

