

CONTACT US

Thank you for shopping with us! We hope that our products have added a touch of brightness to your life. If you need any assistance, please don't hesitate to reach out. Our dedicated team is here to assist you for any-related-product inquiries.

ÜBER UNS

Vielen Dank für Ihren Einkauf bei uns! Wir hoffen, dass unsere Produkte Ihrem Leben einen Hauch von Helligkeit verliehen haben. Sollten Sie weitere Unterstützung benötigen, steht Ihnen unser Kundenservice gerne zur Verfügung.

NOUS CONTACTER

Merci d'avoir choisi notre produit ! Nous souhaitons que notre produit puisse vous aider à bien commencer votre vie quotidienne. Si vous avez besoin d'aide, n'hésitez pas à nous contacter. Notre équipe est à votre disposition pour toutes vos questions et demandes concernant le produit.

✉ Help@ZRSupport.com


☎ 1-888-204-3326

f ZRSupport



Scan the QR code to
watch the installation video

INSTALLATION MANUAL



BATHROOM MEDICINE CABINET

SPIEGELSCHRANK

ARMOIRE MURALE SALLE DE BAIN

English / Deutsch / Français

BEFORE INSTALLATION

Basic precautions should always be followed when using this product. **Please read all instructions before assembling the cabinet and retain these instructions for future reference.**

- Failure to observe all instructions and warnings may cause severe property damage or personal injuries.
- Check the product and hardware accessories inside the box and confirm that the instructions are complete.
- When installing, please pay attention to the protection of the parts. The soft material must be placed under the product, and please carefully handle it to avoid surface damage.
- After the assembly is completed, please adjust the placement position according to the actual situation.
- Keep children away from cabinets, accessories, and installation tools. Risk of injury to children.
- Two people are recommended for assembly.
- The wall plugs supplied are for use on solid walls only. For cavity walls or plasterboard use specialist fixings that are suitable for the type of wall construction.
- To retain the best quality finish, clean product regularly with a soft damp cloth.
- The max load of the cabinet is 10kg when fitted to a solid wall and 5kg when fitted to a cavity wall.
- If you require an electronic version of this manual, please contact our customer-service team to obtain it.

RETURN/DAMAGE CLAIM INSTRUCTIONS

- The product is shipped in a single carton. If you haven't received the package or need to know the tracking of the package, contact us: **Help@ZRSupport.com**.
- If the package is damaged, please get in touch with us immediately. Attaching a damaged photo is appreciated.
- Please keep the original box if you need to return the goods. Please use our return label and do not return it without permission.
- If you encounter any damage, defects or missing parts during installation, please contact us immediately. Replacements, exchanges or refunds will be arranged as soon as possible, except for issues caused by personal reasons. Customer Service: **Help@ZRSupport.com**.

VOR DER MONTAGE

Bei der Verwendung dieses Produkts sollten stets grundlegende Sicherheitsvorkehrungen beachtet werden. **Lesen Sie vor der Montage des Schrankes alle Anweisungen durch und bewahren Sie diese für zukünftige Referenzzwecke auf.**

- Die Nichtbeachtung aller Anweisungen und Warnhinweise kann schwere Sach- oder Personenschäden zur Folge haben.
- Überprüfen Sie das Produkt und das Zubehör in der Verpackung und vergewissern Sie sich, dass die Bedienungsanleitung vollständig ist.
- Achten Sie bei der Montage auf den Schutz der Bauteile. Legen Sie das Produkt auf weiches Material und gehen Sie vorsichtig damit um, um Beschädigungen der Oberfläche zu vermeiden.
- Passen Sie nach Abschluss der Montage die Aufstellungsposition bitte an die tatsächlichen Gegebenheiten an.
- Halten Sie Kinder von Schränken, Zubehör und Montagewerkzeugen fern. Es besteht Verletzungsgefahr für Kinder.
- Für die Montage wird die Mitarbeit von zwei Personen empfohlen.
- Die mitgelieferten Wanddübel sind nur für massive Wände geeignet. Bei Hohlwänden oder Gipskartonwänden verwenden Sie bitte geeignete Spezialbefestigungen entsprechend der Wandkonstruktion.
- Um eine hochwertige Oberfläche zu erhalten, reinigen Sie das Produkt regelmäßig mit einem weichen und feuchten Tuch.
- Die maximale Traglast des Schrankes beträgt 10 kg bei Montage an einer massiven Wand und 5 kg bei Montage an einer Hohlwand.
- Falls Sie die elektronische Bedienungsanleitung benötigen, wenden Sie sich bitte an unseren Kundenservice, um diese zu erhalten.

ANWEISUNGEN FÜR RÜCKGABE / SCHADENSANSPRÜCHE

- Das Produkt wird in einem einzigen Karton versandt. Falls Sie das Paket nicht erhalten haben oder Informationen zur Sendungsverfolgung benötigen, kontaktieren Sie uns per E-Mail unter : **Help@ZRSupport.com**.
- Sollte das Paket beschädigt sein, setzen Sie sich bitte umgehend mit uns in Verbindung. Bitte fügen Sie nach Möglichkeit Fotos der Beschädigung bei.
- Bewahren Sie zur Rücksendung die Originalverpackung auf. Verwenden Sie unser Rücksendetikett und senden Sie die Ware nicht ohne unsere Zustimmung zurück.
- Bei Schäden, Mängeln oder fehlenden Teilen während der Montage kontaktieren Sie uns bitte umgehend. Abgesehen von Fällen, die auf persönliche Gründe zurückgehen, werden Ersatzlieferungen, Umtausche oder Rückerstattungen schnellstmöglich veranlasst. Kundenservice: **Help@ZRSupport.com**.

AVANT L'INSTALLATION


Respectez toujours les consignes de base lors de l'utilisation de ce produit. **Lisez l'ensemble des instructions avant d'utiliser le meuble et conservez-les pour consultation ultérieure.**

- Le non-respect des instructions et avertissements peut entraîner des dommages matériels graves ou des blessures corporelles.
- Vérifiez le produit et les accessoires fournis dans le colis; assurez-vous que toutes les instructions sont complètes.
- Pendant l'installation, protégez les composants. Placez un matériau souple sous le produit et manipulez-le avec précaution pour éviter d'endommager sa surface.
- Une fois l'assemblage terminé, ajustez la position du meuble selon les conditions réelles.
- Tenez les enfants éloignés du meuble, des accessoires et des outils d'installation, risque de blessure.
- L'assemblage par deux personnes est recommandé.
- Les chevilles fournies sont exclusivement destinées aux murs pleins. Pour les murs creux ou les cloisons en plâtre, utilisez des fixations adaptées à votre type de mur.
- Pour conserver un rendu optimal, nettoyez régulièrement le produit avec un chiffon doux humide.
- Charge maximale du meuble : 10 kg sur mur plein, 5 kg sur mur creux.
- Si vous avez besoin du manuel électronique, contactez notre service client pour l'obtenir.




INSTRUCTIONS DE RETOUR / RÉCLAMATION EN CAS DE DÉGÂTS

- Ce produit est expédié dans un seul carton. Si vous n'avez pas reçu votre colis ou souhaitez obtenir son suivi, contactez-nous par e-mail : **Help@ZRSupport.com**.
- Si le colis est endommagé, contactez-nous immédiatement. Il est recommandé de joindre des photos des dommages.
- Conservez l'emballage d'origine si vous souhaitez retourner le produit. Utilisez notre étiquette de retour ; aucun retour ne sera accepté sans notre autorisation.
- En cas de dommages, défauts ou pièces manquantes constatés au moment de l'installation, contactez-nous immédiatement. Un remplacement, un échange ou un remboursement sera organisé dans les meilleurs délais, hors cas relevant de la responsabilité personnelle. Service client : **Help@ZRSupport.com**.

EXPLODED DIAGRAM








INSTALLATION TOOLS









 Electric Drill	 Hammer	 Tape Measure
 Level	 Marker	 Safety Goggles

PACKING LIST

Please ensure that you have received all parts and accessories in the correct specifications and quantities as listed below:

				
Item	Illustration	Qty.	Qty.	Qty.
①	 30mm	×8	×12	×16
②		×8	×16	×24
③	 18mm	×0	×8	×16
④	 40mm	×4	×8	×12

Please ensure that you have received all parts and accessories in the correct specifications and quantities as listed below:

				
Item	Illustration	Qty.	Qty.	Qty.
⑤	 60mm	×4	×8	×12
⑥		×4	×8	×12
⑧		×4	×8	×12
⑨		×4	×8	×12
⑩		×1	×1	×1
⑪		×1	×1	×1
⑫		×4	×8	×12
⑬		×1	×1	×1

Please ensure that you have received all parts and accessories in the correct specifications and quantities as listed below:				
Item	Illustration	Qty.	Qty.	Qty.
A1		×1	×2	×2
A2		×1	×0	×0
A20		×0	×1	×1
A30		×0	×0	×1
B		×2	×4	×6
C		×1	×2	×3
D1		×2	×4	×6

Please ensure that you have received all parts and accessories in the correct specifications and quantities as listed below:


Item	Illustration	Qty.	Qty.	Qty.	Qty.
D2		×2	×4	×6	
G		Height under 81 cm	×2	2×2	3×2
		Height above 81 cm	×3	2×3	3×3
H		×1	×2	×3	
I20		×0	×2	×2	
I30		×0	×0	×2	
		×2	×4	×6	
		×2	×4	×6	

Note: For medicine cabinets taller than 81 cm, an additional piece of

D1 D2 G will be provided for assembly.

ASSEMBLY INSTRUCTIONS

1 Install cabinet door hinges



ATTENTION

Please select the installation method according to the model you purchased:

Single-door:

Proceed to page 12 ~ 15.

Double-door:


Proceed to page 16 ~ 22.

Triple-door:


Proceed to page 23 ~ 34.

After installation is complete, proceed to Page 35.

2 Installation preparation




3 Install hinge base




4 Install the top and bottom plate

Step 1




Reminder: Please note that the flat side is the top, and the side with protrusions is the bottom and ensure that parts A1 and B are seamlessly joined and aligned top.




Step 2


Reminder: Please note the backplane color: the front side is white, and the back side is gray.




Step 3




5 Installation of double-door cabinets



Taking this as an example




5-1 Install hinge base




5-2 Install the top and bottom plate

Step 1




Reminder: Please note that the flat side is the top, and the side with protrusions is the bottom and ensure that parts A1 and B are seamlessly joined and aligned top.




Step 2


Reminder: Please note the backplane color: the front side is white, and the back side is gray.




Step 3




Step 4



Step 5




Step 6




Step 8


Reminder: Please note the backplane color: the front side is white, and the back side is gray.



Step 7



Step 9




6 Installation of triple-door cabinets


The triple-door cabinets offer two installation methods. Please select your door opening method depending on your preference.




1.If you choose the **left-opening** direction for the middle door, connector A-30 will be installed on the left side of the middle door, connector A-20 will be installed on the right side of the middle door. Please follow the arrangement below for installation:




Taking this as an example



2.If you choose the **right-opening** direction for the middle door, you can achieve this by rotating the entire assembled three-door mirror cabinet 180 degrees from its left-hand opening setup.




Taking this as an example







Note: When connectors A30 and A20 are installed in reverse, the mounting notch for the shelf bracket could be positioned either above or below.

Note: This manual uses the direction of the middle door opening to the left as the installation example for the three-door mirror cabinet.



Taking this as an example


6-1 Install hinge base





6-2

Install the top and bottom plate

Step 1




Reminder: Please note that the flat side is the top, and the side with protrusions is the bottom and ensure that parts A1 and B are seamlessly joined and aligned top.




Step 2


Reminder: Please note the backplane color: the front side is white, and the back side is gray.




Step 3




Step 4




Step 5



Step 6




Step 7




Step 8


Reminder: Please note the backplane color: the front side is white, and the back side is gray.




Step 9




Step 10



Step 11




Step 12




Step 13

Reminder: Please note the backplane color: the front side is white, and the back side is gray.




Step 14




7 Installation of shelves

Step 1





Step 2

Align the shelf with the slot and insert it vertically



Note: When connectors A30 and A20 are installed in reverse, the mounting notch for the shelf bracket could be positioned either above or below.

Step 3



ATTENTION:


Left door opening: D1 needs to be installed on the side with hinges

Right door opening: D2 needs to be installed on the side with hinges

8


Install the shelves

Step 1





Reminder: If the medicine cabinet you purchased is taller than 81 cm, please assemble all the included G parts.

The shelf panel needs to snap into the shelf frame.





Finish

Step 2



Reminder: Place the cabinet vertically on the desk-top, Please ensure the shelves are horizontal with the bubble level.

Step 3




Fasten the screws

WALL MOUNTING

9-1

Step 1

Measure the distance between the upper mounting hole and the bottom of the cabinet box.




Step 2

1. Based on the measured distance, mark spots for the mounting holes on the wall.


2. From the two designated spots, draw straight lines using a bubble level to ensure they are perfectly horizontal.

3. Draw a vertical line at the middle of vanity sink as a reference.




Step 3

Measure the distance between the outermost two mounting holes



Step 4


Based on the measured distance, mark the other two spots on the wall.



9-2



Step 1

Drill holes at the marked spots.




Step 2

Choose appropriate drill bits that match the thickness and material of the wall to ensure secure mounting.

Thickness of Wall :	Recommended Drill Bit :
>5/8" (16mm)	1/4" (6mm) drill bit, drilling depth in 1 31/32" (50mm)  
5/16" (8)-5/8" (16mm)	25/64" (10mm) drill bit  
<5/16" (8mm)	Unapplicable


Fit the screws but leave a 0.27-0.55in (7-14mm) gap between the screw-head and the wall




9-3

Step 1

Place the mirror cabinet on the wall




Step 2



Mark the two bottom spots on the wall.


9-4

Step 1




Step 2

Drill holes at the marked spots.



Step 3


Install wall anchors.



9-5


Step 1

Set screws




Step 2

Fasten the screws



9-6


Apply stickers to cover the screwheads





9-7

Step 1

Link the cabinet door to the cabinet body



Step 2





Press!

Press the hydraulic hinge into place. Once you hear a click, it indicates that the installation is complete.


9-8

Adjust hinge



Step 1


1. Adjust the screws on hydraulic hinge, ensuring the cabinet door locates perfectly.



Step 2




2. Fasten the screws

Installation Completed






HOW TO ADJUST HYDRAULIC HINGES

Open the hydraulic hinge cover and adjust the cabinet door by fastening or loosening the screws accordingly.






EINSTELLUNG DER DÄMPFUNGSSCHARNIERE

Den Deckel des Dämpfungsscharniers öffnen und die Schranktür durch entsprechendes Anziehen oder Lösen der Schrauben einstellen.



COMMENT RÉGLER LA CHARNIÈRE HYDRAULIQUE

Ouvrez le cache de la charnière hydraulique, puis réglez la position de la porte en serrant ou en desserrant les vis selon vos besoins.



HOW TO CLEAN

When cleaning the mirror, please follow these instructions:

1. Use a soft, non-abrasive cloth to clean the mirror. Avoid using rough or abrasive materials that may damage the surface.
2. Do not use any cleaning agents that may cause irritation or damage to the mirror's finish. Instead, use any of the recommended cleansers to remove dirt and grime:

✓ Gentle liquid detergents ✓ Colorless cleansers

3. If any adhesive residue left, please wipe it off with a cloth dipped in water (instead of detergents).

★ Warranty

A two-year warranty from the date of your purchase.

★ Contact Email

If you have any questions, please feel free to contact us via Help@ZRsupport.com



Scan the QR code to
watch the installation video

REINIGUNG

Bitte beachten Sie bei der Reinigung des Spiegels folgende Anweisungen:

1. Verwenden Sie ein weiches, nicht scheuerndes Tuch. Vermeiden Sie raue oder scheuernde Materialien, um die Oberfläche nicht zu beschädigen.
2. Verwenden Sie keine Reinigungsmittel, die die Spiegeloberfläche angreifen oder schädigen könnten. Zum Entfernen von Schmutz und Staub werden stattdessen empfohlen:

☒ Milde Flüssigseife oder Spülmittel ☒ Farblose Reiniger

3. Falls Kleberückstände vorhanden sind, wischen Sie diese bitte mit einem nur mit Wasser angefeuchteten Tuch ab (anstatt mit Reinigungsmitteln).

★ Garantie

Zwei Jahre Garantie ab dem Datum Ihres Kaufs.

★ Kontakt-E-Mail

Bei Fragen können Sie sich gerne an uns wenden: Help@ZRsupport.com



Scannen Sie den QR-Code,
um das Montagevideo anzusehen

COMMENT NETTOYER EFFICACEMENT

Lors du nettoyage du miroir, veuillez suivre les instructions suivantes:

1. Utilisez un chiffon doux et non abrasif pour nettoyer le miroir. Évitez d'utiliser des matériaux rugueux ou abrasifs qui pourraient endommager la surface.
2. N'utilisez pas de produits de nettoyage susceptibles d'irriter ou d'endommager le revêtement du miroir. Utilisez plutôt l'un des nettoyeurs recommandés pour éliminer la saleté et les taches:

☒ Détergents liquides doux ☒ Nettoyants incolores

3. S'il reste des résidus d'adhésif, essuyez-les avec un chiffon imbibé d'eau (plutôt qu'imbibé de détergents).

★ Garantie

Garantie de deux ans à compter de la date de votre achat.

★ Email de contact

Si vous avez des questions, n'hésitez pas à nous contacter à l'adresse Help@ZRsupport.com



Scannez le QR code pour
regarder la vidéo d'installation